This test file is based on a.tex 1 by x19290.

SOLVED: bad folding and not slanted problems are common in pLaTeX and LuaTeX-ja.

The cause of the latter problem is that Japanese fonts don't have italic shape by default. In this document, we define them by

```
1 \DeclareFontShape{JY3}{mc}{m}{sl}{<-> s *
      [0.92489] psft:Ryumin-Light:jfm=ujis;slant
      =0.167}{}
2 \DeclareFontShape{JY3}{mc}{m}{it}{<-> ssub* mc/m
      /sl}{}
```

 $^{^1}$ This can be downloaded from https://gist.github.com/1574793.

We also avoid white band problem, by setting both the height and the depth of each letter/word to 0 pt.

```
1#!/bin/sh
2#長い長い長い長い長い長い長い長い長い長い長い長い長
 い長い長い長い長い
い、長い長い長い長い長い長い
4 # I . 長い長い長い長い長い長い長い長い長い長い長い
 長い長い長い長い長いⅠ
5長い長い長い長い長い長い長い長い長い長い長い長い長い
 長い長い長い長い
```

Note that any *kinsoku shori* is not performed inside lstlisting environment, as the line 3 in output above. We leave it to further development.

SOLVED: LuaTeX-ja specific problem: when the *begin* line of a listings environment ends with JAchar, the first line of the listing is not rendered.

ex 1: problem; shebang not rendered --- 問題

1#!/bin/bash 2:

え!1 あ ,い・あ)う(ええ!2 あ $_2$ え!2あ

1 え!1あ, い・あ)う(え 2 え!2あ

1 え!1 あ ア イ ウ エ オ 2 え!2 あ

Ticket #29311

- 1 長い長い長い長い長い長い長い長い長い長い長い長い長い # い 長い 2 長い長い長い長い長い長い長い長い長い長い長い長い長い長い
- aaaa # ::い長い ₃ 長い長い長い長い長い長い長い長い長い長い長い長い長い長い い,長い長い

Ticket #29604 ギリシャ文字欧文扱い

```
101234567890123456789
```

2!**あ!漢!**α!×!

₃ \TeX はギリシャ文字のT-E-X (タウ・イプシロン・カ イ)であるから、......

ギリシャ文字和文扱い

イ)であるから、......

2!あ!漢!!×!

3 \TeX はギリシャ文字の - - (タウ・イプシロン・カ

101234567890123456789