Variable				Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]	Base [2]		Descriptive text, allowed values and skip instructions
					MONTHLY VARIABLE CODEBOOK VARIABLES: SCTY0100-SCTY0132 PROPORTION OF MONTH IN HIGH SCHOOL.
2200	RECID	06	all	RECID	INDIVIDUAL RECORD IDENTIFIER UNIQUE PROJECT ID FOR EACH RESPONDENT. 100000..199999 = UNIQUE PROJECT ID
2201	PRO_IND	03	all	PRO_IND	PROCESSING FIELD ENTRY PROCESSING FLAG. PLEASE IGNORE.
2202	SCTY01		all	SCTY01	PROPORTION OF MONTH IN HIGH SCHOOL PROPORTION OF MONTH (TIMES 1000) IN HIGH SCHOOL. NOTE: 1. EACH OF THE SCTY01 VARIABLES IS EXACTLY ALIKE IN CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS 01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY THE VALUE RANGES AND DESCRIPTIONS FOR SCTY0100. 2. THE SCTY01 MONTHLY VARIABLES OCCUPY A DATA BLOCK 132 CHARACTERS. IN SAS DATA SETS THESE VARIABLES ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS SET OF VARIABLES STARTS OUT AT COLUMN 10.

2202.01	SCTY0100	04		SCTY0100	IN HIGH SCHOOL: MONTH 00 (RA)
					PROPORTION OF MONTH (TIMES 1000) IN HIGH SCHOOL DURING
					MONTH OF RANDOM ASSIGNMENT (MONTH 00).
					        BLANK = BLANK, N/A, NULL ENTRY
					  0000..1000 = PROPORTION * 1000
					      4000 = NOT COMPUTED, INVALID DATES
					      5000 = BEYOND INTERVIEW DATE
					      9000 = MISSING

2202.02	SCTY0101	04		SCTY0101	IN HIGH SCHOOL: MONTH 01
2202.03	SCTY0102	04		SCTY0102	IN HIGH SCHOOL: MONTH 02
2202.04	SCTY0103	04		SCTY0103	IN HIGH SCHOOL: MONTH 03
2202.05	SCTY0104	04		SCTY0104	IN HIGH SCHOOL: MONTH 04

2202.06	SCTY0105	04		SCTY0105	IN HIGH SCHOOL: MONTH 05
2202.07	SCTY0106	04		SCTY0106	IN HIGH SCHOOL: MONTH 06
2202.08	SCTY0107	04		SCTY0107	IN HIGH SCHOOL: MONTH 07
2202.09	SCTY0108	04		SCTY0108	IN HIGH SCHOOL: MONTH 08
2202.10	SCTY0109	04		SCTY0109	IN HIGH SCHOOL: MONTH 09
2202.11	SCTY0110	04		SCTY0110	IN HIGH SCHOOL: MONTH 10

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable				Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]	Base [2]		Descriptive text, allowed values and skip instructions
2202.12	SCTY0111	04		SCTY0111	IN HIGH SCHOOL: MONTH 11
2202.13	SCTY0112	04		SCTY0112	IN HIGH SCHOOL: MONTH 12
2202.14	SCTY0113	04		SCTY0113	IN HIGH SCHOOL: MONTH 13
2202.15	SCTY0114	04		SCTY0114	IN HIGH SCHOOL: MONTH 14
2202.16	SCTY0115	04		SCTY0115	IN HIGH SCHOOL: MONTH 15
2202.17	SCTY0116	04		SCTY0116	IN HIGH SCHOOL: MONTH 16
2202.18	SCTY0117	04		SCTY0117	IN HIGH SCHOOL: MONTH 17
2202.19	SCTY0118	04		SCTY0118	IN HIGH SCHOOL: MONTH 18
2202.20	SCTY0119	04		SCTY0119	IN HIGH SCHOOL: MONTH 19
2202.21	SCTY0120	04		SCTY0120	IN HIGH SCHOOL: MONTH 20
2202.22	SCTY0121	04		SCTY0121	IN HIGH SCHOOL: MONTH 21
2202.23	SCTY0122	04		SCTY0122	IN HIGH SCHOOL: MONTH 22
2202.24	SCTY0123	04		SCTY0123	IN HIGH SCHOOL: MONTH 23
2202.25	SCTY0124	04		SCTY0124	IN HIGH SCHOOL: MONTH 24
2202.26	SCTY0125	04		SCTY0125	IN HIGH SCHOOL: MONTH 25
2202.27	SCTY0126	04		SCTY0126	IN HIGH SCHOOL: MONTH 26
2202.28	SCTY0127	04		SCTY0127	IN HIGH SCHOOL: MONTH 27
2202.29	SCTY0128	04		SCTY0128	IN HIGH SCHOOL: MONTH 28

2202.30	SCTY0129	04		SCTY0129	IN HIGH SCHOOL: MONTH 29
2202.31	SCTY0130	04		SCTY0130	IN HIGH SCHOOL: MONTH 30
2202.32	SCTY0131	04		SCTY0131	IN HIGH SCHOOL: MONTH 31
2202.33	SCTY0132	04		SCTY0132	IN HIGH SCHOOL: MONTH 32

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable				Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]	Base [2]		Descriptive text, allowed values and skip instructions
					MONTHLY VARIABLE CODEBOOK VARIABLES: SCTY0200-SCTY0232 PROPORTION OF MONTH IN GED TRAINING
2210	RECID	06	all	RECID	INDIVIDUAL RECORD IDENTIFIER UNIQUE PROJECT ID FOR EACH RESPONDENT. 　　　100000..199999 = UNIQUE PROJECT ID
2211	PRO_IND	03	all	PRO_IND	PROCESSING FIELD ENTRY PROCESSING FLAG. PLEASE IGNORE.
2212	SCTY02		all	SCTY02	PROPORTION OF MONTH IN GED TRAINING PROPORTION OF MONTH (TIMES 1000) IN GED TRAINING. NOTE: 1. EACH OF THE SCTY02 VARIABLES IS EXACTLY ALIKE IN CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS 01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY THE VALUE RANGES AND DESCRIPTIONS FOR SCTY0200. 2. THE SCTY02 MONTHLY VARIABLES OCCUPY A DATA BLOCK 132 CHARACTERS. IN SAS DATA SETS THESE VARIABLES ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS SET OF VARIABLES STARTS OUT AT COLUMN 10.
2212.01	SCTY0200	04		SCTY0200	IN GED TRAINING: MONTH 00 (RA) PROPORTION OF MONTH (TIMES 1000) IN GED TRAINING DURING MONTH OF RANDOM ASSIGNMENT (MONTH 00). 　　　　　BLANK = BLANK, N/A, NULL ENTRY 　　0000..1000 = PROPORTION * 1000 　　　　　4000 = NOT COMPUTED, INVALID DATES 　　　　　5000 = BEYOND INTERVIEW DATE 　　　　　9000 = MISSING
2212.02	SCTY0201	04		SCTY0201	IN GED TRAINING: MONTH 01
2212.03	SCTY0202	04		SCTY0202	IN GED TRAINING: MONTH 02
2212.04	SCTY0203	04		SCTY0203	IN GED TRAINING: MONTH 03
2212.05	SCTY0204	04		SCTY0204	IN GED TRAINING: MONTH 04

2212.06	SCTY0205	04		SCTY0205	IN GED TRAINING: MONTH 05
2212.07	SCTY0206	04		SCTY0206	IN GED TRAINING: MONTH 06
2212.08	SCTY0207	04		SCTY0207	IN GED TRAINING: MONTH 07
2212.09	SCTY0208	04		SCTY0208	IN GED TRAINING: MONTH 08
2212.10	SCTY0209	04		SCTY0209	IN GED TRAINING: MONTH 09

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable				Reference	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]	Base [2]	Name	Descriptive text, allowed values and skip instructions
2212.11	SCTY0210	04		SCTY0210	IN GED TRAINING: MONTH 10
2212.12	SCTY0211	04		SCTY0211	IN GED TRAINING: MONTH 11
2212.13	SCTY0212	04		SCTY0212	IN GED TRAINING: MONTH 12
2212.14	SCTY0213	04		SCTY0213	IN GED TRAINING: MONTH 13
2212.15	SCTY0214	04		SCTY0214	IN GED TRAINING: MONTH 14
2212.16	SCTY0215	04		SCTY0215	IN GED TRAINING: MONTH 15
2212.17	SCTY0216	04		SCTY0216	IN GED TRAINING: MONTH 16
2212.18	SCTY0217	04		SCTY0217	IN GED TRAINING: MONTH 17
2212.19	SCTY0218	04		SCTY0218	IN GED TRAINING: MONTH 18
2212.20	SCTY0219	04		SCTY0219	IN GED TRAINING: MONTH 19
2212.21	SCTY0220	04		SCTY0220	IN GED TRAINING: MONTH 20
2212.22	SCTY0221	04		SCTY0221	IN GED TRAINING: MONTH 21
2212.23	SCTY0222	04		SCTY0222	IN GED TRAINING: MONTH 22
2212.24	SCTY0223	04		SCTY0223	IN GED TRAINING: MONTH 23
2212.25	SCTY0224	04		SCTY0224	IN GED TRAINING: MONTH 24
2212.26	SCTY0225	04		SCTY0225	IN GED TRAINING: MONTH 25
2212.27	SCTY0226	04		SCTY0226	IN GED TRAINING: MONTH 26
2212.28	SCTY0227	04		SCTY0227	IN GED TRAINING: MONTH 27

2212.29	SCTY0228	04		SCTY0228	IN GED TRAINING: MONTH 28
2212.30	SCTY0229	04		SCTY0229	IN GED TRAINING: MONTH 29
2212.31	SCTY0230	04		SCTY0230	IN GED TRAINING: MONTH 30
2212.32	SCTY0231	04		SCTY0231	IN GED TRAINING: MONTH 31
2212.33	SCTY0232	04		SCTY0232	IN GED TRAINING: MONTH 32

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

| Variable | | | | Reference | Codebook for SAS data sets - Experimental sample. |
Number	Name	Width [1]	Base [2]	Name	Descriptive text, allowed values and skip instructions
					MONTHLY VARIABLE CODEBOOK VARIABLES: SCTY0300-SCTY0332 PROPORTION OF MONTH IN 2-YEAR COLLEGE
2215	RECID	06	all	RECID	INDIVIDUAL RECORD IDENTIFIER UNIQUE PROJECT ID FOR EACH RESPONDENT. 100000..199999 = UNIQUE PROJECT ID
2216	PRO_IND	03	all	PRO_IND	PROCESSING FIELD ENTRY PROCESSING FLAG. PLEASE IGNORE.
2217	SCTY03		all	SCTY03	PROPORTION OF MONTH IN 2-YEAR COLLEGE PROPORTION OF MONTH (TIMES 1000) IN 2-YEAR COLLEGE. NOTE: 1. EACH OF THE SCTY03 VARIABLES IS EXACTLY ALIKE IN CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS 01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY THE VALUE RANGES AND DESCRIPTIONS FOR SCTY0300. 2. THE SCTY03 MONTHLY VARIABLES OCCUPY A DATA BLOCK 132 CHARACTERS. IN SAS DATA SETS THESE VARIABLES ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS SET OF VARIABLES STARTS OUT AT COLUMN 10.

2217.01	SCTY0300	04		SCTY0300	IN 2-YEAR COLLEGE: MONTH 00 (RA)
					PROPORTION OF MONTH (TIMES 1000) IN 2-YEAR COLLEGE DURING MONTH OF RANDOM ASSIGNMENT (MONTH 00).
					    BLANK = BLANK, N/A, NULL ENTRY
					  0000..1000 = PROPORTION * 1000
					    4000 = NOT COMPUTED, INVALID DATES
					    5000 = BEYOND INTERVIEW DATE
					    9000 = MISSING

2217.02	SCTY0301	04		SCTY0301	IN 2-YEAR COLLEGE: MONTH 01
2217.03	SCTY0302	04		SCTY0302	IN 2-YEAR COLLEGE: MONTH 02
2217.04	SCTY0303	04		SCTY0303	IN 2-YEAR COLLEGE: MONTH 03
2217.05	SCTY0304	04		SCTY0304	IN 2-YEAR COLLEGE: MONTH 04

2217.06	SCTY0305	04		SCTY0305	IN 2-YEAR COLLEGE: MONTH 05
2217.07	SCTY0306	04		SCTY0306	IN 2-YEAR COLLEGE: MONTH 06
2217.08	SCTY0307	04		SCTY0307	IN 2-YEAR COLLEGE: MONTH 07
2217.09	SCTY0308	04		SCTY0308	IN 2-YEAR COLLEGE: MONTH 08
2217.10	SCTY0309	04		SCTY0309	IN 2-YEAR COLLEGE: MONTH 09

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable				Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]	Base [2]		Descriptive text, allowed values and skip instructions
2217.11	SCTY0310	04		SCTY0310	IN 2-YEAR COLLEGE: MONTH 10
2217.12	SCTY0311	04		SCTY0311	IN 2-YEAR COLLEGE: MONTH 11
2217.13	SCTY0312	04		SCTY0312	IN 2-YEAR COLLEGE: MONTH 12
2217.14	SCTY0313	04		SCTY0313	IN 2-YEAR COLLEGE: MONTH 13
2217.15	SCTY0314	04		SCTY0314	IN 2-YEAR COLLEGE: MONTH 14
2217.16	SCTY0315	04		SCTY0315	IN 2-YEAR COLLEGE: MONTH 15
2217.17	SCTY0316	04		SCTY0316	IN 2-YEAR COLLEGE: MONTH 16
2217.18	SCTY0317	04		SCTY0317	IN 2-YEAR COLLEGE: MONTH 17
2217.19	SCTY0318	04		SCTY0318	IN 2-YEAR COLLEGE: MONTH 18
2217.20	SCTY0319	04		SCTY0319	IN 2-YEAR COLLEGE: MONTH 19
2217.21	SCTY0320	04		SCTY0320	IN 2-YEAR COLLEGE: MONTH 20
2217.22	SCTY0321	04		SCTY0321	IN 2-YEAR COLLEGE: MONTH 21
2217.23	SCTY0322	04		SCTY0322	IN 2-YEAR COLLEGE: MONTH 22
2217.24	SCTY0323	04		SCTY0323	IN 2-YEAR COLLEGE: MONTH 23
2217.25	SCTY0324	04		SCTY0324	IN 2-YEAR COLLEGE: MONTH 24
2217.26	SCTY0325	04		SCTY0325	IN 2-YEAR COLLEGE: MONTH 25
2217.27	SCTY0326	04		SCTY0326	IN 2-YEAR COLLEGE: MONTH 26
2217.28	SCTY0327	04		SCTY0327	IN 2-YEAR COLLEGE: MONTH 27

2217.29	SCTY0328	04		SCTY0328	IN 2-YEAR COLLEGE: MONTH 28
2217.30	SCTY0329	04		SCTY0329	IN 2-YEAR COLLEGE: MONTH 29
2217.31	SCTY0330	04		SCTY0330	IN 2-YEAR COLLEGE: MONTH 30
2217.32	SCTY0331	04		SCTY0331	IN 2-YEAR COLLEGE: MONTH 31

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable				Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]	Base [2]		Descriptive text, allowed values and skip instructions
2217.33	SCTY0332	04		SCTY0332	IN 2-YEAR COLLEGE: MONTH 32
					MONTHLY VARIABLE CODEBOOK VARIABLES: SCTY0400-SCTY0432 PROPORTION OF MONTH IN 4-YEAR COLLEGE
2220	RECID	06	all	RECID	INDIVIDUAL RECORD IDENTIFIER UNIQUE PROJECT ID FOR EACH RESPONDENT. 　　　　100000..199999 = UNIQUE PROJECT ID
2221	PRO_IND	03	all	PRO_IND	PROCESSING FIELD ENTRY PROCESSING FLAG. PLEASE IGNORE.
2222	SCTY04		all	SCTY04	PROPORTION OF MONTH IN 4-YEAR COLLEGE PROPORTION OF MONTH (TIMES 1000) IN 4-YEAR COLLEGE. NOTE: 1. EACH OF THE SCTY04 VARIABLES IS EXACTLY ALIKE IN CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS 01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY THE VALUE RANGES AND DESCRIPTIONS FOR SCTY0400. 2. THE SCTY04 MONTHLY VARIABLES OCCUPY A DATA BLOCK 132 CHARACTERS. IN SAS DATA SETS THESE VARIABLES ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS SET OF VARIABLES STARTS OUT AT COLUMN 10.
2222.01	SCTY0400	04		SCTY0400	IN 4-YEAR COLLEGE: MONTH 00 (RA) PROPORTION OF MONTH (TIMES 1000) IN 4-YEAR COLLEGE DURING MONTH OF RANDOM ASSIGNMENT (MONTH 00). 　　　　　　BLANK = BLANK, N/A, NULL ENTRY 　　　　0000..1000 = PROPORTION * 1000 　　　　　　4000 = NOT COMPUTED, INVALID DATES 　　　　　　5000 = BEYOND INTERVIEW DATE

					9000 = MISSING	
2222.02	SCTY0401	04		SCTY0401	IN 4-YEAR COLLEGE: MONTH 01	
2222.03	SCTY0402	04		SCTY0402	IN 4-YEAR COLLEGE: MONTH 02	
2222.04	SCTY0403	04		SCTY0403	IN 4-YEAR COLLEGE: MONTH 03	
2222.05	SCTY0404	04		SCTY0404	IN 4-YEAR COLLEGE: MONTH 04	
2222.06	SCTY0405	04		SCTY0405	IN 4-YEAR COLLEGE: MONTH 05	

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Base [2]	Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
2222.07	SCTY0406	04		SCTY0406	IN 4-YEAR COLLEGE: MONTH 06
2222.08	SCTY0407	04		SCTY0407	IN 4-YEAR COLLEGE: MONTH 07
2222.09	SCTY0408	04		SCTY0408	IN 4-YEAR COLLEGE: MONTH 08
2222.10	SCTY0409	04		SCTY0409	IN 4-YEAR COLLEGE: MONTH 09
2222.11	SCTY0410	04		SCTY0410	IN 4-YEAR COLLEGE: MONTH 10
2222.12	SCTY0411	04		SCTY0411	IN 4-YEAR COLLEGE: MONTH 11
2222.13	SCTY0412	04		SCTY0412	IN 4-YEAR COLLEGE: MONTH 12
2222.14	SCTY0413	04		SCTY0413	IN 4-YEAR COLLEGE: MONTH 13
2222.15	SCTY0414	04		SCTY0414	IN 4-YEAR COLLEGE: MONTH 14
2222.16	SCTY0415	04		SCTY0415	IN 4-YEAR COLLEGE: MONTH 15
2222.17	SCTY0416	04		SCTY0416	IN 4-YEAR COLLEGE: MONTH 16
2222.18	SCTY0417	04		SCTY0417	IN 4-YEAR COLLEGE: MONTH 17
2222.19	SCTY0418	04		SCTY0418	IN 4-YEAR COLLEGE: MONTH 18
2222.20	SCTY0419	04		SCTY0419	IN 4-YEAR COLLEGE: MONTH 19
2222.21	SCTY0420	04		SCTY0420	IN 4-YEAR COLLEGE: MONTH 20
2222.22	SCTY0421	04		SCTY0421	IN 4-YEAR COLLEGE: MONTH 21
2222.23	SCTY0422	04		SCTY0422	IN 4-YEAR COLLEGE: MONTH 22
2222.24	SCTY0423	04		SCTY0423	IN 4-YEAR COLLEGE: MONTH 23

2222.25	SCTY0424	04		SCTY0424	IN 4-YEAR COLLEGE: MONTH 24
2222.26	SCTY0425	04		SCTY0425	IN 4-YEAR COLLEGE: MONTH 25
2222.27	SCTY0426	04		SCTY0426	IN 4-YEAR COLLEGE: MONTH 26
2222.28	SCTY0427	04		SCTY0427	IN 4-YEAR COLLEGE: MONTH 27
2222.29	SCTY0428	04		SCTY0428	IN 4-YEAR COLLEGE: MONTH 28

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

| Variable | | | | Reference | Codebook for SAS data sets - Experimental sample. |
Number	Name	Width [1]	Base [2]	Name	Descriptive text, allowed values and skip instructions
2222.30	SCTY0429	04		SCTY0429	IN 4-YEAR COLLEGE: MONTH 29
2222.31	SCTY0430	04		SCTY0430	IN 4-YEAR COLLEGE: MONTH 30
2222.32	SCTY0431	04		SCTY0431	IN 4-YEAR COLLEGE: MONTH 31
2222.33	SCTY0432	04		SCTY0432	IN 4-YEAR COLLEGE: MONTH 32
					MONTHLY VARIABLE CODEBOOK VARIABLES: SCTY0500-SCTY0532 PROPORTION OF MONTH IN GRAD/PROF. SCHOOL
2225	RECID	06	all	RECID	INDIVIDUAL RECORD IDENTIFIER UNIQUE PROJECT ID FOR EACH RESPONDENT. 100000..199999 = UNIQUE PROJECT ID
2226	PRO_IND	03	all	PRO_IND	PROCESSING FIELD ENTRY PROCESSING FLAG. PLEASE IGNORE.
2227	SCTY05		all	SCTY05	PROPORTION OF MONTH IN GRAD/PROF. SCHOOL PROPORTION OF MONTH (TIMES 1000) IN GRAD/PROF. SCHOOL. NOTE: 1. EACH OF THE SCTY05 VARIABLES IS EXACTLY ALIKE IN CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS 01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY THE VALUE RANGES AND DESCRIPTIONS FOR SCTY0500. 2. THE SCTY05 MONTHLY VARIABLES OCCUPY A DATA BLOCK 132 CHARACTERS. IN SAS DATA SETS THESE VARIABLES ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS SET OF VARIABLES STARTS OUT AT COLUMN 10.

2227.01	SCTY0500	04			SCTY0500	IN GRAD/PROF. SCHOOL: MONTH 00 (RA)

```
2227.01  SCTY0500  04            SCTY0500  IN GRAD/PROF. SCHOOL: MONTH 00 (RA)
                                           PROPORTION OF MONTH (TIMES 1000) IN GRAD/PROF. SCHOOL
                                           DURING MONTH OF RANDOM ASSIGNMENT (MONTH 00).
                                                     BLANK = BLANK, N/A, NULL ENTRY
                                                0000..1000 = PROPORTION * 1000
                                                      4000 = NOT COMPUTED, INVALID DATES
                                                      5000 = BEYOND INTERVIEW DATE
                                                      9000 = MISSING

2227.02  SCTY0501  04            SCTY0501  IN GRAD/PROF. SCHOOL: MONTH 01

2227.03  SCTY0502  04            SCTY0502  IN GRAD/PROF. SCHOOL: MONTH 02
```

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable				Reference	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]	Base [2]	Name	Descriptive text, allowed values and skip instructions
2227.04	SCTY0503	04		SCTY0503	IN GRAD/PROF. SCHOOL: MONTH 03
2227.05	SCTY0504	04		SCTY0504	IN GRAD/PROF. SCHOOL: MONTH 04
2227.06	SCTY0505	04		SCTY0505	IN GRAD/PROF. SCHOOL: MONTH 05
2227.07	SCTY0506	04		SCTY0506	IN GRAD/PROF. SCHOOL: MONTH 06
2227.08	SCTY0507	04		SCTY0507	IN GRAD/PROF. SCHOOL: MONTH 07
2227.09	SCTY0508	04		SCTY0508	IN GRAD/PROF. SCHOOL: MONTH 08
2227.10	SCTY0509	04		SCTY0509	IN GRAD/PROF. SCHOOL: MONTH 09
2227.11	SCTY0510	04		SCTY0510	IN GRAD/PROF. SCHOOL: MONTH 10
2227.12	SCTY0511	04		SCTY0511	IN GRAD/PROF. SCHOOL: MONTH 11
2227.13	SCTY0512	04		SCTY0512	IN GRAD/PROF. SCHOOL: MONTH 12
2227.14	SCTY0513	04		SCTY0513	IN GRAD/PROF. SCHOOL: MONTH 13
2227.15	SCTY0514	04		SCTY0514	IN GRAD/PROF. SCHOOL: MONTH 14
2227.16	SCTY0515	04		SCTY0515	IN GRAD/PROF. SCHOOL: MONTH 15
2227.17	SCTY0516	04		SCTY0516	IN GRAD/PROF. SCHOOL: MONTH 16
2227.18	SCTY0517	04		SCTY0517	IN GRAD/PROF. SCHOOL: MONTH 17
2227.19	SCTY0518	04		SCTY0518	IN GRAD/PROF. SCHOOL: MONTH 18
2227.20	SCTY0519	04		SCTY0519	IN GRAD/PROF. SCHOOL: MONTH 19
2227.21	SCTY0520	04		SCTY0520	IN GRAD/PROF. SCHOOL: MONTH 20

2227.22	SCTY0521	04		SCTY0521	IN GRAD/PROF. SCHOOL: MONTH 21
2227.23	SCTY0522	04		SCTY0522	IN GRAD/PROF. SCHOOL: MONTH 22
2227.24	SCTY0523	04		SCTY0523	IN GRAD/PROF. SCHOOL: MONTH 23
2227.25	SCTY0524	04		SCTY0524	IN GRAD/PROF. SCHOOL: MONTH 24
2227.26	SCTY0525	04		SCTY0525	IN GRAD/PROF. SCHOOL: MONTH 25

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable				Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]	Base [2]		Descriptive text, allowed values and skip instructions
2227.27	SCTY0526	04		SCTY0526	IN GRAD/PROF. SCHOOL: MONTH 26
2227.28	SCTY0527	04		SCTY0527	IN GRAD/PROF. SCHOOL: MONTH 27
2227.29	SCTY0528	04		SCTY0528	IN GRAD/PROF. SCHOOL: MONTH 28
2227.30	SCTY0529	04		SCTY0529	IN GRAD/PROF. SCHOOL: MONTH 29
2227.31	SCTY0530	04		SCTY0530	IN GRAD/PROF. SCHOOL: MONTH 30
2227.32	SCTY0531	04		SCTY0531	IN GRAD/PROF. SCHOOL: MONTH 31
2227.33	SCTY0532	04		SCTY0532	IN GRAD/PROF. SCHOOL: MONTH 32
					MONTHLY VARIABLE CODEBOOK VARIABLES: SCTY0600-SCTY0632 PROPORTION OF MONTH IN VOCATIONAL SCHOOL.
2230	RECID	06	all	RECID	INDIVIDUAL RECORD IDENTIFIER UNIQUE PROJECT ID FOR EACH RESPONDENT. 100000..199999 = UNIQUE PROJECT ID
2231	PRO_IND	03	all	PRO_IND	PROCESSING FIELD ENTRY PROCESSING FLAG. PLEASE IGNORE.
2232	SCTY06		all	SCTY06	PROPORTION OF MONTH IN VOC. SCHOOL . PROPORTION OF MONTH (TIMES 1000) IN VOCATIONAL SCHOOL. NOTE: 1. EACH OF THE SCTY06 VARIABLES IS EXACTLY ALIKE IN

```
                                              CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS
                                              01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY
                                              THE VALUE RANGES AND DESCRIPTIONS FOR SCTY0600.

                                              2. THE SCTY06 MONTHLY VARIABLES OCCUPY A DATA BLOCK
                                              132 CHARACTERS. IN SAS DATA SETS THESE VARIABLES
                                              ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS
                                              SET OF VARIABLES STARTS OUT AT COLUMN 10.
```

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

| Variable | | | | Reference | Codebook for SAS data sets - Experimental sample. |
Number	Name	Width [1]	Base [2]	Name	Descriptive text, allowed values and skip instructions

2232.01	SCTY0600	04		SCTY0600	IN VOCATIONAL SCHOOL: MONTH 00 (RA)
					PROPORTION OF MONTH (TIMES 1000) IN VOCATIONAL SCHOOL
					DURING MONTH OF RANDOM ASSIGNMENT (MONTH 00).
					    BLANK = BLANK, N/A, NULL ENTRY
					  0000..1000 = PROPORTION * 1000
					    4000 = NOT COMPUTED, INVALID DATES
					    5000 = BEYOND INTERVIEW DATE
					    9000 = MISSING

2232.02	SCTY0601	04		SCTY0601	IN VOCATIONAL SCHOOL: MONTH 01
2232.03	SCTY0602	04		SCTY0602	IN VOCATIONAL SCHOOL: MONTH 02
2232.04	SCTY0603	04		SCTY0603	IN VOCATIONAL SCHOOL: MONTH 03
2232.05	SCTY0604	04		SCTY0604	IN VOCATIONAL SCHOOL: MONTH 04
2232.06	SCTY0605	04		SCTY0605	IN VOCATIONAL SCHOOL: MONTH 05
2232.07	SCTY0606	04		SCTY0606	IN VOCATIONAL SCHOOL: MONTH 06
2232.08	SCTY0607	04		SCTY0607	IN VOCATIONAL SCHOOL: MONTH 07
2232.09	SCTY0608	04		SCTY0608	IN VOCATIONAL SCHOOL: MONTH 08
2232.10	SCTY0609	04		SCTY0609	IN VOCATIONAL SCHOOL: MONTH 09
2232.11	SCTY0610	04		SCTY0610	IN VOCATIONAL SCHOOL: MONTH 10
2232.12	SCTY0611	04		SCTY0611	IN VOCATIONAL SCHOOL: MONTH 11
2232.13	SCTY0612	04		SCTY0612	IN VOCATIONAL SCHOOL: MONTH 12
2232.14	SCTY0613	04		SCTY0613	IN VOCATIONAL SCHOOL: MONTH 13
2232.15	SCTY0614	04		SCTY0614	IN VOCATIONAL SCHOOL: MONTH 14
2232.16	SCTY0615	04		SCTY0615	IN VOCATIONAL SCHOOL: MONTH 15

2232.17	SCTY0616	04		SCTY0616	IN VOCATIONAL SCHOOL: MONTH 16
2232.18	SCTY0617	04		SCTY0617	IN VOCATIONAL SCHOOL: MONTH 17
2232.19	SCTY0618	04		SCTY0618	IN VOCATIONAL SCHOOL: MONTH 18
2232.20	SCTY0619	04		SCTY0619	IN VOCATIONAL SCHOOL: MONTH 19
2232.21	SCTY0620	04		SCTY0620	IN VOCATIONAL SCHOOL: MONTH 20

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Base [2]	Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
2232.22	SCTY0621	04		SCTY0621	IN VOCATIONAL SCHOOL: MONTH 21
2232.23	SCTY0622	04		SCTY0622	IN VOCATIONAL SCHOOL: MONTH 22
2232.24	SCTY0623	04		SCTY0623	IN VOCATIONAL SCHOOL: MONTH 23
2232.25	SCTY0624	04		SCTY0624	IN VOCATIONAL SCHOOL: MONTH 24
2232.26	SCTY0625	04		SCTY0625	IN VOCATIONAL SCHOOL: MONTH 25
2232.27	SCTY0626	04		SCTY0626	IN VOCATIONAL SCHOOL: MONTH 26
2232.28	SCTY0627	04		SCTY0627	IN VOCATIONAL SCHOOL: MONTH 27
2232.29	SCTY0628	04		SCTY0628	IN VOCATIONAL SCHOOL: MONTH 28
2232.30	SCTY0629	04		SCTY0629	IN VOCATIONAL SCHOOL: MONTH 29
2232.31	SCTY0630	04		SCTY0630	IN VOCATIONAL SCHOOL: MONTH 30
2232.32	SCTY0631	04		SCTY0631	IN VOCATIONAL SCHOOL: MONTH 31
2232.33	SCTY0632	04		SCTY0632	IN VOCATIONAL SCHOOL: MONTH 32
					MONTHLY VARIABLE CODEBOOK VARIABLES: SCTY0700-SCTY0732 PROPORTION OF MONTH IN ADULT EDUCATION
2235	RECID	06	all	RECID	INDIVIDUAL RECORD IDENTIFIER

						UNIQUE PROJECT ID FOR EACH RESPONDENT. 100000..199999 = UNIQUE PROJECT ID
2236	PRO_IND	03	all	PRO_IND		PROCESSING FIELD ENTRY PROCESSING FLAG. PLEASE IGNORE.

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Base [2]	Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
2237	SCTY07		all	SCTY07	PROPORTION OF MONTH IN ADULT EDUCATION PROPORTION OF MONTH (TIMES 1000) IN ADULT EDUCATION. NOTE: 1. EACH OF THE SCTY07 VARIABLES IS EXACTLY ALIKE IN CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS 01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY THE VALUE RANGES AND DESCRIPTIONS FOR SCTY0700. 2. THE SCTY07 MONTHLY VARIABLES OCCUPY A DATA BLOCK 132 CHARACTERS. IN SAS DATA SETS THESE VARIABLES ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS SET OF VARIABLES STARTS OUT AT COLUMN 10.

2237.01	SCTY0700	04		SCTY0700	IN ADULT EDUCATION: MONTH 00 (RA)
					PROPORTION OF MONTH (TIMES 1000) IN ADULT EDUCATION DURING MONTH OF RANDOM ASSIGNMENT (MONTH 00).
					          BLANK = BLANK, N/A, NULL ENTRY
					   0000..1000 = PROPORTION * 1000
					          4000 = NOT COMPUTED, INVALID DATES
					          5000 = BEYOND INTERVIEW DATE
					          9000 = MISSING

2237.02	SCTY0701	04		SCTY0701	IN ADULT EDUCATION: MONTH 01
2237.03	SCTY0702	04		SCTY0702	IN ADULT EDUCATION: MONTH 02
2237.04	SCTY0703	04		SCTY0703	IN ADULT EDUCATION: MONTH 03
2237.05	SCTY0704	04		SCTY0704	IN ADULT EDUCATION: MONTH 04
2237.06	SCTY0705	04		SCTY0705	IN ADULT EDUCATION: MONTH 05
2237.07	SCTY0706	04		SCTY0706	IN ADULT EDUCATION: MONTH 06
2237.08	SCTY0707	04		SCTY0707	IN ADULT EDUCATION: MONTH 07
2237.09	SCTY0708	04		SCTY0708	IN ADULT EDUCATION: MONTH 08
2237.10	SCTY0709	04		SCTY0709	IN ADULT EDUCATION: MONTH 09

2237.11	SCTY0710	04		SCTY0710	IN ADULT EDUCATION: MONTH 10
2237.12	SCTY0711	04		SCTY0711	IN ADULT EDUCATION: MONTH 11
2237.13	SCTY0712	04		SCTY0712	IN ADULT EDUCATION: MONTH 12
2237.14	SCTY0713	04		SCTY0713	IN ADULT EDUCATION: MONTH 13
2237.15	SCTY0714	04		SCTY0714	IN ADULT EDUCATION: MONTH 14
2237.16	SCTY0715	04		SCTY0715	IN ADULT EDUCATION: MONTH 15

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Base [2]	Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
2237.17	SCTY0716	04		SCTY0716	IN ADULT EDUCATION: MONTH 16
2237.18	SCTY0717	04		SCTY0717	IN ADULT EDUCATION: MONTH 17
2237.19	SCTY0718	04		SCTY0718	IN ADULT EDUCATION: MONTH 18
2237.20	SCTY0719	04		SCTY0719	IN ADULT EDUCATION: MONTH 19
2237.21	SCTY0720	04		SCTY0720	IN ADULT EDUCATION: MONTH 20
2237.22	SCTY0721	04		SCTY0721	IN ADULT EDUCATION: MONTH 21
2237.23	SCTY0722	04		SCTY0722	IN ADULT EDUCATION: MONTH 22
2237.24	SCTY0723	04		SCTY0723	IN ADULT EDUCATION: MONTH 23
2237.25	SCTY0724	04		SCTY0724	IN ADULT EDUCATION: MONTH 24
2237.26	SCTY0725	04		SCTY0725	IN ADULT EDUCATION: MONTH 25
2237.27	SCTY0726	04		SCTY0726	IN ADULT EDUCATION: MONTH 26
2237.28	SCTY0727	04		SCTY0727	IN ADULT EDUCATION: MONTH 27
2237.29	SCTY0728	04		SCTY0728	IN ADULT EDUCATION: MONTH 28
2237.30	SCTY0729	04		SCTY0729	IN ADULT EDUCATION: MONTH 29
2237.31	SCTY0730	04		SCTY0730	IN ADULT EDUCATION: MONTH 30
2237.32	SCTY0731	04		SCTY0731	IN ADULT EDUCATION: MONTH 31
2237.33	SCTY0732	04		SCTY0732	IN ADULT EDUCATION: MONTH 32

```
                                          MONTHLY VARIABLE CODEBOOK
                                          VARIABLES: SCTY0800-SCTY0832
                                          PROPORTION OF MONTH IN OJT TRAINING.


  2240    RECID     06       all    RECID   INDIVIDUAL RECORD IDENTIFIER
                                            UNIQUE PROJECT ID FOR EACH RESPONDENT.
                                                 100000..199999 = UNIQUE PROJECT ID
```

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable				Reference	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]	Base [2]	Name	Descriptive text, allowed values and skip instructions
2241	PRO_IND	03	all	PRO_IND	PROCESSING FIELD ENTRY PROCESSING FLAG. PLEASE IGNORE.
2242	SCTY08		all	SCTY08	PROPORTION OF MONTH IN OJT TRAINING PROPORTION OF MONTH (TIMES 1000) IN OJT TRAINING. NOTE: 1. EACH OF THE SCTY08 VARIABLES IS EXACTLY ALIKE IN CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS 01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY THE VALUE RANGES AND DESCRIPTIONS FOR SCTY0800. 2. THE SCTY08 MONTHLY VARIABLES OCCUPY A DATA BLOCK 132 CHARACTERS. IN SAS DATA SETS THESE VARIABLES ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS SET OF VARIABLES STARTS OUT AT COLUMN 10.

2242.01	SCTY0800	04		SCTY0800	PROPORTION IN OJT TRAINING: MONTH 00 (RA
					PROPORTION OF MONTH (TIMES 1000) IN OJT TRAINING DURING MONTH OF RANDOM ASSIGNMENT (MONTH 00).
					           BLANK = BLANK, N/A, NULL ENTRY
					      0000..1000 = PROPORTION * 1000
					           4000 = NOT COMPUTED, INVALID DATES
					           5000 = BEYOND INTERVIEW DATE
					           9000 = MISSING

2242.02	SCTY0801	04		SCTY0801	IN OJT TRAINING: MONTH 01
2242.03	SCTY0802	04		SCTY0802	IN OJT TRAINING: MONTH 02
2242.04	SCTY0803	04		SCTY0803	IN OJT TRAINING: MONTH 03
2242.05	SCTY0804	04		SCTY0804	IN OJT TRAINING: MONTH 04
2242.06	SCTY0805	04		SCTY0805	IN OJT TRAINING: MONTH 05
2242.07	SCTY0806	04		SCTY0806	IN OJT TRAINING: MONTH 06
2242.08	SCTY0807	04		SCTY0807	IN OJT TRAINING: MONTH 07

2242.09	SCTY0808	04		SCTY0808	IN OJT TRAINING: MONTH 08
2242.10	SCTY0809	04		SCTY0809	IN OJT TRAINING: MONTH 09
2242.11	SCTY0810	04		SCTY0810	IN OJT TRAINING: MONTH 10
2242.12	SCTY0811	04		SCTY0811	IN OJT TRAINING: MONTH 11
2242.13	SCTY0812	04		SCTY0812	IN OJT TRAINING: MONTH 12
2242.14	SCTY0813	04		SCTY0813	IN OJT TRAINING: MONTH 13

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

| Variable | | | Base [2] | Reference Name | Codebook for SAS data sets - Experimental sample. |
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
2242.15	SCTY0814	04		SCTY0814	IN OJT TRAINING: MONTH 14
2242.16	SCTY0815	04		SCTY0815	IN OJT TRAINING: MONTH 15
2242.17	SCTY0816	04		SCTY0816	IN OJT TRAINING: MONTH 16
2242.18	SCTY0817	04		SCTY0817	IN OJT TRAINING: MONTH 17
2242.19	SCTY0818	04		SCTY0818	IN OJT TRAINING: MONTH 18
2242.20	SCTY0819	04		SCTY0819	IN OJT TRAINING: MONTH 19
2242.21	SCTY0820	04		SCTY0820	IN OJT TRAINING: MONTH 20
2242.22	SCTY0821	04		SCTY0821	IN OJT TRAINING: MONTH 21
2242.23	SCTY0822	04		SCTY0822	IN OJT TRAINING: MONTH 22
2242.24	SCTY0823	04		SCTY0823	IN OJT TRAINING: MONTH 23
2242.25	SCTY0824	04		SCTY0824	IN OJT TRAINING: MONTH 24
2242.26	SCTY0825	04		SCTY0825	IN OJT TRAINING: MONTH 25
2242.27	SCTY0826	04		SCTY0826	IN OJT TRAINING: MONTH 26
2242.28	SCTY0827	04		SCTY0827	IN OJT TRAINING: MONTH 27
2242.29	SCTY0828	04		SCTY0828	IN OJT TRAINING: MONTH 28
2242.30	SCTY0829	04		SCTY0829	IN OJT TRAINING: MONTH 29
2242.31	SCTY0830	04		SCTY0830	IN OJT TRAINING: MONTH 30
2242.32	SCTY0831	04		SCTY0831	IN OJT TRAINING: MONTH 31

2242.33	SCTY0832	04		SCTY0832	IN OJT TRAINING: MONTH 32

MONTHLY VARIABLE CODEBOOK
VARIABLES: SCTY0900-SCTY0932
PROPORTION OF MONTH IN MILITARY TRAINING.

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable				Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]	Base [2]	Reference Name	Descriptive text, allowed values and skip instructions
2245	RECID	06	all	RECID	INDIVIDUAL RECORD IDENTIFIER UNIQUE PROJECT ID FOR EACH RESPONDENT. 100000..199999 = UNIQUE PROJECT ID
2246	PRO_IND	03	all	PRO_IND	PROCESSING FIELD ENTRY PROCESSING FLAG. PLEASE IGNORE.
2247	SCTY09		all	SCTY09	PROPORTION OF MONTH IN MILITARY PROPORTION OF MONTH (TIMES 1000) IN MILITARY TRAINING. NOTE: 1. EACH OF THE SCTY09 VARIABLES IS EXACTLY ALIKE IN CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS 01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY THE VALUE RANGES AND DESCRIPTIONS FOR SCTY0900. 2. THE SCTY09 MONTHLY VARIABLES OCCUPY A DATA BLOCK 132 CHARACTERS. IN SAS DATA SETS THESE VARIABLES ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS SET OF VARIABLES STARTS OUT AT COLUMN 10.

2247.01	SCTY0900	04		SCTY0900	IN MILITARY: MONTH 00 (RA)
					PROPORTION OF MONTH (TIMES 1000) IN MILITARY DURING MONTH OF RANDOM ASSIGNMENT (MONTH 00).
					           BLANK = BLANK, N/A, NULL ENTRY
					      0000..1000 = PROPORTION * 1000
					            4000 = NOT COMPUTED, INVALID DATES
					            5000 = BEYOND INTERVIEW DATE
					            9000 = MISSING

2247.02	SCTY0901	04		SCTY0901	IN MILITARY: MONTH 01
2247.03	SCTY0902	04		SCTY0902	IN MILITARY: MONTH 02
2247.04	SCTY0903	04		SCTY0903	IN MILITARY: MONTH 03
2247.05	SCTY0904	04		SCTY0904	IN MILITARY: MONTH 04
2247.06	SCTY0905	04		SCTY0905	IN MILITARY: MONTH 05
2247.07	SCTY0906	04		SCTY0906	IN MILITARY: MONTH 06

2247.08	SCTY0907	04		SCTY0907	IN MILITARY: MONTH 07
2247.09	SCTY0908	04		SCTY0908	IN MILITARY: MONTH 08
2247.10	SCTY0909	04		SCTY0909	IN MILITARY: MONTH 09
2247.11	SCTY0910	04		SCTY0910	IN MILITARY: MONTH 10
2247.12	SCTY0911	04		SCTY0911	IN MILITARY: MONTH 11

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Base [2]	Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
2247.13	SCTY0912	04		SCTY0912	IN MILITARY: MONTH 12
2247.14	SCTY0913	04		SCTY0913	IN MILITARY: MONTH 13
2247.15	SCTY0914	04		SCTY0914	IN MILITARY: MONTH 14
2247.16	SCTY0915	04		SCTY0915	IN MILITARY: MONTH 15
2247.17	SCTY0916	04		SCTY0916	IN MILITARY: MONTH 16
2247.18	SCTY0917	04		SCTY0917	IN MILITARY: MONTH 17
2247.19	SCTY0918	04		SCTY0918	IN MILITARY: MONTH 18
2247.20	SCTY0919	04		SCTY0919	IN MILITARY: MONTH 19
2247.21	SCTY0920	04		SCTY0920	IN MILITARY: MONTH 20
2247.22	SCTY0921	04		SCTY0921	IN MILITARY: MONTH 21
2247.23	SCTY0922	04		SCTY0922	IN MILITARY: MONTH 22
2247.24	SCTY0923	04		SCTY0923	IN MILITARY: MONTH 23
2247.25	SCTY0924	04		SCTY0924	IN MILITARY: MONTH 24
2247.26	SCTY0925	04		SCTY0925	IN MILITARY: MONTH 25
2247.27	SCTY0926	04		SCTY0926	IN MILITARY: MONTH 26
2247.28	SCTY0927	04		SCTY0927	IN MILITARY: MONTH 27
2247.29	SCTY0928	04		SCTY0928	IN MILITARY: MONTH 28
2247.30	SCTY0929	04		SCTY0929	IN MILITARY: MONTH 29

| 2247.31 | SCTY0930 | 04 | | SCTY0930 | IN MILITARY: MONTH 30 |
| 2247.32 | SCTY0931 | 04 | | SCTY0931 | IN MILITARY: MONTH 31 |

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable				Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]	Base [2]		Descriptive text, allowed values and skip instructions
2247.33	SCTY0932	04		SCTY0932	IN MILITARY: MONTH 32

MONTHLY VARIABLE CODEBOOK
VARIABLES: SCTY1000-SCTY1032
PROPORTION OF MONTH IN EMPLOYER TRAINING |
| 2250 | RECID | 06 | all | RECID | INDIVIDUAL RECORD IDENTIFIER
UNIQUE PROJECT ID FOR EACH RESPONDENT.
      100000..199999 = UNIQUE PROJECT ID |
| 2251 | PRO_IND | 03 | all | PRO_IND | PROCESSING FIELD ENTRY
PROCESSING FLAG. PLEASE IGNORE. |
| 2252 | SCTY10 | | all | SCTY10 | PROPORTION OF MONTH IN EMPL TRAINING
PROPORTION OF MONTH (TIMES 1000) IN EMPLOYER TRAINING.

NOTE:
1. EACH OF THE SCTY10 VARIABLES IS EXACTLY ALIKE IN
CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS
01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY
THE VALUE RANGES AND DESCRIPTIONS FOR SCTY1000.

2. THE SCTY10 MONTHLY VARIABLES OCCUPY A DATA BLOCK
132 CHARACTERS. IN SAS DATA SETS THESE VARIABLES
ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS
SET OF VARIABLES STARTS OUT AT COLUMN 10. |
| 2252.01 | SCTY1000 | 04 | | SCTY1000 | IN EMPLOYER TRAINING: MONTH 00 (RA)
PROPORTION OF MONTH (TIMES 1000) IN EMPLOYER TRAINING DURING
MONTH OF RANDOM ASSIGNMENT (MONTH 00).
        BLANK = BLANK, N/A, NULL ENTRY
   0000..1000 = PROPORTION * 1000
        4000 = NOT COMPUTED, INVALID DATES
        5000 = BEYOND INTERVIEW DATE |

					9000 = MISSING
2252.02	SCTY1001	04		SCTY1001	IN EMPLOYER TRAINING: MONTH 01
2252.03	SCTY1002	04		SCTY1002	IN EMPLOYER TRAINING: MONTH 02
2252.04	SCTY1003	04		SCTY1003	IN EMPLOYER TRAINING: MONTH 03
2252.05	SCTY1004	04		SCTY1004	IN EMPLOYER TRAINING: MONTH 04
2252.06	SCTY1005	04		SCTY1005	IN EMPLOYER TRAINING: MONTH 05

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

| Variable | | | | Reference | Codebook for SAS data sets - Experimental sample. |
Number	Name	Width [1]	Base [2]	Name	Descriptive text, allowed values and skip instructions
2252.07	SCTY1006	04		SCTY1006	IN EMPLOYER TRAINING: MONTH 06
2252.08	SCTY1007	04		SCTY1007	IN EMPLOYER TRAINING: MONTH 07
2252.09	SCTY1008	04		SCTY1008	IN EMPLOYER TRAINING: MONTH 08
2252.10	SCTY1009	04		SCTY1009	IN EMPLOYER TRAINING: MONTH 09
2252.11	SCTY1010	04		SCTY1010	IN EMPLOYER TRAINING: MONTH 10
2252.12	SCTY1011	04		SCTY1011	IN EMPLOYER TRAINING: MONTH 11
2252.13	SCTY1012	04		SCTY1012	IN EMPLOYER TRAINING: MONTH 12
2252.14	SCTY1013	04		SCTY1013	IN EMPLOYER TRAINING: MONTH 13
2252.15	SCTY1014	04		SCTY1014	IN EMPLOYER TRAINING: MONTH 14
2252.16	SCTY1015	04		SCTY1015	IN EMPLOYER TRAINING: MONTH 15
2252.17	SCTY1016	04		SCTY1016	IN EMPLOYER TRAINING: MONTH 16
2252.18	SCTY1017	04		SCTY1017	IN EMPLOYER TRAINING: MONTH 17
2252.19	SCTY1018	04		SCTY1018	IN EMPLOYER TRAINING: MONTH 18
2252.20	SCTY1019	04		SCTY1019	IN EMPLOYER TRAINING: MONTH 19
2252.21	SCTY1020	04		SCTY1020	IN EMPLOYER TRAINING: MONTH 20
2252.22	SCTY1021	04		SCTY1021	IN EMPLOYER TRAINING: MONTH 21
2252.23	SCTY1022	04		SCTY1022	IN EMPLOYER TRAINING: MONTH 22
2252.24	SCTY1023	04		SCTY1023	IN EMPLOYER TRAINING: MONTH 23

2252.25	SCTY1024	04		SCTY1024	IN EMPLOYER TRAINING: MONTH 24
2252.26	SCTY1025	04		SCTY1025	IN EMPLOYER TRAINING: MONTH 25
2252.27	SCTY1026	04		SCTY1026	IN EMPLOYER TRAINING: MONTH 26
2252.28	SCTY1027	04		SCTY1027	IN EMPLOYER TRAINING: MONTH 27
2252.29	SCTY1028	04		SCTY1028	IN EMPLOYER TRAINING: MONTH 28

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

| Variable | | | | Reference | Codebook for SAS data sets - Experimental sample. |
Number	Name	Width [1]	Base [2]	Name	Descriptive text, allowed values and skip instructions
2252.30	SCTY1029	04		SCTY1029	IN EMPLOYER TRAINING: MONTH 29
2252.31	SCTY1030	04		SCTY1030	IN EMPLOYER TRAINING: MONTH 30
2252.32	SCTY1031	04		SCTY1031	IN EMPLOYER TRAINING: MONTH 31
2252.33	SCTY1032	04		SCTY1032	IN EMPLOYER TRAINING: MONTH 32
					MONTHLY VARIABLE CODEBOOK VARIABLES: SCTY1100-SCTY1132 PROPORTION OF MONTH IN JOB CLUB
2255	RECID	06	all	RECID	INDIVIDUAL RECORD IDENTIFIER UNIQUE PROJECT ID FOR EACH RESPONDENT. 100000..199999 = UNIQUE PROJECT ID
2256	PRO_IND	03	all	PRO_IND	PROCESSING FIELD ENTRY PROCESSING FLAG. PLEASE IGNORE.
2257	SCTY11		all	SCTY11	PROPORTION OF MONTH IN JOB CLUB PROPORTION OF MONTH (TIMES 1000) IN JOB CLUB. NOTE: 1. EACH OF THE SCTY11 VARIABLES IS EXACTLY ALIKE IN CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS 01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY THE VALUE RANGES AND DESCRIPTIONS FOR SCTY1100. 2. THE SCTY11 MONTHLY VARIABLES OCCUPY A DATA BLOCK 132 CHARACTERS. IN SAS DATA SETS THESE VARIABLES ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS SET OF VARIABLES STARTS OUT AT COLUMN 10.

2257.01	SCTY1100	04		SCTY1100	IN JOB CLUB: MONTH 00 (RA)
					PROPORTION OF MONTH (TIMES 1000) IN JOB CLUB DURING MONTH OF RANDOM ASSIGNMENT (MONTH 00).
					BLANK = BLANK, N/A, NULL ENTRY
					0000..1000 = PROPORTION * 1000
					4000 = NOT COMPUTED, INVALID DATES
					5000 = BEYOND INTERVIEW DATE
					9000 = MISSING
2257.02	SCTY1101	04		SCTY1101	IN JOB CLUB: MONTH 01
2257.03	SCTY1102	04		SCTY1102	IN JOB CLUB: MONTH 02

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

| Variable | | | | Reference Name | Codebook for SAS data sets - Experimental sample. |
Number	Name	Width [1]	Base [2]		Descriptive text, allowed values and skip instructions
2257.04	SCTY1103	04		SCTY1103	IN JOB CLUB: MONTH 03
2257.05	SCTY1104	04		SCTY1104	IN JOB CLUB: MONTH 04
2257.06	SCTY1105	04		SCTY1105	IN JOB CLUB: MONTH 05
2257.07	SCTY1106	04		SCTY1106	IN JOB CLUB: MONTH 06
2257.08	SCTY1107	04		SCTY1107	IN JOB CLUB: MONTH 07
2257.09	SCTY1108	04		SCTY1108	IN JOB CLUB: MONTH 08
2257.10	SCTY1109	04		SCTY1109	IN JOB CLUB: MONTH 09
2257.11	SCTY1110	04		SCTY1110	IN JOB CLUB: MONTH 10
2257.12	SCTY1111	04		SCTY1111	IN JOB CLUB: MONTH 11
2257.13	SCTY1112	04		SCTY1112	IN JOB CLUB: MONTH 12
2257.14	SCTY1113	04		SCTY1113	IN JOB CLUB: MONTH 13
2257.15	SCTY1114	04		SCTY1114	IN JOB CLUB: MONTH 14
2257.16	SCTY1115	04		SCTY1115	IN JOB CLUB: MONTH 15
2257.17	SCTY1116	04		SCTY1116	IN JOB CLUB: MONTH 16
2257.18	SCTY1117	04		SCTY1117	IN JOB CLUB: MONTH 17
2257.19	SCTY1118	04		SCTY1118	IN JOB CLUB: MONTH 18
2257.20	SCTY1119	04		SCTY1119	IN JOB CLUB: MONTH 19
2257.21	SCTY1120	04		SCTY1120	IN JOB CLUB: MONTH 20

2257.22	SCTY1121	04		SCTY1121	IN JOB CLUB: MONTH 21
2257.23	SCTY1122	04		SCTY1122	IN JOB CLUB: MONTH 22
2257.24	SCTY1123	04		SCTY1123	IN JOB CLUB: MONTH 23
2257.25	SCTY1124	04		SCTY1124	IN JOB CLUB: MONTH 24
2257.26	SCTY1125	04		SCTY1125	IN JOB CLUB: MONTH 25

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Base [2]	Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
2257.27	SCTY1126	04		SCTY1126	IN JOB CLUB: MONTH 26
2257.28	SCTY1127	04		SCTY1127	IN JOB CLUB: MONTH 27
2257.29	SCTY1128	04		SCTY1128	IN JOB CLUB: MONTH 28
2257.30	SCTY1129	04		SCTY1129	IN JOB CLUB: MONTH 29
2257.31	SCTY1130	04		SCTY1130	IN JOB CLUB: MONTH 30
2257.32	SCTY1131	04		SCTY1131	IN JOB CLUB: MONTH 31
2257.33	SCTY1132	04		SCTY1132	IN JOB CLUB: MONTH 32
					MONTHLY VARIABLE CODEBOOK VARIABLES: SCTY1200-SCTY1232 PROPORTION OF MONTH IN OTHER TRAINING
2260	RECID	06	all	RECID	INDIVIDUAL RECORD IDENTIFIER UNIQUE PROJECT ID FOR EACH RESPONDENT. 100000..199999 = UNIQUE PROJECT ID
2261	PRO_IND	03	all	PRO_IND	PROCESSING FIELD ENTRY PROCESSING FLAG. PLEASE IGNORE.
2262	SCTY12		all	SCTY12	PROPORTION OF MONTH IN OTHER TRAINING PROPORTION OF MONTH (TIMES 1000) IN OTHER TRAINING. NOTE: 1. EACH OF THE SCTY12 VARIABLES IS EXACTLY ALIKE IN

					CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS
					01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY
					THE VALUE RANGES AND DESCRIPTIONS FOR SCTY1200.
					2. THE SCTY12 MONTHLY VARIABLES OCCUPY A DATA BLOCK
					132 CHARACTERS. IN SAS DATA SETS THESE VARIABLES
					ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS
					SET OF VARIABLES STARTS OUT AT COLUMN 10.

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Base [2]	Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
2262.01	SCTY1200	04		SCTY1200	IN OTHER TRAINING: MONTH 00 (RA) PROPORTION OF MONTH (TIMES 1000) IN OTHER TRAINING DURING MONTH OF RANDOM ASSIGNMENT (MONTH 00). BLANK = BLANK, N/A, NULL ENTRY 0000..1000 = PROPORTION * 1000 4000 = NOT COMPUTED, INVALID DATES 5000 = BEYOND INTERVIEW DATE 9000 = MISSING
2262.02	SCTY1201	04		SCTY1201	IN OTHER TRAINING: MONTH 01
2262.03	SCTY1202	04		SCTY1202	IN OTHER TRAINING: MONTH 02
2262.04	SCTY1203	04		SCTY1203	IN OTHER TRAINING: MONTH 03
2262.05	SCTY1204	04		SCTY1204	IN OTHER TRAINING: MONTH 04
2262.06	SCTY1205	04		SCTY1205	IN OTHER TRAINING: MONTH 05
2262.07	SCTY1206	04		SCTY1206	IN OTHER TRAINING: MONTH 06
2262.08	SCTY1207	04		SCTY1207	IN OTHER TRAINING: MONTH 07
2262.09	SCTY1208	04		SCTY1208	IN OTHER TRAINING: MONTH 08
2262.10	SCTY1209	04		SCTY1209	IN OTHER TRAINING: MONTH 09
2262.11	SCTY1210	04		SCTY1210	IN OTHER TRAINING: MONTH 10
2262.12	SCTY1211	04		SCTY1211	IN OTHER TRAINING: MONTH 11
2262.13	SCTY1212	04		SCTY1212	IN OTHER TRAINING: MONTH 12
2262.14	SCTY1213	04		SCTY1213	IN OTHER TRAINING: MONTH 13
2262.15	SCTY1214	04		SCTY1214	IN OTHER TRAINING: MONTH 14
2262.16	SCTY1215	04		SCTY1215	IN OTHER TRAINING: MONTH 15

2262.17	SCTY1216	04		SCTY1216	IN OTHER TRAINING: MONTH 16
2262.18	SCTY1217	04		SCTY1217	IN OTHER TRAINING: MONTH 17
2262.19	SCTY1218	04		SCTY1218	IN OTHER TRAINING: MONTH 18
2262.20	SCTY1219	04		SCTY1219	IN OTHER TRAINING: MONTH 19
2262.21	SCTY1220	04		SCTY1220	IN OTHER TRAINING: MONTH 20

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Base [2]	Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
2262.22	SCTY1221	04		SCTY1221	IN OTHER TRAINING: MONTH 21
2262.23	SCTY1222	04		SCTY1222	IN OTHER TRAINING: MONTH 22
2262.24	SCTY1223	04		SCTY1223	IN OTHER TRAINING: MONTH 23
2262.25	SCTY1224	04		SCTY1224	IN OTHER TRAINING: MONTH 24
2262.26	SCTY1225	04		SCTY1225	IN OTHER TRAINING: MONTH 25
2262.27	SCTY1226	04		SCTY1226	IN OTHER TRAINING: MONTH 26
2262.28	SCTY1227	04		SCTY1227	IN OTHER TRAINING: MONTH 27
2262.29	SCTY1228	04		SCTY1228	IN OTHER TRAINING: MONTH 28
2262.30	SCTY1229	04		SCTY1229	IN OTHER TRAINING: MONTH 29
2262.31	SCTY1230	04		SCTY1230	IN OTHER TRAINING: MONTH 30
2262.32	SCTY1231	04		SCTY1231	IN OTHER TRAINING: MONTH 31

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.