Variable		Peference	Doforma	Codebook for SAS data sets - Experimental sample segments		
Number	Name	Width [1]	Base [2] Reference Name	Descriptive text, allowed values and skip instructions		
					FIRST FOLLOW-UP SURVEY: SOURCE DATA SEGMENT FROM SECTION G: ADULT INFORMATION	
1000	F2GOPEN	01	all	GOPEN	IGNORE, USED IN DATA PROCESIING	
1010	F2TARGET	01	all	BOX16	DOES TARGET GROUP = ADULT? BLANK = N/A 1 = YES 2 = NO 9 = MISSING	
1020	F2OTHINC		1010 = BLANK 1 9	G7	SOURCES OF OTHER INCOME	
1020.01	F2JTPAA	01		G7A	RECEIVED: JTPA/WIN ETC. BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING	
1020.02	F2AFDCA	01		G7B	RECEIVED: AFDC (ADULTS) BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING	
1020.03	F2GAA	01		G7C	RECEIVED:GENERAL ASSISTANCE (ADULTS) BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING	
1020.04	F2FSTMPA	01		G7D	RECEIVED: FOOD STAMPS BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW	

				9 = MISSING
1020.05	F2VPAYA	01	G7E	RECEIVED: VETERANS PAYMENTS BLANK = N/A
				1 = YES 2 = NO
				7 = REFUSED
				8 = DON'T KNOW 9 = MISSING
				y = MISSING
1020.06	F2SSBA	01	G7F	RECEIVED:SS BENEFITS
				BLANK = N/A 1 = YES
				2 = NO
				7 = REFUSED
				8 = DON'T KNOW
				9 = MISSING

^{[1]:} Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

	Variable			5 .5	Codebook for SAS data sets - Experimental sample segments		
Number	Name	Width [1]	Base [2]	Reference Name	Descriptive text, allowed values and skip instructions		
1020.07	F2SSIA	01		G7G	RECEIVED:SSI BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING		
1020.08	F2ALA	01		G7H	RECEIVED: ALIMONY BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING		
1020.09	F2PENA	01		G7I	RECEIVED: PENSIONS BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING		
1020.10	F2UIA	01		G7J	RECEIVED:UI BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING		
1030	F2OTHER		1010 = BLANK 1 9	G7K	OTHER INCOME SOURCES		
1030.01	F2CASHA	01		G7K1	RECEIVED: CASH CONTRIBUTIONS BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING		
1040	F2CHERNA	01	1010 = BLANK 1 9	G7K2	RECEIVED: CHILD EARNINGS (UNDER 16) BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW		

					9 = MISSING
1050	F2RBA	01	1010 = BLANK 1 9	G7K3	RECEIVED: INCOME FORM ROOMERS/BOARDERS BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING
1060	F2BIA	01	1010 = BLANK 1 9	G7K4	RECEIVED:BUSINESS INCOME BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING

^{[1]:} Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

	Variable			D - 6	Codebook for SAS data sets - Experimental sample segments		
Number	Name	Width [1]	Base [2]	Reference Name	Descriptive text, allowed values and skip instructions		
1070	F2MIA	01	1010 = BLANK 1 9	G7K5	RECEIVED: MORE INCOME SOURCES BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING		
1080	F2MCA	01	1010 = BLANK 1 9	G7L	RECEIVED: MEDICAID CARD BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING		
1090	F2G8SKIP	01	1010 = BLANK 1 9	G8SKIP	IS G7A=NO? BLANK = N/A 1 = YES GOTO 1130 2 = NO 7 = REFUSED GOTO 1130 8 = DON'T KNOW GOTO 1130 9 = MISSING		
1100	F2AJTCHK	01	1010 = BLANK 1 9 1090 = BLANK 2 9	G8	RECEIVED JTPA ETC (CHECK) BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING		
1110	F2JTMONA	02	1010 = BLANK 1 9 1090 = BLANK 2 9	G8A	# OF MONTHS RECEIVED ALLOWANCES BETWEEN BEGIN AND END DATE, HOW MANY MONTHS DID YOU RECEIVE ALLOWANCES LIKE JTPA, WIN ETC BLANK = N/A 0160 = MONTHS 97 = REFUSED 98 = DON'T KNOW 99 = MISSING		
1120	F2JTRECA	05	1010 = BLANK 1 9	G8B	AVERAGE MONTHLY RECEIPT OF ALLOWANCES BLANK = N/A 00000.99995 = AMOUNT \$ 99996 = ABOVE \$99995		

			1090 = BLANK 2 9		99997 = REFUSED 99998 = DON'T KNOW 99999 = MISSING	
1130	F2AAFCK	01	1010 = BLANK 1 9	BOX17	RECEIVED AFDC(CHECK) BLANK = N/A 1 = YES 2 = NO 9 = MISSING	GOTO 1230

^{[1]:} Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

	Variable			D - f	Codebook for SAS data sets - Experimental sample segments	
Number	Name	Width [1]	Base [2]	Reference Name	Descriptive text, allowed values and skip instructions	
1140	F2ASITE	01	1010 = BLANK 1 9 1130 = BLANK 1 9	BOX17A	DOES SITE = MT OR PR? BLANK = N/A 1 = YES 2 = NO 9 = MISSING	1180
1150	F2ASAMPE	01	1010 = BLANK 1 9 1130 = BLANK 1 9 1140 = BLANK	BOX17B	DOES SAMPLE TYPE = ENP? BLANK = N/A 1 = YES 2 = NO 9 = MISSING	1180
1160	F2ASITE	01	1010 = BLANK 1 9 1130 = BLANK 1 9 1140 = BLANK 2 9 1150 = BLANK 2 9	BOX18	DOES SITE = JC,CC OR IN? BLANK = N/A 1 = YES 2 = NO 9 = MISSING	1230
1170	F2ASAMPC	01	1010 = BLANK 1 9 1130 = BLANK 1 9 1140 =	BOX18A	DOES SAMPLE TYPE = CONTROL BLANK = N/A 1 = YES 2 = NO 9 = MISSING	1230

BLANK
2
9
1150 =
BLANK
9
1160 =
BLANK
9

	Variable		Pefere	Doforman	Codebook for SAS data sets - Experimental sample segments		
Number	Name	Width [1]	Base [2]	Reference Name	Descriptive text, allowed values and skip instructions		
1180	F2AFSK	01	1010 = BLANK 1 9 1130 = BLANK 1 9 1160 = BLANK 1 9 1170 = BLANK 1 9	G9SKIP	IGNORE, USED IN DATA PROCESSING FORMALLY EQUIVALENT TO "IS Q7B = YES?" BLANK = N/A 1 = YES 2 = NO GOTO 1230 7 = REFUSED GOTO 1230 8 = DON'T KNOW GOTO 1230 9 = MISSING		
1190	F2ACKAF	01	1010 = BLANK 1 9 1130 = BLANK 1 9 1160 = BLANK 1 9 1170 = BLANK 1 9 1180 = BLANK 1 9	G9	RECEIVING AFDC ADULT (CHECK) BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING		
1200	F2AMEMAF	01	1010 = BLANK 1 9 1130 = BLANK 1 9 1160 = BLANK	G9A	MEMBER OF ANY AFDC CASE (ADULT)? SINCE BEGIN DATE HAVE YOU BEEN A MEMBER OF ANY AFDC CASE IN YOUR HOUSEHOLD? BLANK = N/A 1 = YES 2 = NO GOTO 1230 7 = REFUSED GOTO 1230 8 = DON'T KNOW GOTO 1230 9 = MISSING		

ı	1		9	
l			1170 =	
			BLANK	
			1	
			9	
			1180 =	
			BLANK	
İ			1	
			9	
İ			j	

	Variable			Reference	Codebook for SAS data sets - Experimental sample segments
Number	Name	Width [1]	Base [2]	Name	Descriptive text, allowed values and skip instructions
1210	F2AFMR3	01	1010 = BLANK 1 9 1130 = BLANK 1 9 1160 = BLANK 1 9 1170 = BLANK 1 9 1180 = BLANK 1 9 1200 = BLANK 1 9	G9MORE3	ANY MORE SPELLS OF AFDC AFTER SPELL 3? BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING
1220	F2GAFCNT	02	1010 = BLANK 1 9 1130 = BLANK 1 9 1160 = BLANK 1 9 1170 = BLANK 1 9 1180 = BLANK 1 9 1200 = BLANK 1 9	G9CNT	AFDC COUNT DUMMY VAR BLANK = N/A 0110 = COUNT 99 = MISSING

1230	F2GASK	01	1010 = BLANK 1 9	G10SKIP	IS G7C = NO? BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING	GOTO	1280 1280 1280
1240	F2ACKGA	01	1010 = BLANK 1 9 1230 = BLANK 2 9	G10	RECEIVING GA(CHECK) BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING		

^{[1]:} Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Reference		Codebook for SAS data sets - Experimental sample segments		
Number	Name	Width [1]	Base [2]	Name	Descriptive text, allowed values and skip instructions		
1250	F2AMEMGA	01	1010 = BLANK 1 9 1230 = BLANK 2 9	G10A	7 = REFUSED	IN GOTO 1280 GOTO 1280 GOTO 1280	
1260	F2GGACNT	02	1010 = BLANK 1 9 1230 = BLANK 2 9 1250 = BLANK 1 9	GGACNT	PLACEHOLDER FOR GA SPELL COUNT BLANK = N/A 0110 = COUNT 99 = MISSING		
1270	F2GAMR3	01	1010 = BLANK 1 9 1230 = BLANK 2 9 1250 = BLANK 1 9	G10MORE3	MORE SPELLS OF GA (MORE THAN SPELL 3)? BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING		
1280	F2AFSCK	01	1010 = BLANK 1 9	BOX19	RECEIVED FOOD STAMPS (CHECK) BLANK = N/A 1 = YES 2 = NO 9 = MISSING	GOTO 1370	
1290	F2ASITE	01	1010 = BLANK 1 9 1280 =	BOX19A	DOES SITE = MT,MN OR PR? BLANK = N/A 1 = YES 2 = NO 9 = MISSING	GOTO 1330	

			BLANK 1 9			
1300	F2ASAMPE	01	1010 = BLANK 1 9 1280 = BLANK 1 9 1290 = BLANK 2 9	BOX19B	DOES SAMPLE TYPE = ENP? BLANK = N/A 1 = YES 2 = NO 9 = MISSING	GOTO 1330

^{[1]:} Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Reference	Codebook for SAS data sets - Experimental sample segments		
Number	Name	Width [1]	Base [2]	Name	Descriptive text, allowed values and skip instruction	ıs
1310	F2ASITE	01	1010 = BLANK 1 9 1280 = BLANK 1 9 1290 = BLANK 2 9 1300 = BLANK 2 9	BOX20	DOES SITE = JC,CC OR IN? BLANK = N/A 1 = YES 2 = NO 9 = MISSING	GOTO 1370
1320	F2ASAMPC	01	1010 = BLANK 1 9 1280 = BLANK 1 9 1290 = BLANK 2 9 1300 = BLANK 2 9 1310 = BLANK 1 9	BOX20A	DOES SAMPLE TYPE = CONTROL BLANK = N/A 1 = YES 2 = NO 9 = MISSING	GOTO 1370
1330	F2GFSSK	01	1010 = BLANK 1 9 1280 = BLANK 1 9 1310 = BLANK	G11SKIP	IS G7D = YES? IGNORE, USED IN DATA PROCESSING BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING	GOTO 1370 GOTO 1370 GOTO 1370

Variable			Reference		Codebook for SAS data sets - Experimental sample segments
Number	Name	Width [1]	Base [2]	Name	Descriptive text, allowed values and skip instructions
1340	F2ACKFS	01	1010 = BLANK 1 9 1280 = BLANK 1 9 1310 = BLANK 1 9 1320 = BLANK 1 9 1320 = BLANK 1 9 1330 = BLANK 1 9	G11	RECEIVING FOOD STAMPS (CHECK) BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING
1350	F2FSCNT	02	1010 = BLANK 1 9 1280 = BLANK 1 9 1310 = BLANK 1 9 1320 = BLANK 1 9 1320 = BLANK 1 9 1330 = BLANK 1 9	GFSCNT	PLACEHOLDER FOR FS COUNT BLANK = N/A 0110 = COUNT 99 = MISSING
1360	F2FSMR3	01	1010 = BLANK 1 9 1280 = BLANK 1	G11MORE3	MORE SPELLS OF FS (MORE THAN SPELL 3)? BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING

	1	1 -
		9
		1310 =
		BLANK
		1 1
		9
		1 -
		1320 =
		BLANK
		1
		9
		1330 =
		BLANK
		BLANK
		1
		9

	Variable			Reference	Codebook for SAS data sets - Experimental sample segments
Number	Name	Width [1]	Base [2]	Name	Descriptive text, allowed values and skip instructions
1370	F2VPSKIP	01	1010 = BLANK 1 9	G12SKIP	IS G7E = NO? BLANK = N/A 1 = YES
1380	F2AVPCHK	01	1010 = BLANK 1 9 1370 = BLANK 2 9	G12	RECEIVED VETERANS PAYMENTS ETC (CHECK) BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING
1390	F2AMONVP	02	1010 = BLANK 1 9 1370 = BLANK 2 9	G12A	# OF MONTHS RECEIVED VETERANS PAYMENTS BETWEEN BEGIN AND END DATE, HOW MANY MONTHS DID YOU RECEIVE VETERANS PAYMENTS? BLANK = N/A 0160 = MONTHS 97 = REFUSED 98 = DON'T KNOW 99 = MISSING
1400	F2AAVRVP	05	1010 = BLANK 1 9 1370 = BLANK 2 9	G12B	AVERAGE MONTHLY RECEIPT OF VET PAYMENTS BLANK = N/A 0000110000 = AMOUNT \$ 99996 = ABOVE 10000\$ 99997 = REFUSED 99998 = DON'T KNOW 99999 = MISSING
1410	F2SSSKIP	01	1010 = BLANK 1 9	G13SKIP	IS G7F = NO? BLANK = N/A 1 = YES GOTO 1450 2 = NO 7 = REFUSED GOTO 1450 8 = DON'T KNOW GOTO 1450 9 = MISSING
1420	F2ASBCHK	01	1010 = BLANK 1	G13	RECEIVED SS BENEFITS ETC (CHECK) BLANK = N/A 1 = YES

			9 1410 = BLANK 2 9		2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING
1430	F2AMONSB	02	1010 = BLANK 1 9 1410 = BLANK 2 9	G13A	# OF MONTHS RECEIVED SS BENEFITS BETWEEN BEGIN AND END DATE, HOW MANY MONTHS DID YOU RECEIVE SS BENEFITS? BLANK = N/A 0160 = MONTHS 97 = REFUSED 98 = DON'T KNOW 99 = MISSING

^{[1]:} Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Reference	Codebook for SAS data sets - Experimental sample segments		
Number	Name	Width [1]	Base [2]	Name	Descriptive text, allowed values and skip instructions	
1440	F2AAMSB	05	1010 = BLANK 1 9 1410 = BLANK 2 9	G13B	AVERAGE MONTHLY RECEIPT OF SS BENEFITS BLANK = N/A 00001.10000 = DOLLARS 99996 = ABOVE 10000\$ 99997 = REFUSED 99998 = DON'T KNOW 99999 = MISSING	
1450	F2SSISKP	01	1010 = BLANK 1 9	G14SKIP	IS G7G = NO? BLANK = N/A 1 = YES GOTO 1490 2 = NO 7 = REFUSED GOTO 1490 8 = DON'T KNOW GOTO 1490 9 = MISSING	
1460	F2ACKSS	01	1010 = BLANK 1 9 1450 = BLANK 2 9	G14	RECEIVING SSI(CHECK) BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING	
1470	F2SSICNT	02	1010 = BLANK 1 9 1450 = BLANK 2 9	GSSICNT	PLACEHOLDER FOR SSI COUNT BLANK = N/A 0110 = COUNT 99 = MISSING	
1480	F2SSIMR3	01	1010 = BLANK 1 9 1450 = BLANK 2 9	G14MORE3	MORE SPELLS OF SSI(MORE THAN SPELL 3)? BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING	
1490	F2PSKIP	01	1010 = BLANK	G15SKIP	IS G7H = NO? BLANK = N/A	

			1 9		1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING	GOTO 1530 GOTO 1530 GOTO 1530
1500	F2APCHK	01	1010 = BLANK 1 9 1490 = BLANK 2 9	G15	RECEIVED PENSIONS ETC (CHECK) BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING	

^{[1]:} Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Reference	Codebook for SAS data sets - Experimental sample segments		
Number	Name	Width [1]	Base [2]	Name	Descriptive text, allowed values and skip instructions	
1510	F2AMONP	02	1010 = BLANK 1 9 1490 = BLANK 2 9	G15A	# OF MONTHS RECEIVED PENSIONS BETWEEN BEGIN AND END DATE, HOW MANY MONTHS DID YOU RECEIVE PENSIONS? BLANK = N/A 0160 = MONTHS 97 = REFUSED 98 = DON'T KNOW 99 = MISSING	
1520	F2AAVRP	05	1010 = BLANK 1 9 1490 = BLANK 2 9	G15B	AVERAGE MONTHLY RECEIPT OF PENSIONS BLANK = N/A 0000110000 = DOLLARS 99996 = ABOVE 10000\$ 99997 = REFUSED 99998 = DON'T KNOW 99999 = MISSING	
1530	F2ALSKIP	01	1010 = BLANK 1 9	G16SKIP	IS G7I = NO? BLANK = N/A 1 = YES	
1540	F2AALCHK	01	1010 = BLANK 1 9 1530 = BLANK 2 9	G16	RECEIVED ALIMONY ETC (CHECK) BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING	
1550	F2AMONAL	02	1010 = BLANK 1 9 1530 = BLANK 2 9	G16A	# OF MONTHS RECEIVED ALIMONY BETWEEN BEGIN AND END DATE, HOW MANY MONTHS DID YOU RECEIVE ALIMONY? BLANK = N/A 0160 = MONTHS 97 = REFUSED 98 = DON'T KNOW 99 = MISSING	
1560	F2AAVRAL	05	1010 = BLANK	G16B	AVG MONTHLY RECEIPT OF ALIMONY BLANK = N/A	

			1 9 1530 = BLANK 2 9		0000110000 = DOLLARS 99996 = ABOVE 10000\$ 99997 = REFUSED 99998 = DON'T KNOW 99999 = MISSING	
1570	F2UISKIP	01	1010 = BLANK 1 9	G17SKIP	IS G7J = NO? BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING	GOTO 1630 GOTO 1630 GOTO 1630

^{[1]:} Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

	Variable		D. 5	Codebook for SAS data sets - Experimental sample segments	
Number	Name	Width [1]	Base [2]	Reference Name	Descriptive text, allowed values and skip instructions
1580	F2AUICHK	01	1010 = BLANK 1 9 1570 = BLANK 2 9	G17	RECEIVED UI ETC (CHECK) BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING
1590	F2ANMEUI	01	1010 = BLANK 1 9 1570 = BLANK 2 9	G17A	WHO RECEIVED UI? BLANK = N/A 1 = R 2 = SOMEONE ELSE 3 = R AND SOMEONE ELSE 7 = REFUSED 8 = DON'T KNOW 9 = MISSING
1600	F2AWKSUI	03	1010 = BLANK 1 9 1570 = BLANK 2 9	G17B	# OF WEEKS RECEIVED UI BETWEEN BEGIN AND END DATE, HOW MANY WEEKS DID YOU RECEIVE UI? BLANK = N/A 001104 = WEEKS 996 = GREATER THAN 104 997 = REFUSED 998 = DON'T KNOW 999 = MISSING
1610	F2AAVRUI	04	1010 = BLANK 1 9 1570 = BLANK 2 9	G17C	AVERAGE WEEKLY RECEIPT OF UI BLANK = N/A 11000 = DOLLARS 9997 = REFUSED 9998 = DON'T KNOW 9999 = MISSING
1620	F2DEC	03	1010 = BLANK 1 9 1570 = BLANK 2 9	DEC	MANTISSA OF FIELD G17C BLANK = N/A 0099 = DECIMAL PART

1630	F20ISKIP	01	1010 = BLANK 1 9	G18SKIP	ALL ANSWERS FOR G7K = NO? SKIP CHECK FOR G18-USED FOR PROCESSING BLANK = N/A 1 = YES 2 = NO 9 = MISSING	GOTO	1740
1640	F2ACCHK	01	1010 = BLANK 1 9 1630 = BLANK 2 9	G18A	RECEIVED: CASH CONTRIBUTIONS (CHECK) BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING	GOTO GOTO GOTO	1660

^{[1]:} Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

	Variable		Reference		Codebook for SAS data sets - Experimental sample segments
Number	Name	Width [1]	Base [2]	Name	Descriptive text, allowed values and skip instructions
1650	F2AAVRC	05	1010 = BLANK 1 9 1630 = BLANK 2 9 1640 = BLANK 1 9	G18A1	TOTAL RECEIPT OF CASH CONTRIBUTIONS BLANK = N/A 0000110000 = DOLLARS 99997 = REFUSED 99998 = DON'T KNOW 99999 = MISSING
1660	F2CESKIP	01	1010 = BLANK 1 9 1630 = BLANK 2 9	G18B	IS G7K2 = YES? BLANK = N/A 1 = YES 2 = NO GOTO 1680 7 = REFUSED GOTO 1680 8 = DON'T KNOW GOTO 1680 9 = MISSING
1670	F2AAVRCE	05	1010 = BLANK 1 9 1630 = BLANK 2 9 1660 = BLANK 1 9	G18B1	TOTAL RECEIPT OF CHILD EARNINGS BLANK = N/A 0000110000 = DOLLARS 99997 = REFUSED 99998 = DON'T KNOW 99999 = MISSING
1680	F2RBSKIP	01	1010 = BLANK 1 9 1630 = BLANK 2 9	G18C	IS G7K3 = YES? BLANK = N/A 1 = YES 2 = NO GOTO 1700 7 = REFUSED GOTO 1700 8 = DON'T KNOW GOTO 1700 9 = MISSING
1690	F2AAVRRB	05	1010 = BLANK 1	G18C1	TOTAL RECEIPT OF INCOME FROM ROOMERS BLANK = N/A 0000110000 = DOLLARS

			9 1630 = BLANK 2 9 1680 = BLANK 1 9			99997 = REFUSED 99998 = DON'T KNOW 99999 = MISSING		
1700	F2BISKIP	01	1010 = BLANK 1 9 1630 = BLANK 2	G18D	IS G7K4 = YES?	BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING	GC	TO 1720 TO 1720 TO 1720

^{[1]:} Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

	Variable		Deferre		Codebook for SAS data sets - Experimental sample segments		
Number	Name	Width [1]	Base [2]	Reference Name	Descriptive text, allowed values and skip instructions		
1710	F2AAVRBI	05	1010 = BLANK 1 9 1630 = BLANK 2 9 1700 = BLANK 1 9	G18D1	TOTAL RECEIPT OF BUSINESS INCOME BLANK = N/A 0000110000 = DOLLARS 99997 = REFUSED 99998 = DON'T KNOW 99999 = MISSING		
1720	F2MISKIP	01	1010 = BLANK 1 9 1630 = BLANK 2 9	G18E	IS G7K5 = YES? BLANK = N/A 1 = YES 2 = NO GOTO 1740 7 = REFUSED GOTO 1740 8 = DON'T KNOW GOTO 1740 9 = MISSING		
1730	F2AAVRMI	05	1010 = BLANK 1 9 1630 = BLANK 2 9 1720 = BLANK 1 9	G18E1	TOTAL RECEIPT FROM MORE INCOME SOURCES BLANK = N/A 0000110000 = DOLLARS 99997 = REFUSED 99998 = DON'T KNOW 99999 = MISSING		
1740	F2G7LSKI	01	1010 = BLANK 1 9	G19SKIP	IS G7L = NO? BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING GOTO 1780 GOTO 1780		
1750	F2AMCCHK	01	1010 = BLANK 1 9	G19	HAD/HAS MEDICAID CARD BLANK = N/A 1 = YES 2 = NO		

			1740 = BLANK 2 9		7 = REFUSED 8 = DON'T KNOW 9 = MISSING
1760	F2AMONMC	02	1010 = BLANK 1 9 1740 = BLANK 2 9	G19A	# OF MONTHS HAD MEDICAID CARD BLANK = N/A 0160 = MONTHS 97 = REFUSED 98 = DON'T KNOW 99 = MISSING

^{[1]:} Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

	Variable		D. f		Codebook for SAS data sets - Experimental sample segments		
Number	Name	Width [1]	Base [2]	Reference Name	Descriptive text, allowed values and skip instructions		
1770	F2BOXPG3	01	1010 = BLANK 1 9 1740 = BLANK 2 9	BOXPG38	ADULT/YOUTH?		
1780	F2GSHUTA	01	all	GSHUT	USED FOR DATA BASE PROCESSING		
					. END		