$adul\,t_contents.\,log$

. describe;

Contains data from k: \JTPA NatEval \A-Original Files\expfup1\adult. dta obs: 12, 390

obs: vars: 113 9 Dec 2002 09:14

2, 502, 780 (99.0% of memory free) si ze:

variable name	storage	dispiay	var ue	vari able label
varrabre name	- суре	101 mat	1 abei	varrable raber
age	str2	%2s		
bi fi d	float	%9. 0g		
dobdd	str2	%2s		
dobum	str2	%2s		
dobyy	str2	%2s		
el i gdd	str2	%2s		
eligmm	str2	%2s		
el i gyy	str2	%2s		
f1adop	str1	%1s		
f1adshut	str1	%1s		
f1box16	str1	%1s		
f1box17	str1	%1s		
f1box17a	str1	%1s		
f1box17b	str1	%1s		
f1box18	str1	%1s		
f1box18a	str1	%1s		
f1box19	str1	%1s		
f1box19a	str1	%1s		
f1box19b	str1	%1s		
f1box13b	str1	%1s		
f1box20a	str1	%1s		
f1boxp38	str1	%1s		
f1dec	str2	%2s		
f1g7a	str1	%1s		
f1g7b	str1	%1s		
f1g7c	str1	%1s		
f1g7d	str1	%1s		
f1g7d f1g7e	str1	%1s		
f1g7f	str1	%1s		
f1g7g	str1	%1s		
f1g7h	str1	%1s		
f1g7i	str1	%1s		
f1g7j	str1	%1s		
f1g7k1	str1	%1s		
f1g7k1 f1g7k2	str1	%1s		
f1g7k3	str1	%1s		
f1g7k4	str1	%1s		
f1g7k5	str1	%1s		
f1g7k3 f1g7l	str1	%1s		
f1g8	str1	%1s		
f1g8a	str2	%15 %2s		
f1g8b	str5	%5s		
f1g8skp	str1	%1s		
f1goSkp f1g9	str1	%1S %1s		
f1g9 f1g9a		%1S %1s		
f 1g9a f 1g9cnt	str1 str2	%1S %2s		
f1g9cnc f1g9mor	strz str1	%2S %1s		
f1g9mbr f1g9skp		%1S %1s		
1 18asuh	str1	/013	_	

$adul\,t_contents.\,log$

f1g10	str1	%1s
£1 ~10 ~	_	
f1g10a	strl	%1s
f1g10mor	str1	%1s
f1g10gkp		
f1g10skp	str1	%1s
f1g11	str1	%1s
f1g11mon		
f1g11mor	str1	%1s
f1g11skp	str1	%1s
f1619	str1	%1s
f1g12	_	
f1g12a	str2	%2s
f1g12b	str5	%5s
11g1&D		
f1g12skp	str1	%1s
f1g13	str1	%1s
	_	
f1g13a	str2	%2s
f1g13b	str5	%5s
f1g12glm		
f1g13skp	str1	%1s
f1g14	str1	%1s
f1g14cnt	str2	%2s
f1g14cnt	_	
f1g14mor	strl	%1s
f1g14skp	str1	%1s
115115Kp	_	
f1g15	strl	%1s
f1g15a	str2	%2s
£1 ~1 5 h		
f1g15b	str5	%5s
f1g15skp	str1	%1s
f1 ~ 1 C	_	%1s
f1g16	strl	
f1g16a	str2	%2s
f1g16b	str5	%5s
rigion		
f1g16skp	str1	%1s
f1g17	str1	%1s
C1 .17	_	
f1g17a	strl	%1s
f1g17b	str3	%3s
£1 ×17 ×		
f1g17c	str4	%4s
f1g17skp	str1	%1s
f1g18a		%1s
f1g18a	str1	
f1g18a1	str5	%5s
f1g18b	str1	%1s
11g10b		
f1g18b1	str5	%5s
f1g18c	str1	%1s
f1g10g1		
f1g18c1	str5	%5s
f1g18d	str1	%1s
f1g18e	str1	%1s
ligioe		
f1g18skp	str1	%1s
f1g19	str1	%1s
C1 - 10 -	_	
f1g19a	str2	%2s
f1g19skp	str1	%1s
f1g18e1	str5	%5s
f1g18d1	str5	%5s
f1gfscnt	str2	%2s
C1		
f1ggacnt	str2	%2s
fup1dd	str2	%2s
fup1mm	str2	%2s
fup1yy	str2	%2s
inttyn	str1	%1s
inttyp		
i ntvdd	str2	%2s
intvmm	str2	%2s
i ntvyy	str2	%2s
office	str2	%2s
		%1s
race	str1	
reci d	str6	%6s
sample	str3	%3s
sda	str2	%2s
segmen	str2	%2s
sex	strl	%1s
state	str2	%2s
survey	str3	%3s
Sur vey	3610	/003

target	str1	%1s	adult_contents.log
Sorted by:			
. log close; log: log type: closed on:	k: \JTPA N	NatEval \B-	Working Files\Contents&Means\expfup1\adult_contents.log