$head_fp2_contents. \ log$

 $log: k: \label{log:bar-working} $$ log: k: \JTPA \ NatEval \B-Working Files \Contents \Ameans \exp pup \head_fp2_contents. log$

log type: opened on: text 26 Apr 2004, 13:41:33

. describe;

Contains data from k: \JTPA NatEval \A-Original Files\expfup2\head_fp2. dta obs: 7,052

58 1, 353, 984 (99.5% of memory free) 9 Dec 2002 09:21 vars:

si ze:

variable name	storage type	display format	val ue l abel	vari able label
age	str2	%2s		
bi fi d	float	%9. 0g		
bi frsp	float	%9. 0g		
brthdate	str6	%6s		
cati cad	str1	%1s		
cri t_cnt	str3	%3s		
data_i d	str4	%4s		
date_fin	str7	%7s		
date_ind	str1	%1s		
dob_dd	str2	%2s		
dob_mm	str2	%2s		
dob_yy	str2	%2s		
fdat_beg	str6	%6s		
fdat_elg	str6	%6s		
fdat_end	str6	%6s		
fdat_fin	str7	%7s		
fdat_int	str6	%6s		
ffu_stat	str2	%2s		
fld_date	str7	%7s		
i nrvwr	str4	%4s %2s		
int_disp	str2			
int_type intvmnth	str4	%4s %4s		
	str4 str1	%4S %1s		
lang_flg len_intv	str6	%1S %6s		
loc_flg	str1	%0S %1s		
mai ndi sp	str2	%15 %2s		
mdspdate	str7	%7s		
mon_i nd	str1	%1s		
office	str2	%2s		
ofld_dsp	str2	%2s		
old_crit	str1	%1s		
over ind	str1	%1s		
prcnt_co	str6	%6s		
prob_flg	str1	%1s		
proxy	str1	%1s		
ra date	str6	%6s		
race	str1	%1s		
reci d	str6	%6s		
ref_date	str6	%6s		
ret_i nd	str1	%1s		
rlsedate	str7	%7s		
sample	str3	%3s		
samptype	str1	%1s		
sda	str2	%2s		
segment	str2	%2s		
sex	str1	%1s		

head_fp2_contents.log								
site	str2	%2s	- . -	J				
ssn	str9	%9s						
staffgrp	str1	%1s						
state	str2	%2s						
survey	str3	%3s						
targ_grp	str1	%1s						
ti mecumi	str4	%4s						
tot_call	str2	%2s						
trg_grp	str1	%1s						
val_i nd	str1	%1s						
wks_rl sd	str2	%2s						
Sorted by: . log close;	L \ TTDA I		v. 1.					
log: k:\JTPA NatEval\B-Working Files\Contents&Means\expfup2\head_fp2_contents.log								
log type: 1	text	004, 13:41:	_ • _	s. 10g				
