

DICTIONARY — the columns of `train.csv` and `test.csv`

Both files carry `id` and the 31 columns below, in this order; `train.csv` adds the target `dead` (1 if the patient died within 60 days of study entry, else 0).

Units differ by site, spellings vary, a few cells hold placeholders, one numeric column holds a text token, and labs are empty when nobody ordered them. [EXPERTISE.pdf](#) gives the clinical reasons behind each column.

- **Meaning:** from the SUPPORT documentation (hbiostat.org/data/repo/supportdesc) and the charting conventions of the five sites.
- **Read as:** the dtype `pd.read_csv` gives the column. `number` columns can still be codes or flags; `text` columns can still hold an order, or numbers.
- **Filled:** share of the 6,373 rows of `train.csv` with a value.
- **Distinct:** number of distinct values among the filled rows.
- **Examples:** for text, the distinct spellings actually present (all of them when there are few, else the most frequent) with their share of the filled rows; for numbers, the minimum, median and maximum.

Identification & site

column	meaning	unit	read as	filled	distinct	examples
<code>site</code>	Hospital site, A to E. SUPPORT ran in five US academic medical centres; each site charts in its own units (see <code>crea</code> , <code>temp</code>).	code	text	100.0%	5	A (29%) · B (26%) · D (18%) · C (15%) · E (12%)
<code>hday</code>	Hospital day on which the patient entered the study (1 = the day of admission).	days	number	100.0%	80	min 1 · median 1 · max 148

Demographics & social

column	meaning	unit	read as	filled	distinct	examples
<code>age</code>	Age at study entry. Some sites record 999 when the age is unknown.	years	number	100.0%	3,844	min 18.04 · median 65.04 · max 999
<code>sex</code>	Sex of the patient. Free-text entry: the spellings differ by site and by clerk (full word or initial, upper or lower case).	—	text	100.0%	8	male (27%) · female (20%) · Male (14%) · Female (11%) · M (8%) · m (7%) · F (6%) · f (5%)
<code>race</code>	Race as recorded at admission: white, black, hispanic, asian, other. Free-text entry: case and trailing spaces vary. Site E writes 'unknown' where the other sites leave the cell empty.	—	text	99.6%	11	white (68%) · black (13%) · White (12%) · hispanic (3%) · +7 more

column	meaning	unit	read as	filled	distinct	examples
edu	Years of education. Empty when the social interview did not take place.	years	number	82.0%	31	min 0 · median 12 · max 31
income	Household income bracket, from the interview: under \$11k, \$11-\$25k, \$25-\$50k, >\$50k. Empty when the patient could not be asked or declined.	—	text	66.7%	4	under \$11k (47%) · \$11-\$25k (25%) · \$25-\$50k (17%) · >\$50k (11%)

Diagnosis & comorbidity

column	meaning	unit	read as	filled	distinct	examples
dzgroup	Qualifying diagnosis, one of eight groups: ARF/MOSF w/ Sepsis, CHF, COPD, Cirrhosis, Colon Cancer, Coma, Lung Cancer, MOSF w/Malig (MOSF = multiple organ system failure; ARF = acute respiratory failure).	—	text	100.0%	8	ARF/MOSF w/Sepsis (39%) · CHF (15%) · COPD (10%) · Lung Cancer (10%) · MOSF w/Malig (8%) · Coma (6%) · Colon Cancer (6%) · Cirrhosis (6%)
dzclass	Disease class: ARF/MOSF, COPD/CHF/Cirrhosis, Cancer, Coma. A grouping of dzgroup into four.	—	text	100.0%	4	ARF/MOSF (47%) · COPD/CHF/Cirrhosis (31%) · Cancer (15%) · Coma (6%)
num_co	Number of comorbid conditions recorded at entry, 0 to 9.	count	number	100.0%	9	min 0 · median 2 · max 8
ca	Cancer status: no, yes (non-metastatic), metastatic.	—	text	100.0%	3	no (66%) · metastatic (20%) · yes (14%)
diabetes	1 if diabetes is among the comorbidities.	0/1	number	100.0%	2	min 0 · median 0 · max 1
dementia	1 if dementia is among the comorbidities.	0/1	number	100.0%	2	min 0 · median 0 · max 1

Vital signs (day 3)

column	meaning	unit	read as	filled	distinct	examples
scoma	SUPPORT coma score on day 3, derived from the Glasgow Coma Scale: 0 = fully conscious, 100 = deep coma.	0-100	number	100.0%	11	min 0 · median 0 · max 100
meanbp	Mean arterial blood pressure on day 3 (worst value of the day).	mmHg	number	100.0%	159	min 0 · median 77 · max 195
hrt	Heart rate on day 3 (worst value of the day).	/min	number	100.0%	171	min 0 · median 100 · max 300

column	meaning	unit	read as	filled	distinct	examples
resp	Respiratory rate on day 3 (worst value of the day).	/min	number	100.0%	65	min 0 · median 24 · max 90
temp	Body temperature on day 3 (worst value of the day). Charted in °C at sites A, B, D and E and in °F at site C. Some rows record 0.0 when the temperature was not taken.	°C or °F by site	number	100.0%	153	min 0 · median 37.0938 · max 105.8

Laboratory (day 3)

column	meaning	unit	read as	filled	distinct	examples
wblc	White blood cell count on day 3.	×10 ⁹ /L (thousands/μL)	number	97.7%	453	min 0 · median 10.5 · max 200
pafi	PaO ₂ /FiO ₂ ratio on day 3, from the arterial blood gas. Empty when no blood gas was drawn.	mmHg	number	74.4%	1,236	min 31 · median 223.312 · max 890.375
alb	Serum albumin on day 3. Empty when the liver panel was not ordered.	g/dL	number	62.8%	57	min 0.4 · median 2.8999 · max 29
bili	Serum bilirubin on day 3. Empty when the liver panel was not ordered.	mg/dL	number	71.8%	249	min 0.1 · median 0.8999 · max 63
crea	Serum creatinine on day 3. Reported in mg/dL at sites A, B and C and in μmol/L at sites D and E (1 mg/dL = 88.4 μmol/L).	mg/dL or μmol/L by site	number	99.3%	212	min 0.2 · median 1.7 · max 1,140
sod	Serum sodium on day 3. A few rows carry the value with the decimal point dropped (ten times too large).	mEq/L	number	100.0%	76	min 110 · median 137 · max 1,530
ph	Arterial pH on day 3, from the arterial blood gas. Empty when no blood gas was drawn.	—	number	74.9%	70	min 6.9092 · median 7.4297 · max 7.7695
glucose	Serum glucose on day 3. Empty when the chemistry panel was not ordered, except at site B, which writes the text 'not done' instead; pandas therefore reads the whole column as text.	mg/dL	text	62.6%	395	min 0 · median 133 · max 1,092 · not done (20.1%)
bun	Blood urea nitrogen on day 3. Empty when the chemistry panel was not ordered.	mg/dL	number	51.7%	153	min 1 · median 23 · max 300

column	meaning	unit	read as	filled	distinct	examples
urine	Urine output on day 3, 24-hour collection. Empty when not collected; 0 is a measured value (anuria).	mL/24h	number	46.1%	1,223	min 0 · median 1,975 · max 9,000

Functional status

column	meaning	unit	read as	filled	distinct	examples
adlp	Activities of daily living the patient reported being unable to do on day 3, 0 to 7. Empty when the patient could not be interviewed.	count 0-7	number	37.8%	8	min 0 · median 0 · max 7
adls	The same count reported by the surrogate (family) on day 3, 0 to 7. Empty when no surrogate was interviewed.	count 0-7	number	68.2%	8	min 0 · median 1 · max 7

Billing

column	meaning	unit	read as	filled	distinct	examples
charges	Total hospital charges for the stay, billed at discharge; empty for patients not yet discharged.	USD	number	98.1%	6,083	min 2,238 · median 42,748 · max 1,845,060

Target (`train.csv` only)

column	meaning	unit	read as	filled	distinct	examples
dead	1 if the patient died within 60 days (2 months) of study entry, 0 if alive at 60 days.	0/1	number	100.0%	2	46.2% are 1