

Grasshopper PDF Report

12 mag 2022, 06:08:34

Start : mag 12, 6:08:16.078 AM

End : mag 12, 6:08:34.127 AM

Duration : 18.049 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 1

SKIPPED - 0

PASSED - 1



FAILED - 1


SKIPPED - 0

PASSED - 12


FAILED - 1

SKIPPED - 53







| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | T001 VendorManager atterraggio HomePage | 1 | 1 | 0 | 0 | 17.978 s |
| 2 | T002 VendorManager Nuovo Fornitore | 1 | 0 | 1 | 0 | 0.053 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--|----|----|---|----|----------|
| 1 | <u>T001 VendorManager atterraggio HomePage</u> | <u>T001 VendorManager atterraggio HomePage</u> | 12 | 12 | 0 | 0 | 17.976 s |
| 2 | <u>T002 VendorManager Nuovo Fornitore</u> | <u>T002 VendorManager Nuovo Fornitore</u> | 54 | 0 | 1 | 53 | 0.053 s |




(F)- T001 VendorManager atterraggio HomePage



| | | | | | |
|--------------------------------------|----------------------------|-----------|---|------------|---|
| PASSED | DURATION - 17.978 s | Scenarios |  | Steps |  |
| / 6:08:16.078 AM // 6:08:34.056 AM / | | Total - 1 | | Total - 12 | |
| | | Pass - 1 | | Pass - 12 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |



(S)- T001 VendorManager atterraggio HomePage

| <div>PASSED</div> <div>DURATION - 17.976 s</div> | |  <table border="1"><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>1</td></tr><tr><td>3</td><td>0.5</td></tr><tr><td>4</td><td>1</td></tr><tr><td>5</td><td>0.2</td></tr><tr><td>6</td><td>1</td></tr><tr><td>7</td><td>0.5</td></tr><tr><td>8</td><td>1</td></tr><tr><td>9</td><td>0.5</td></tr><tr><td>10</td><td>1</td></tr><tr><td>11</td><td>0.2</td></tr><tr><td>12</td><td>10</td></tr></tbody></table> | Step | Count | 1 | 1 | 2 | 1 | 3 | 0.5 | 4 | 1 | 5 | 0.2 | 6 | 1 | 7 | 0.5 | 8 | 1 | 9 | 0.5 | 10 | 1 | 11 | 0.2 | 12 | 10 | <div>Steps</div> <div>Total - 12</div> <div>Pass - 12</div> <div>Fail - 0</div> <div>Skip - 0</div> | |  <div>12</div> |
|--|-------|---|------|-------|---|---|---|---|---|-----|---|---|---|-----|---|---|---|-----|---|---|---|-----|----|---|----|-----|----|----|---|--|---|
| Step | Count | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 0.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 0.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | 0.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | 0.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | 0.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| / 6:08:16.080 AM // 6:08:34.056 AM / | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| T001 VendorManager atterraggio HomePage | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I navigate to WeBuild page | PASSED | 0.881 s |
| | AFTER_STEP - main.java.Hooks.Hook.afterStep(io.cucumber.java.Scenario) | PASSED | 0.013 s |
| | T001 VendorManager atterraggio HomePage | | |
| |  | | |
| 2 | And I wait 1 seconds | PASSED | 1.012 s |
| | AFTER_STEP - main.java.Hooks.Hook.afterStep(io.cucumber.java.Scenario) | PASSED | 0.003 s |
| | T001 VendorManager atterraggio HomePage | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | And I click WeBuildLoginPage.DefaultIdentityProvider | PASSED | 0.581 s |
| | AFTER_STEP - main.java.Hooks.Hook.afterStep(io.cucumber.java.Scenario) | PASSED | 0.002 s |
| | T001 VendorManager atterraggio HomePage | | |
| |  | | |
| 4 | And I wait 1 seconds | PASSED | 1.005 s |
| | AFTER_STEP - main.java.Hooks.Hook.afterStep(io.cucumber.java.Scenario) | PASSED | 0.004 s |
| | T001 VendorManager atterraggio HomePage | | |
| |  | | |
| 5 | And I input in WeBuildLoginPage.LoginField the text "c.motta@reply.it" | PASSED | 0.176 s |
| | AFTER_STEP - main.java.Hooks.Hook.afterStep(io.cucumber.java.Scenario) | PASSED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | T001 VendorManager atterraggio HomePage | | |
| |  | | |
| 6 | And I wait 1 seconds | PASSED | 1.014 s |
| | AFTER_STEP - main.java.Hooks.Hook.afterStep(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | T001 VendorManager atterraggio HomePage | | |
| |  | | |
| 7 | And I click WeBuildLoginPage.Continuare | PASSED | 0.532 s |
| | AFTER_STEP - main.java.Hooks.Hook.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | T001 VendorManager atterraggio HomePage | | |
| | | | |
| 8 | And I wait 1 seconds | PASSED | 1.010 s |



| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | AFTER_STEP - main.java.Hooks.Hook.afterStep(io.cucumber.java.Scenario) | PASSED | 0.003 s |
| | T001 VendorManager atterraggio HomePage | | |
| | | | |
| 9 | And I input in WeBuildLoginPage.PasswordField the text "Sysko@003" | PASSED | 0.441 s |
| | AFTER_STEP - main.java.Hooks.Hook.afterStep(io.cucumber.java.Scenario) | PASSED | 0.010 s |
| | T001 VendorManager atterraggio HomePage | | |
| |   | | |
| 10 | And I wait 1 seconds | PASSED | 1.001 s |
| | AFTER_STEP - main.java.Hooks.Hook.afterStep(io.cucumber.java.Scenario) | PASSED | 0.002 s |
| | T001 VendorManager atterraggio HomePage | | |
| |   | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| 11 | And I click WeBuildLoginPage.SignIn | PASSED | 0.146 s |
| | AFTER_STEP - main.java.Hooks.Hook.afterStep(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | T001 VendorManager atterraggio HomePage | | |
| |   | | |
| 12 | And I wait 10 seconds | PASSED | 10.005 s |
| | AFTER_STEP - main.java.Hooks.Hook.afterStep(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | T001 VendorManager atterraggio HomePage | | |
| |  | | |


(F)- T002 VendorManager Nuovo Fornitore

| | | | | | |
|--------------------------------------|--------------------|-----------|---|------------|---|
| FAILED | DURATION - 0.053 s | Scenarios |  | Steps |  |
| / 6:08:34.074 AM // 6:08:34.127 AM / | | Total - 1 | | Total - 54 | |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 53 | |

(S)- T002 VendorManager Nuovo Fornitore

| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.053 s</div> | |  | <div>Steps</div> <div>Total - 54</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 53</div> |  |
| / 6:08:34.074 AM // 6:08:34.127 AM / | | | | |
| T002 VendorManager Nuovo Fornitore | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------------|----------------|
| 1 | Given I log_in with username c.motta@reply.it and password Sysko@003 <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.1.4', revision: '535d840ee2' System info: host: 'DESKTOP-LVPIRVK', ip: '192.168.1.113', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, get {url=https://dev-mrhgsddb.launchpad.cfapps.eu20.hana.ondemand.com/it-webuild-npp.itwebuildnpp-0.0.1/index.html}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: C:\Users\lucas\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58881}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58881/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:330) at main.java.Utility.Util.getURL(Util.java:169) at test.java.steps.WebStep.iLog_in(WebStep.java:149) at ?.I log_in with username c.motta@reply.it and password Sysko@003(file:///D:/WeBuild2/src/test/java/features/NuovoFornitore.feature:4) * Not displayable characters are replaced by '?'. </pre> | FAILED | 0.009 s |
| | AFTER_STEP - main.java.Hooks.Hook.afterStep(io.cucumber.java.Scenario) T002 VendorManager Nuovo Fornitore | PASSED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| |  | | |
| 2 | And I click HomePage.NuovoFornitore | SKIPPED | 0.000 s |
| 3 | And I change the iFrame | SKIPPED | 0.001 s |
| 4 | And I click NuovoFornitore.NazioneButton | SKIPPED | 0.000 s |
| 5 | And I input in NuovoFornitore.NazioneCerca the text 'Italia' | SKIPPED | 0.000 s |
| 6 | And I click NuovoFornitore.Clessidra | SKIPPED | 0.000 s |
| 7 | And I click NuovoFornitore.NazioneTrovata | SKIPPED | 0.000 s |
| 8 | And I click NuovoFornitore.FormaGiuridicaButton | SKIPPED | 0.000 s |
| 9 | And I select the 1 element from the DDL NuovoFornitore.ULFormeGiuridiche | SKIPPED | 0.000 s |
| 10 | And I click NuovoFornitore.TipologiaFornitoreButton | SKIPPED | 0.000 s |
| 11 | And I select the 2 element from the DDL NuovoFornitore.ULTipologieFornitore | SKIPPED | 0.000 s |
| 12 | And I input in NuovoFornitore.RagioneSociale the text 'btp' | SKIPPED | 0.000 s |
| 13 | And I click NuovoFornitore.SearchInfoProviderButton | SKIPPED | 0.000 s |
| 14 | And I select the 0 element from the DDL NuovoFornitore.ULFornitoriTrovati | SKIPPED | 0.000 s |
| 15 | And I wait 4 seconds | SKIPPED | 0.001 s |
| 16 | And I click NuovoFornitore.Crea | SKIPPED | 0.000 s |
| 17 | And I wait 10 seconds | SKIPPED | 0.000 s |
| 18 | And I click InfoFornitore.LinguaggioButton | SKIPPED | 0.000 s |
| 19 | And I wait 1 seconds | SKIPPED | 0.000 s |
| 20 | And I select the 1 element from the DDL InfoFornitore.ULLinguaggio | SKIPPED | 0.000 s |
| 21 | And I click InfoFornitore.ValutaDiRiferimentoButton | SKIPPED | 0.000 s |
| 22 | And I input in InfoFornitore.ValutaDiRiferimentoCerca the text 'eur' | SKIPPED | 0.000 s |
| 23 | And I click InfoFornitore.ValutaDiRiferimentoLente | SKIPPED | 0.000 s |
| 24 | And I select the 0 element from the DDL InfoFornitore.ValutaDiRiferimentoDDL | SKIPPED | 0.000 s |
| 25 | And I input in InfoFornitore.SitoWeb the text 'nomefornitore.com' | SKIPPED | 0.000 s |
| 26 | And I scroll down | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 27 | And I wait 1 seconds | SKIPPED | 0.000 s |
| 28 | And I click InfoFornitore.AggiungiCommodity | SKIPPED | 0.000 s |
| 29 | And I click InfoFornitore.CommodityArrow | SKIPPED | 0.000 s |
| 30 | And I select the 5 element from the DDL InfoFornitore.ULCommodity | SKIPPED | 0.000 s |
| 31 | And I click InfoFornitore.RegistraCommodity | SKIPPED | 0.000 s |
| 32 | And I click General.OKMessage | SKIPPED | 0.000 s |
| 33 | And I click InfoFornitore.AggiungiProgetti | SKIPPED | 0.000 s |
| 34 | And I click InfoFornitore.ProgettoArrow | SKIPPED | 0.001 s |
| 35 | And I select the 5 element from the DDL InfoFornitore.ULProgetto | SKIPPED | 0.000 s |
| 36 | And I click InfoFornitore.RegistraProgetto | SKIPPED | 0.000 s |
| 37 | And I click General.OKMessage | SKIPPED | 0.000 s |
| 38 | And I click InfoFornitore.NuovoContatto | SKIPPED | 0.000 s |
| 39 | And I input in InfoFornitore.NomeContatto the text 'Marco' | SKIPPED | 0.000 s |
| 40 | And I input in InfoFornitore.CognomeContatto the text 'Rossi' | SKIPPED | 0.000 s |
| 41 | And I input in InfoFornitore.TelefonoContatto the text '348211499123' | SKIPPED | 0.000 s |
| 42 | And I input in InfoFornitore.EmailContatto the text 'emailcontatto@outlook.com' | SKIPPED | 0.000 s |
| 43 | And I click InfoFornitore.ArrowRuolo | SKIPPED | 0.000 s |
| 44 | And I select the 0 element from the DDL InfoFornitore.ULRuolo | SKIPPED | 0.000 s |
| 45 | And I click InfoFornitore.ArrowTimezone | SKIPPED | 0.000 s |
| 46 | And I select the 0 element from the DDL InfoFornitore.ULTimezone | SKIPPED | 0.000 s |
| 47 | And I click InfoFornitore.ArrowContattoPrimario | SKIPPED | 0.000 s |
| 48 | And I select the 0 element from the DDL InfoFornitore.ULContattoPrimario | SKIPPED | 0.000 s |
| 49 | And I click General.SALVA | SKIPPED | 0.000 s |
| 50 | And I click General.OKMessage | SKIPPED | 0.000 s |
| 51 | And I wait 10 seconds | SKIPPED | 0.000 s |
| 52 | And I click InfoFornitore.InviaProposta | SKIPPED | 0.000 s |
| 53 | And I click General.OKMessage | SKIPPED | 0.000 s |
| 54 | And I wait 10 seconds | SKIPPED | 0.000 s |
| | AFTER - main.java.Hooks.Hook.closeDriver() org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.1.4', revision: '535d840ee2' System info: host: 'DESKTOP-LVPIRVK', ip: '192.168.1.113', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: C:\Users\lucas\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58881}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58881/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:452) at main.java.Base.DriverManager.afterSuite(DriverManager.java:58) at main.java.Hooks.Hook.closeDriver(Hook.java:65) | | |