

Data4Help



POLITECNICO
MILANO 1863

Requirement Analysis and Specification Document

Deliverable:	RASD
Title:	Requirement Analysis and Verification Document
Authors:	Luca Alessandrelli, Andrea Caraffa, Andrea Bionda
Version:	1.0
Date:	19-October-2018
Download page:	https://github.com/lucaalexandrelli/AlessandrelliCaraffaBionda.git
Copyright:	Copyright © 2017, Luca Alessandrelli, Andrea Caraffa, Andrea Bionda – All rights reserved

Contents

Table of Contents	3
List of Figures	5
List of Tables	5
1 Introduction	6
1.1 Purpose	6
1.2 Scope	6
1.2.1 Goals	6
1.2.2 World Phenomena	7
1.3 Definitions, Acronyms, Abbreviations	7
1.4 Revision History	7
1.5 Reference Documents	7
1.6 DocumentStructure	7
2 Overall Description	8
2.1 Product perspective	8
2.2 Product functions	9
2.2.1 Data4Help - Providing data to third parties	9
2.2.2 AutomatedSOS - Sending ambulance request in critical situation	10
2.2.3 Track4Run - Run management	10
2.3 User characteristics	10
2.4 Assumptions, dependencies and constraints	10
2.4.1 Text Assumptions	11
2.4.2 Domain Assumptions	12
3 Specific Requirements	13
3.1 External Interface Requirements	13
3.1.1 User Interfaces	13
3.1.2 Hardware Interfaces	13
3.1.3 Software Interfaces	13
3.1.4 Communication Interfaces	13
3.2 Functional Requirements	13
3.2.1 Use Case Diagram	16
3.2.2 AutomatedSOS Use Cases	16
3.2.3 Track4Run Use Cases	16
3.3 Performance Requirements	16
3.4 Design Constraints	16
3.4.1 Standards compliance	16
3.4.2 Hardware limitations	16
3.4.3 Any other constraint	16
3.5 Software System Attributes	16
3.5.1 Reliability	16
3.5.2 Availability	16
3.5.3 Security	16
3.5.4 Maintainability	16
3.5.5 Portability	16
4 Formal Analysis Using Alloy	22

5	Effort Spent	23
5.0.1	Luca Alessandrelli	23
5.0.2	Andrea Caraffa	23
5.0.3	Andrea Bionda	23
6	References	24

List of Figures

List of Tables

1 Introduction

1.1 Purpose

The following Requirements Analysis and Specification Document examines a possible solution for a specific system-to-be provided by the TrackMe company. Therefore, this document contains the description of the scenarios, the use cases that described them, and the models describing requirements and specification for the system-to-be.

Data4Help is a location-based health information service-to-be that allows third parties to monitor the location and health status of individuals. The given problem is to design and develop this service and other two services, AutomatedSOS and Track4Run, which exploit the features offered by Data4Help.

AutomatedSOS is a service-to-be thought to help elderly people. Constantly monitoring the health status of the subscribed customers, this service sends to the user's location an ambulance as soon as the recorded values are anomalous, for example when some health parameters are below certain thresholds.

Finally, Track4Run is a service-to-be that tracks athletes participating in a run. The service, allows organizers to define the path for the run, participants to enroll to the run and spectators to see on a map the position of all the runners during the run.

1.2 Scope

1.2.1 Goals

- Data4Help

- G.1 Collect users' position and health status.
- G.2 Provide to Third Parties users' position and health status.
 - G.2.1 Provide data on-demand to non-subscribed third parties.
 - G.2.2 Provide data in real-time to subscribed third parties.
- G.3 Allow third parties two different ways to get users' data.
 - G.3.1 Allow third parties to get data of a single person.
 - G.3.2 Allow third parties to get data of a group of people.
- G.4 Provide data in an anonymous way, to protect users' privacy.

- AutomatedSOS

- G.5 Retrieve user's position and health status.
- G.6 Allow health-interested third parties the access to data detected by AutomatedSOS.
- G.7 Monitor user's health parameters.
- G.8 Send an ambulance to users' location whenever certain parameters are below the threshold.

- Track4Run

- G.5 Retrieve user's position and health status.
- G.9 Allow promoters to manage a run.
 - G.9.1 Allow promoters to define a path for the run.
 - G.9.2 Allow promoters to invite athletes to the run.
- G.10 Allow athletes to enroll on a specific run.
- G.11 Allow spectators to watch in real time the position of every athletes in a specific run.

1.2.2 World Phenomena

... what are world phenomena???

1.3 Definitions, Acronyms, Abbreviations

- **Definitions**

- (a) Single request: request of data from a specific registered individual.
- (b) Group request: request of data from many individuals.
- (c) Live acquisition: third parties can access to data as soon they are ready, through service updates.
- (d) On demand acquisition: third parties can access to data when they request them.
- (e) Subscribers: third parties allowed to receive live acquisition about preselected user/group.
- (f) User credentials: information that an individual has to provide to become a registered user: name, surname, date of birth, address, email, telephone number, job, marital status and fiscal code.
- (g) Third parties' credentials: information that a company has to provide to become a registered one: company name, p.iva.
- (h) Race information: all the information about the run: name, date, promoters, maximum number of participants and race path.
- (i) Private race: race that can be performed only by athletes invited by the promoter.
- (j) Public race: race that can be performed by everyone.
- (k) Partner Application: Application installed on users' device, not necessarily developed by TrackMe, that is in charge with retrieve location and health status.

1.4 Revision History

... Here you see a subsubsection

1.5 Reference Documents

... Here you see a subsubsection


1.6 DocumentStructure

... Here you see a subsubsection


2 Overall Description

2.1 Product perspective


White class are dedicated to perform Data4Help service, the other two applications are listed below.




Red classes are dedicated to AutomatedSOS application, supported by Data4Help service (White ones).



Green classes are dedicated to Track4Run application, supported by Data4Help service (White ones).



The following image represent the StateChart of a Request Object.



2.2 Product functions

The systems-to-be under analysis have to offer several functions. Below, the main functions provided by each system are more precisely specified, considering all the aspects emerged from the previous list of goals.

2.2.1 Data4Help - Providing data to third parties

This is the core function that Data4Help has to ensure. After collecting users position and health status information from external partner applications, Data4Help provides these data to the third party interested in having them. Data4Help provides data on demand sending to the third party all the available data about an individual (or a group of individual) collected so far. So the third party is provided with all the data about a user from the begin to now. In addition, Data4Help offers a providing data service in real time, allowing the third party to subscribe to new data and to receive them as soon as they are produced

2.2.2 AutomatedSOS - Sending ambulance request in critical situation

AutomatedSOS monitors the health status of the subscribed customers and, when such parameters are below certain threshold, sends to the location of the customer an ambulance, guaranting a reaction time of less than 5 seconds from the time parameters are below the threshold.

Therefore, the main function offered by AutomatedSOS is sending an ambulance request, with the relative user position, to the near hospital to the user. In order to optimize the times, the ambulance request contains all the data about the user health status. Providing these informations, when rescues arrive can immediately act accordingly to the alleged anomalous data.

2.2.3 Track4Run - Run management

Track4Run offers three different functionality for its users, which can be all grouped under the 'run management' function. A user can be a promoter, in this case the user can create the event run, which will be visible to every other users. Once created a run, the promoter can define the path in a interactive way, that is by drawing the path directly on a map. Track4Run allows the promoter to set other additional information, like the start time or an overall description of the run. Finally, the promoter can invite to the run all the participants.

The athletes have to be user too. Once received a run request, the athlete can enroll the run or reject it. In the first case, Track4Run tracks in real time the participant position for all the run through a GPS device. Therefore the athlete must wear this device, that for example can be a smartwatch

A user can also be a simple spectator and see on a map the position of all runners during the run. A spectator is also provided with the main information about the participants and with live time laps.

Both athlete and spectator users have to agree data treatment by Data4Help.

2.3 User characteristics

1. Third Party: Registered company interested in retrieve useful data from TrackMe's users. Usually this information can be useful for marketing strategy.
 - (a) Health Third Party: Non-Profit Company interested to monitor individuals in order to prevent critical diseases.
2. User: Individual that provides information about himself. His privacy must be protected by the system.
 - (a) Athlete: Track4Run's user that is enrolled in one or more race.
 - (b) Promoter: Track4Run's user that is the promoter of one or more race.
 - (c) Spectator: Track4Run's user that want follow athletes in one or more race.

2.4 Assumptions, dependencies and constraints

In the specification document certain parts were not specific and were ambiguous. So we decided to make the following assumptions.

2.4.1 Text Assumptions

• Data4Help

- (a) Users' information are collected from partner applications or from the other two TrackMe applications installed on users' devices.
- (b) All the partner applications require to submit user credentials.
- (c) When the partner application is installed and credentials are submitted the user is required to accept privacy policy, composed in two parts:
 - i. The first, mandatory, user accept to be tracked in group mode.
 - ii. The second, optional, user accept to be tracked in single mode.
- (d) Individual monitoring requests are not accepted or denied one by one by the specific user. If the user agreed on the treatment of his data as information of an individual (second part of privacy policy) all Individual request by third parties are automatically accepted.
- (e) Data are collected from partner application only when they are active on users' device.
- (f) Only third parties that are registered to Data4Help can request the monitoring service.
- (g) Groups are characterized by its member's attributes (age, gender, city, etc. ...).
- (h) Health status parameters that can be acquired are all the ones supported by a standard smart-watch as: Heart Rate, Blood Pressure, Pedometer, Calories Calculation.

• AutomatedSOS

- (a) AutomatedSOS exploit only smartwatches devices to retrieve all the information needed.
- (b) AutomatedSOS is an application that needs to be installed into the user's device.
- (c) All data retrieved by AutomatedSOS are sent to Data4Help.
- (d) In order to keep under systematic review the user's health status all the historical information about the user are received by Data4Help's Database.
- (e) This service can be used only by elderly people (70+) or by who really need it, in order to avoid useless waste of resources.
- (f) Users can see all his personal information that are sent to the Data4Help service.

• Track4Run

- (a) When the user register to the application he's asked to accept or deny the treatment of his data by the Data4Help service.
- (b) The application has three functions:
 - i. Promoter: allow the user to manage a run.
 - ii. Athlete: allow the user to participate to a run. In order to be an athlete the request of data treatment by the Data4Help service need to be accepted.
 - iii. Spectator: Allow the user to watch in real time the positions of all the athletes in a given run.
- (c) Any user can organize an event.
- (d) All the events can be spectated by users.
- (e) All users invited to a run can accept or discard the request.
- (f) Race path are always composed by citizen routes (never in private circuits or stadiums)

2.4.2 Domain Assumptions

- **Data4Help**

- D.1 Users' information are collected from partner applications or from the other two TrackMe applications installed on users' devices.
- D.2 All the partner applications require to submit user credentials.
- D.3 The identification (fiscal code, social security number) and the secondary data (attributes) given by the individual during the registration are correct.
- D.4 Devices used to monitor individuals always report correct values.
- D.5 Partner application always report correct values to Data4Help.
- D.6 In order to perform an individual request, third parties has to know the user's fiscal code or security number.
- D.7 Security number and fiscal code are not information given to third parties by Data4Help.
- D.8 Live acquisition lasts 24 hours to reduce waste of resources.

- **AutomatedSOS**

- D.4 Devices used to monitor individuals always report correct values.
- D.9 The user always dresses a smartwatch on which AutomatedSOS is installed.
- D.10 The ambulance system is always up and ready to receive messages from AutomatedSOS.
- D.11 The ambulance successfully reach the location of the individual.
- D.12 The ambulance always get to the location in the minimum amount of time.

- **Track4Run**

- D.4 Devices used to monitor individuals always report correct values.
- D.13 During a run athletes always dress a smartwatch on which Track4Run is installed.
- D.14 The path defined by the organizer actually exist.
- D.16 If an athlete enroll to a run then he also participates to the run.
- D.17 All athletes have their tracking devices with them for the entire duration of the run.
- D.18 Athletes never go out of the defined path.

3 Specific Requirements

Organize this section according to the rules defined in the project description.

3.1 External Interface Requirements

3.1.1 User Interfaces

3.1.2 Hardware Interfaces

3.1.3 Software Interfaces

3.1.4 Communication Interfaces

3.2 Functional Requirements

- Data4Help

G.1 Collect users' position and health status.

- D.1 Users' information are collected from partner applications or from the other two TrackMe applications installed on users' devices.
- D.2 All the partner applications require to submit user credentials.
- D.3 The identification (fiscal code, social security number) and the secondary data (attributes) given by the individual during the registration are correct.
- R.1 Retrieve user credentials inserted into partner application as group attributes.
- R.2 Allow users already registered in Data4Help world to sign in with his account without provide user credentials again.
- R.3 Allow individuals to agree with privacy policy (first part). Registered users, now, can be tracked in group mode request through installed application.
- R.4 Allow individuals to specify, during registration, if they are also interested to be tracked in single mode request (second part) through installed application. .
- D.4 Devices used to monitor individuals always work and report the correct values.
- D.5 Partner application always report correct values to Data4Help.
- R.5 The system has to correctly receive data from partner applications installed on users' device.

G.2 Provide to Third Parties, the users' position and health status.

- R.6 Allow third parties registration to Data4Help service, where they have to specify all their credentials.

G.2.1 Provide data on-demand to non-subscribed third parties.

- R.7 For each user registered ,the system has to automatically retrieve and store data from partner applications with a resolution of 10 minutes.
- R.8 The system has to collect inside his database all the useful information that match the request.
- R.9 The system has to send to applicant all the data already collected.

G.2.2 Provide data in real-time to subscribed third parties.

- D.8 Live acquisition lasts 24 hours to reduce waste of resources.
- R.10 Allow third parties subscription to interested group in order to receive live data.
- R.11 When a real time request is performed the system has to collect and store specific users' data with a resolution of 1 minute.
- R.12 Provide to subscribed third parties data as soon as they are available by the system.

G.3 Allow third parties two different ways to get users' data.

G.3.1 Allow third parties to get data of a single person.

- D.6 In order to perform an individual request, third parties has to know the user's fiscal code or security number.
- D.7 Security number and fiscal code are not information given to third parties by Data4Help.
- R.13 Allow third parties to insert fiscal code of user that want to track.
- R.14 Deny third parties to receive information about users in single mode, that have not accepted second part of privacy policy.
- R.15 Collect all the useful information retrieved by Data4Help that are produced by the interested users
- R.16 Send all the collected information to request applicant.

G.3.2 Allow third parties to get data of a group of people.

- R.17 Allow third parties to insert attributes in which they are interested to restrict their field of search.
- R.18 Deny third parties to receive information if the provided information can hurt users' privacy, for this purpose group request under 1000 users involved are rejected.
- R.15 Collect all the useful information retrieved by Data4Help that are produced by the interested users
- R.16 Send all the collected information to request applicant.

G.4 Provide data in an anonymous way, to protect users' privacy.

- R.14 Deny third parties to receive information about users in single mode, that have not accepted second part of privacy policy.
- R.18 Deny third parties to receive information if the provided information can hurt users' privacy, for this purpose group request under 1000 users involved are rejected.

• **AutomatedSOS**

G.5 Retrieve user's position and health status.

- R.19 Allow users to be tracked from AutomatedSOS filling up the registration and agreeing to both parts of privacy policy.
- D.4 Devices used to monitor individuals always report correct values.
- D.9 The user always dresses a smartwatch on which AutomatedSOS is installed.
- R.20 The application has to interact with Smartwatch/Smartphone APIs in order to retrieve location and health status.
- R.21 The application is able to send to Data4Help service all the informations already retrieved in live acquisition.

G.6 Allow health-interested third parties the access to data detected by AutomatedSOS.

- R.22 Allow non-profit organizations to register into AutoatedSOS portal and becoming health third parties.
- R.23 Allow health third parties to receive informations about all the users registered to AutomatedSOS through Live Acquisition performed by Data4Help.

G.7 Monitor user's health parameters.

- R.20 The application has to interact with Smartwatch/Smartphone APIs in order to retrieve location and health status.

G.8 Send an ambulance to users' location whenever certain parameters are below the threshold.

- R.24 The application has to control health status with data retrieved in local to realize immediately if certain parameters are critical.

- R.25 The application has to call an ambulance, if parameters are critical.
- D.10 The ambulance system is always up and ready to receive messages from AutomatedSOS.
- R.26 Supply to hospital user's location and all the useful information to provide efficient first aid.
- D.11 The ambulance successfully reach the location of the individual.

• Track4Run

G.5 Retrieve user's position and health status.

- R.27 Allow users to be tracked from Track4Run filling up the registration and agreeing to both parts of privacy policy.
- D.4 Devices used to monitor individuals always report correct values.
- R.20 The application has to interact with Smartwatch/Smartphone APIs in order to retrieve location and health status.
- R.21 The application is able to send to Data4Help service all the informations already retrieved in live acquisition.

G.9 Allow promoters to manage a run.

- R.22 Allow users to create a run providing all the general information about the competition.
- R.23 Allow users to specify if the race is public or private.
- D.4 Devices used to monitor individuals always report correct values.
- D.13 During a run athletes always dress a smartwatch on which Track4Run is installed.

G.9.1 Allow promoters to define a path for the run.

- R.24 Allow promoters to define a path for the race by selecting the routes inside a map.
- D.14 The path defined by the organizer actually exist.

G.9.2 Allow promoters to invite athletes to the run.

- R.25 Allow promoters to invite athlete to be runner of their private race.
- R.26 Allow promoters to specify maximum number of athletes that can take part to their public race.

G.10 Allow athletes to enroll on a specific run.

- R.27 Allow users to see all the public races and private races in which he is invited.
- R.28 Allow user to select a race and add him to the athletes involved.
- D.16 If an athlete enroll to a run then he also participates to the run.

G.11 Allow spectators to watch in real time the position of every athletes in a specific run.

- D.17 All athletes have their tracking devices with them and the application enabled for the entire duration of the run.
- R.29 Allow user to select a race to be viewed.
- R.30 The application must be able to request to Data4Help the positions of all the other athletes involved.
- R.31 The application must be able to receive and display the positions of all the other athletes involved.
- D.18 Athletes never go out of the defined path.

Name	Sign up
Actors	Third Party
Entry Conditions	The third party has the registration website page opened.
Event Flow	<ol style="list-style-type: none"> 1. The third party clicks on the "Sing Up" button. 2. The third party fills all the attribute fields and clicks on "Register Now" button. 3. The system creates the third party's account saving its attributes.
Exit Condition	The third party's account has been created and the third party is now registered.
Exceptions	<ul style="list-style-type: none"> • If the system notices that attributes used in the registration are already linked to an existing account then a warning is generated saying that there is already a third party registered with the given credentials.

3.2.1 Use Case Diagram

3.2.2 Data4Help Use Cases

3.2.3 AutomatedSOS Use Cases

3.2.4 Track4Run Use Cases

3.3 Performance Requirements

3.4 Design Constraints

3.4.1 Standards compliance

3.4.2 Hardware limitations

3.4.3 Any other constraint

3.5 Software System Attributes

3.5.1 Reliability

3.5.2 Availability

3.5.3 Security

3.5.4 Maintainability

3.5.5 Portability

Name	Sign in
Actors	Third Party
Entry Conditions	The third party has the registration website page opened.
Event Flow	<ol style="list-style-type: none"> 1. The third party clicks on the "Sing In" button. 2. The third party fills all credentials fields and clicks on "Log in" button. 3. The system accept the login request.
Exit Condition	The third party's account has been loaded by the website and the user is now logged in.
Exceptions	<ul style="list-style-type: none"> • If user inserts invalid log in credentials a warning is generated, saying the credentials are invalid.

Name	Request Individual Monitoring
Actors	Third Party
Entry Conditions	The third party is logged in.
Event Flow	<ol style="list-style-type: none"> 1. The third party clicks on the "Individual Request" button. 2. The third party inserts the fiscal code or the social security number of the individual to track . 3. The system shows the outcome of the request.
Exit Condition	The request's outcome is shown.
Exceptions	<ul style="list-style-type: none"> • If the inserted fiscal code or social security number are not linked to any Account then a warning message is displayed, saying that the individual is not registered. • If the individual with the fiscal code or social security number inserted didn't accept the individual treatment of data policy then a warning message is displayed. This message says that the request is rejected. • If the individual with the fiscal code or social security number inserted did accept the individual treatment of data policy then a message is displayed saying that the individual have accepted the request and all his data collected until the moment of the request are shown to the third party.

Name	Request Group Monitoring
Actors	Third Party
Entry Conditions	The third party is logged in.
Event Flow	<ol style="list-style-type: none"> 1. The third party clicks on the "Group Request" button. 2. The third party inserts the all the attributes that will define the group of interest. 3. The system shows the outcome of the request.
Exit Condition	The request's outcome is shown.
Exceptions	<ul style="list-style-type: none"> • If the group is made by more than 1000 individuals the request is accepted and all data collected until now is shown to the third party. • If the group is made by less than 1000 individuals the request is rejected and a the outcome is shown in a form of a warning saying that the request got rejected.

Name	Subscribe To A Group
Actors	Third Party
Entry Conditions	The third has just sent an accepted monitoring request to a group.
Event Flow	<ol style="list-style-type: none"> 1. The third party clicks on the "Subscribe to this Group" button. 2. The system from now on will always send to the third party new data about this group. 3.
Exit Condition	The third party is subscribed to the selected group.
Exceptions	None

Name	Sign up
Actors	User
Entry Conditions	The User has AutomatedSOS application installed on his/her smartwatch.
Event Flow	<ol style="list-style-type: none"> 1. The user clicks on the "Sing Up" button. 2. The user accepts the treatment of data policy. 3. The user fills all the attribute fields and clicks on "Register Now" button. 4. The system creates the user's account saving his/her attributes.
Exit Condition	The user's account has been created and the user is now registered.
Exceptions	<ul style="list-style-type: none"> • If the user does not accept the treatment of data policy a warning is generated saying that in order to register the policy must be accepted. • If the system notices that the social security number or fiscal code used in a registration are already linked to an existing account then a warning is generated saying that there is already an account registered with the given credentials.

Name	Sign in
Actors	User
Entry Conditions	The User has AutomatedSOS application installed on his/her smartwatch.
Event Flow	<ol style="list-style-type: none"> 1. The user clicks on the "Sing In" button. 2. The user inserts his/her social security number or fiscal code and his/her password, then clicks the "Enter" button. 3. The system accept the login in request.
Exit Condition	The user's account has been loaded by the app and the user is now logged in.
Exceptions	<ul style="list-style-type: none"> • If user inserts invalid log in credentials a warning is generated, saying the credentials are invalid.

Name	Monitor data
Actors	User
Entry Conditions	The User is logged in.
Event Flow	<ol style="list-style-type: none"> 1. The user clicks on the "Monitor Data" button. 2. The system gets all the information that have been retrieved by the application to the user.
Exit Condition	All the information retrieved by the application are shown on the app.
Exceptions	<ul style="list-style-type: none"> • If the system do not find information about the user then a warning message is shown to the user saying that until now no user data has been recorded by the application.

Name	Monitor current health status
Actors	User
Entry Conditions	The User is logged in.
Event Flow	<ol style="list-style-type: none"> 1. The user clicks the "Monitor health status" button. 2. The system shows all the health values that are being retrieved in real time.
Exit Condition	All the health parameters retrieved by the application are shown on the app in real time.
Exceptions	<ul style="list-style-type: none"> • If no health parameters are retrieved a warning message is displayed saying to the user he must wear the smartwatch in order to see parameters in real time.

Name	Send Ambulance Request
Actors	AutomatedSOS, Croce Rossa
Entry Conditions	A critical health parameter value is below the threshold.
Event Flow	<ol style="list-style-type: none"> 1. AutomatedSOS send to "Croce Rossa" a form that contains all important information user, like his current location, his gender, his age, her health profile, and the list of p below the threshold. 2. Croce Rossa send an acknowledge message to AutomatedSOS and send immediately an a to the user location. 3. AutomatedSOS displays on the app a warning message saying that an ambulance is heading to the user's location.
Exit Condition	A warning message is shown saying that an ambulance is currently heading to the user's locat The ambulance reaches the user's location. OR . The ambulance is traveling to the user's locat
Exceptions	<ul style="list-style-type: none"> • If no acknowledge message is received by AutomatedSOS after the form has been sent, a certain time out expires AutomatedSOS resend the form with updated information.
Special Requirements	The form need to be sent to "Croce Rossa" with a reaction time of less than 5 seconds from the

Name	Sign up
Actors	User
Entry Conditions	The User has Track4Run application installed on his/her smartwatch.
Event Flow	<ol style="list-style-type: none"> 1. The user clicks on the "Sing Up" button. 2. The user accepts the treatment of data policy. 3. The user fills all the attribute fields and clicks on "Register Now" button. 4. The system creates the user's account saving his/her attributes.
Exit Condition	The user's account has been created and the user is now registered.
Exceptions	<ul style="list-style-type: none"> • If the user does not accept the treatment of data policy a warning is generated saying that in order to register the policy must be accepted. • If the system notices that the social security number or fiscal code used in a registration are already linked to an existing account then a warning is generated saying that there is already an account registered with the given credentials.

Name	Sign in
Actors	User
Entry Conditions	The User has Track4Run application installed on his/her smartwatch or smartphone.
Event Flow	<ol style="list-style-type: none"> 1. The user clicks on the "Sing In" button. 2. The user inserts his/her social security number or fiscal code and his/her password, then clicks the "Enter" button. 3. The system accept the login in request.
Exit Condition	The user's account has been loaded by the app and the user is now logged in.
Exceptions	<ul style="list-style-type: none"> • If user inserts invalid log in credentials a warning is generated, saying the credentials are invalid.

Name	Promote a run
Actors	User
Entry Conditions	The User is logged in.
Event Flow	<ol style="list-style-type: none"> 1. The user clicks on the "Promote a Run" button. 2. The system show a new tab where the user can define the path, name, date and athletes (other users). 3. The system create the event and automatically send notifications to all athletes specified by the promoter asking them if they want to participate to the run.
Exit Condition	The run event has been created and is visible in the list of promoted events.
Exceptions	<ul style="list-style-type: none"> • During the creation of the run the user can cancel the operation and go back to the main menu at any point clicking the "Cancel" button. • If the user do not insert critical information like the path, the name and the date a warning message is shown saying that critical parameters are missing in order to create the run. The user can close the warning message and fill the remaining parameters or cancel the operation, going back to the main menu. • The system needs to do something if the defined path cannot be a real path for the run??

Name	Enroll to a run
Actors	User
Entry Conditions	The User is logged in.
Event Flow	<ol style="list-style-type: none"> 1. The user clicks on the "Enroll to a Run" button. 2. The system shows a new tab where the list of all runs created is visible. 3. The user can filter the runs with attributes like the name, the date and the location. 4. The user clicks the "Enroll" button associated to the specific run. 5. The system add the user to the list of athletes enrolled to the run.
Exit Condition	The user is inside the list of athletes.
Exceptions	<ul style="list-style-type: none"> • If the number of athletes has already capped the max amount in a specific run then the user cannot click on the "Enroll" button associated to that run. • How to see if the athlete actually has a smartwatch??

Name	Spectate a run
Actors	User
Entry Conditions	The User is logged in.
Event Flow	<ol style="list-style-type: none"> 1. The user clicks on the "Spectate a Run" button. 2. The system shows a new tab where the list of all live runs is visible. 3. The user can filter the runs with attributes like the name, and the location. 4. The user clicks the "Spectate" button associated to the specific run. 5. The system opens a tab which contains the path of the run and also the position of all athletes in real time.
Exit Condition	The spectator tab on the application is open.
Exceptions	<ul style="list-style-type: none"> • What if there is a maximum amount of spectator to a run?

4 Formal Analysis Using Alloy

Organize this section according to the rules defined in the project description.

5 Effort Spent

In this section are provided information about how much effort each group member spent in working at this document.

5.0.1 Luca Alessandrelli

Date	Task	Hours
18/10/18	Goals	1
19/10/18	Domain Assumptions	3
	Total	4

5.0.2 Andrea Caraffa

Date	Task	Hours
18/10/18		
19/10/18		
	Total	

5.0.3 Andrea Bionda

Date	Task	Hours
18/10/18		
19/10/18		
	Total	

6 References

asdasd