

ProofPay EURC

Deliverable-bound EURC requests for a real ZeroClaw agent

ZERO CUSTODY

SOLANA PAY

ZEROCLAW 0.8.3

The job

A ZeroClaw CLI agent creates a real pending EURC payment request for an exact milestone file. It hashes the deliverable, derives a domain-separated reference, generates a Solana Pay URI, validates the human-approved preview values, and persists the immutable request. The payer remains the only signer. ProofPay never holds a wallet, seed, private key, transaction-signing authority, or refund authority.

Why it matters

Freelance payment requests usually lose the connection between the work and the transfer. ProofPay binds invoice, recipient, amount, network, official EURC mint, and SHA-256 deliverable digest into one deterministic reference that is verified again on-chain.

Result: a portable evidence bundle for the exact commercial request, without turning the agent into a custodian.

Workflow

1

Hash + preview

Canonical SHA-256, exact EURC amount, fixed mint, reference and URI.

2

Approval gate

Three preview values must match exactly; any edit fails closed.

3

Persist + verify

Pending request now; read-only Solana reconciliation later.

Verified posture

32

automated tests

0

wallet secrets

1

exact helper path

v2

evidence schema

Security boundary

No model-visible raw shell. The locked demo exposes only reviewed fixed tools with constant commands, an isolated workspace, cleared environment, single concurrency, and no browser/HTTP/MCP. The template keeps ZeroClaw's OS sandbox enabled; the documented macOS 0.8.3 local recording fallback remains fixed-only. The dynamic SOP is operator-supervised reference material, not part of the locked surface.

Fail-closed checks: path containment, no symlinks, exact amount decimals, single-writer ledger lock, immutable invoice terms, exact mint/recipient/reference/memo/order/finality, signature reuse rejection, matching positive block times within the replay window, and no-overwrite evidence bundles.