K=355 | backward | eps | valid=227789/227789 assigned

Min-max
P5-P95
Median
eps [km^2/s^2]
0.0
−0.2
−0.4
−0.6
−0.8
−1.0

STD
P95 absolute error from representative
Dispersion [km^2/s^2]
0.12
0.10
0.08
0.06
0.04
0.02
0.00

Skewness
Skewness [-]
4
2
0
−2
−4
−6

0
50
100
150
200
250
300
350
Cluster ID

K=355 | backward | e | valid=227789/227789 assigned


Min-max
P5-P95
Median
e [-]
1.0
0.8
0.6
0.4
0.2
0.0


STD
P95 absolute error from representative
Dispersion [-]
0.30
0.25
0.20
0.15
0.10
0.05
0.00


Skewness
Skewness [-]
4
2
0
−2
−4
−6

0
50
100
150
200
250
300
350
Cluster ID

K=355 | backward | w | valid=227789/227789 assigned | offsets from each cluster circular mean







K=355 | forward | eps | valid=227724/227789 assigned

eps [km^2/s^2]

Min-max
P5-P95
Median

Dispersion [km^2/s^2]

STD
P95 absolute error from representative

Skewness [-]

Skewness

Cluster ID

K=355 | forward | e | valid=227724/227789 assigned

Min-max
P5-P95
Median
e [-]

STD
P95 absolute error from representative
Dispersion [-]

Skewness
Skewness [-]

Cluster ID

K=355 | forward | w | valid=227724/227789 assigned | offsets from each cluster circular mean

w [deg]

Min-max
P5-P95
Median

Dispersion [deg]

STD
P95 absolute error from representative

Skewness [-]

Skewness

Cluster ID