




Landfall

Command guide · Blender 5.2 · Landfall 3.42.0

This guide shows every Landfall command, section by section, with a real Blender screenshot, the key combination and one line of explanation. It follows the order you meet them in: setup first, then the project, then everyday work.

How to read the keys


Alt is the Mac's **Option** ⌘ key. **Ctrl** is **Control** ⌘ , not Command: Landfall uses Ctrl on macOS too, as Blender does. The orange letters on the images (A, B, C...) mark the points described in the caption; numbers are steps. A — in the keys column means the command is used from the panel.



A scene with Landfall on: Maya's background and finite grid, green selection, object colors.

1 · Enabling and preferences

Landfall is installed from **Preferences > Add-ons > Install from Disk** (the steps are in the installation guide). Once it is in, type *landfall* in the search field, check that the box is ticked and open the arrow: the preferences are underneath. They all start switched on; below is what each one does.





Preferences > Add-ons, with Landfall expanded. The version number must match the file you installed.

Command	Keys	What it does
Maya navigation	—	Alt + mouse to orbit, pan and zoom, F to frame, double click for loops. Off, it puts Blender's factory navigation preferences back.
Same transform gizmos in every workspace	—	The same manipulators in every workspace, as in Maya. Next to it you choose which: Move only to begin with.
G, R and S pick the gizmo	—	The key shows the matching manipulator alone, as W, E and R do in Maya. Next to it, Gizmo only: on, that is all the key does and you transform with the handles; off, Blender's modal transform starts too.
Maya extrude on E	—	Puts the extrusion with Maya's parameters on E. Off, Blender's own comes back.
Rebuild truncated keymaps	—	Repairs any keymap that has lost its entries: at startup, at every file and at every change of mode.
Marking menu on Ctrl+Tab	—	Turns the marking menu on. Off, Ctrl+Tab goes back to Blender.
Reopen the menu after Edit Mode	—	After Edit from the marking menu, it reopens so you can pick a component.
Backspace also deletes	—	Backspace deletes like X and Delete: handy on Mac keyboards.
Maya green / blue / edit wire	—	What Maya colors affects: selection, interface, Edit Mode wireframe.
workspace.mel, images/, assets/	—	What a new project gets: a file for Maya, the render folder, an asset library.

Command	Keys	What it does
Shortcuts on the buttons	—	Writes the shortcut on the button too, not just in the tooltip. Off by default.

2 · Setup

The panel's **Setup** section switches the five Maya-style settings on and off in one go. It is the first thing to do after installing: **Turn on**, then **Save as startup** from an empty scene.



The reminder at the top of the panel. G R S are Blender's move, rotate and scale: press the key, move, type an axis and a number. It can be hidden from the preferences.

The Setup section, at the bottom of the panel.


Command	Keys	What it does
Turn on / Turn off	—	Switches navigation, marking menu, contextual wire, colors and grid on or off. The line above says how many are on.
Save as startup	—	Saves the preferences and the startup file: layout and settings come back every time.
Self check	—	Checks menus, shortcuts and keymaps, and lists as NOTE the shortcuts that hide Blender's own. Result in the <code>landfall_self_check</code> text block.
Navigation · Marking menu	—	The same switches as in the preferences, within reach.
Maya colors	—	Applies Maya's colors. The arrow restores your previous theme, the other icon the factory one.
Finite grid · 22 · 1.00	—	A bounded grid like Maya's: number of cells and size of one cell.
Follow theme	—	The grid takes its color from the theme; off, it uses the swatch on the right.
Shortcuts	—	Opens the card with every shortcut (chapter 13).

Landfall on is Maya, off is Blender

Disable or uninstall the add-on and theme, grid, navigation and shading go back to Blender's own by themselves. Enable it again and the Maya set-up comes back on its own, unless you pressed Turn off, which is for working the Blender way with the add-on still installed.

3 · Where Landfall is, and how to put it on the left


The Landfall panel appears in two places, with the same commands: in the viewport sidebar (**N** key, **Landfall** tab) and in the **Properties** editor, **Scene** tab. Blender does not allow panels in the toolbar on the left; to have it there you open a Properties editor on the left side, as in the picture.




A the panel in the Properties editor opened on the left · B the Scene tab, the cone and sphere icon · C the Landfall tab of the N sidebar · D the same panel in the N sidebar.

Putting it on the left, step by step

- 1 In the viewport open **View** > **Area** > **Vertical Split** (A), move the dividing line close to the left edge and click.
- 2 In the new narrow area on the left click the editor-type button at the top left (A in the second picture) and choose **Properties** (B).
- 3 In the icon column pick the **Scene** tab, the one with the cone and the sphere, and open the **Landfall** panel. Close the Blender panels you do not need: Blender remembers what you leave open.
- 4 Starting from an empty scene press **Setup** > **Save as startup**: the layout comes back the same at every launch.




View > Area > Vertical Split.



A the editor-type button · B Properties.

4 · Project

The project system mirrors Maya's *Set Project*: a folder holding scenes, sourceimages, images and the rest, and a `workspace.mel` that Maya recognises. With a project set, opening and saving start in scenes/.



The Project section. The active project's name is at the top.

Command	Keys	What it does
Create	—	Pick where and what to call it: it builds the folders and makes it current.
Set	—	Makes an existing project folder current.
Open scene	Ctrl+O	Opens the browser inside scenes/. With no project it is Blender's Open.
Save as	Ctrl+Shift+S	Saves into scenes/ with relative paths. A file already in the project stays where it is.
Make paths relative	—	Makes every external path relative: do it before moving the project.
Write workspace.mel	—	Writes Maya's project file into a project made without one.

Ctrl+S stays Blender's own: it overwrites the current file.

5 · Maya navigation


With **Navigation** on, the viewport handles like Maya's. Blender's own middle-mouse navigation keeps working, and on a trackpad it is the only one available.

Command	Keys	What it does
Orbit	Alt + left button	Rotates the view around the selection.
Pan	Alt + middle button	Moves the view sideways.
Zoom	Alt + right button	Zooms in and out, towards the pointer.
Frame selection	F	In Edit Mode too, on the selected components. Blender's Make Edge/Face moves to Shift+F (and stays in the Vertex menu, Ctrl+V).
Frame all	Home	Maya's A. On a laptop Fn + Left Arrow.
Loop select	Double click	Selects an edge loop (it was Alt+click in Blender).
Edge ring	Ctrl + double click	Selects an edge ring.


The toggle also sets Orbit Around Selection, Auto Depth and Zoom to Mouse Position, and turns Emulate 3 Button Mouse off.

6 · Marking menu

Ctrl+Tab opens a ring of eight commands around the pointer and a list underneath. Unlike Blender's pies, ring and list stay visible together, as in Maya's marking menus. The commands change between Object Mode and Edit Mode.




Object Mode: modes on the left, Edit and Sculpt on the right, Display at the top, Frame selected at the bottom, selections in the list.




A click on a branch (in blue) opens its list under the item: here Display.

Command	Keys	What it does
Open the menu	Ctrl+Tab	In Object Mode and Edit Mode, with the pointer in the viewport.
Run a command	Click	Runs it and closes.
Open a branch	Click the branch	Display, Modeling and Snap open their own list. A second click folds it.
Back	Right click	Back to the base list, then closes.
Close	Esc	Leaves at once. A click outside does the same, in two steps.



Edit Mode: vertex, edge and face on the left, like the 1 2 3 keys; Multi turns all three on. Choosing Edit brings the menu back so you can pick a component (it can be turned off in the preferences).



The Modeling branch in Edit Mode: the modelling commands in two columns (Make face joins them in 3.41.3).


7 · Landfall's radial menus

Three pie menus and a hotbox. In the pies every item also has a number: pressing it picks the item. A grey item is not available in the current mode.




Shift+Q · Landfall pie, in every mode.

Command	Keys	What it does
X-ray · Wire	Shift+Q	Selected objects see-through, wire on top of the shading.
Hide · Show all · Isolate	Shift+Q	Hides, shows everything, isolates the selection (Local View).
Border edges · Merge by distance	Shift+Q	In Edit Mode: selects the open borders, merges nearby vertices.
Freeze	Shift+Q	In Object Mode: applies location, rotation and scale.




Shift+Alt+Q · modelling pie, in Edit Mode.



Shift+Alt+X · snap pie, in every mode except Pose.


Shift+Alt+Q: Extrude, Inset, Bevel, Loop cut, Knife, Bridge, Subdivide, Merge by distance: Blender's own tools, gathered in one gesture.

Shift+Alt+X: picks the snap target and turns snapping on: vertex, edge, face, grid, edge centre, perpendicular, volume. *Snapping off* turns it off. The X recalls Maya's snap to grid.




Alt+Q · the hotbox: every section of the panel in one window at the pointer. Labels are shortened; the panel shows them in full.

8 · Display




The Display section.

Command	Keys	What it does
X-ray · 0.30	—	Makes only the selected objects see-through. The slider sets the opacity.
Wire on shaded	—	Wireframe over solid shading, like Maya's Wireframe on Shaded.
Hide · Show sel	—	Hides the selection; shows the hidden objects selected in the Outliner. In Edit Mode it hides and shows faces.
Show last · Show all	—	Shows the last hidden group; shows everything. In Edit Mode, every hidden part of the mesh.
Isolate	—	Blender's Local View: only the selection. In Edit Mode it hides the rest of the mesh. Again to return.
Border edges	—	Draws the open edges in orange. Underneath: width, color, selection only.
Select border edges	—	In Edit Mode, selects those edges.
Object color	—	Eight colors, a free one, X back to white. Switches shading to Object.



Border edges on: the edge of the sheet and the rims of the eyes, which are holes in the mesh.

9 · Modelling




The Modeling section in Edit Mode. In Object Mode the Edit Mode commands are greyed out.

Command	Keys	What it does
Center pivot	—	Moves the origin to the centre of the geometry.
Edit pivot	—	While on, G and R move the origin instead of the object. Remember to turn it off.
Freeze	—	Applies location, rotation and scale.
Hierarchy · Inverse	—	Selects all children; inverts the selection in any mode.
Extrude with options	E	Maya's extrusion for faces. The E next to it says whether it is on the E key too.
Merge by distance	—	Merges vertices within a threshold, adjustable afterwards with F9.
Merge at center	—	Collapses the selected vertices into one point.
Spin · Detach	—	Rotates the selected edge; separates the faces into a new object.
Grid fill	—	Fills a closed edge loop with quads.

Extrusion on E

In Edit Mode, with faces selected: press **E**, move the mouse to set the distance and confirm with a click or Enter (or type the number right away: E, 1, Enter). The panel at the bottom left appears on confirmation, as every Blender panel does, shows the six parameters of Maya's *polyExtrudeFace* plus the move, and stays editable while the extrusion is the last operation (F9 too). With only edges or vertices selected, E hands over to Blender's extrude, which knows how to move them. With several objects in Edit Mode, all of them are extruded.




The parameter panel and the extruded face.

Command	Keys	What it does
Thickness	E	Thickness along the normal, corrected on edges and corners. After E, 0 keeps the mouse distance; any other value replaces it.
Offset	E	Insets the face before extruding.
Divisions	E	How many segments along the extrusion, spread over the distance set with the mouse.
Keep Faces Together	E	On: one region. Off: every face on its own.
Twist · Taper	E	Rotation around the axis and scale of the far end, spread over the divisions.
Move X Y Z	E	The move made with the mouse, along the normal.

There is no construction history: after another operation the values freeze. The toolbar's extrude tool stays Blender's own.

10 · Smooth preview

Maya's three levels, with Blender's Subdivision Surface modifier: it stays in the stack, to apply or remove whenever you like.




From the left: **Alt+1** cage only, **Alt+2** smooth surface with the cage on top, **Alt+3** surface only.

Command	Keys	What it does
1	Alt+1	Turns the subdivision off in the viewport, level kept.
2	Alt+2	Smooth surface and green cage (dark blue when not selected).
3	Alt+3	Smooth surface only.
Subdivisions	—	Subdivision level, applied at once to the selected objects.
Apply smooth	—	Applies the subdivision for good, from Edit Mode too.
Cage	—	Turns the cage on by hand. Underneath: width, colors, selection only, see-through.

In Sculpt **Alt+1/2/3** stay Blender's own (multires levels).

11 · Texturing




The Texturing section in Edit Mode.

Command	Keys	What it does
Unwrap + scale + pack	—	In Edit Mode: unwrap, average island scale and pack in one step.
Pla · Cyl · Sph · Auto	—	Planar, cylindrical, spherical and automatic UV projection.
Load PBR set	—	Pick the maps: it builds the Principled BSDF and wires them, recognised by name.
Reload textures	—	Reloads every image in the file from disk.


Names recognised: basecolor, albedo, diffuse · roughness · metallic · normal · height, displacement · emission · opacity, alpha.

12 · Gizmos, editors and output



The Gizmos section.

Command	Keys	What it does
Gizmos	Alt+W	The button is Blender's master switch. Alt+W shows or hides the manipulators alone.
Move · Rotate · Scale	G · R · S	Which manipulators to show. With the preference on, the choice holds in every workspace. Pressing G, R or S leaves only the matching one on; the three buttons follow.
G R S: gizmo only, like Maya	—	On: G, R, S only choose the manipulator and you transform by dragging its handles, which stay visible. Off: Blender's modal transform starts too (axes, numbers), and Blender hides the gizmos while it runs.
Global · Median Point	, ·	Orientation and pivot. The comma and period keys open their pies.



The Editors and output section.

Command	Keys	What it does
UV · Shading	—	Switches to the UV Editing and Shading workspaces.
Playblast	—	OpenGL render of the animation from the viewport, as in Maya.
Quad view	Ctrl+Alt+Q	Four views in the viewport: top, front, side, perspective.
Toolbar · Sidebar · Header	—	Shows or hides those regions in every viewport at once.

13 · The Shortcuts card

The **Shortcuts** button at the bottom of the panel opens a card over the viewport. It stays open while you work, moves by dragging its title bar and closes with the X. Keys are read from the keymap: change a shortcut and the card follows.



The card: Landfall's shortcuts, Maya navigation, panel-only commands and the Blender keys worth learning.

14 · Shortcut summary

Command	Keys	What it does
Marking menu	Ctrl+Tab	Object and Edit Mode.
Landfall pie	Shift+Q	Every mode.
Modelling pie	Shift+Alt+Q	Edit Mode.
Snap pie	Shift+Alt+X	Every mode except Pose.
Hotbox	Alt+Q	Every mode.
Gizmos on/off	Alt+W	Except Sculpt and Pose.
Move · rotate · scale gizmo	G · R · S	Object, Edit and Pose Mode. With Gizmo only off, Blender's transform too.
Smooth preview 1 · 2 · 3	Alt+1 · 2 · 3	Except Sculpt.
Maya extrusion	E	Edit Mode.
Open in project	Ctrl+O	Anywhere.
Save in project	Ctrl+Shift+S	Anywhere.
Orbit · Pan · Zoom	Alt + left · middle · right	With Maya navigation.
Frame selection	F	Object and Edit Mode.
Make Edge/Face	Shift+F	Edit Mode; curves and armatures too.
Loop · Ring	Double click · Ctrl + double click	Edit Mode.
Delete	Backspace	As well as X and Delete.

To change a shortcut: **Preferences** › **Keymap**, search *landfall*. Every shortcut exists once per mode, so change every copy. If a shortcut stops responding, restart Blender and press **Self check**.