




Landfall

Command guide · Blender 5.2 · Landfall 3.41.2

This guide shows every Landfall command, section by section, with a real Blender screenshot, the key combination and one line of explanation. It follows the order you meet them in: setup first, then the project, then everyday work.

How to read the keys


Alt is the Mac's **Option** $\sphericalangle$ key. **Ctrl** is **Control** $\wedge$, not Command: Landfall uses Ctrl on macOS too, as Blender does. The orange letters on the images (A, B, C...) mark the points described in the caption; numbers are steps. A — in the keys column means the command is used from the panel.



A scene with Landfall on: Maya's background and finite grid, green selection, object colors.

1 · Enabling and preferences

Landfall is installed from **Preferences › Add-ons › Install from Disk** (the steps are in the installation guide). Once it is in, type *landfall* in the search field, check that the box is ticked and open the arrow: the preferences are underneath. They all start switched on; below is what each one does.




Preferences › Add-ons, with Landfall expanded. The version number must match the file you installed.

Command	Keys	What it does
Maya navigation	—	Alt + mouse to orbit, pan and zoom, F to frame, double click for loops.
Transform gizmos on in every workspace	—	Keeps the manipulators visible in every workspace, as Maya does.
Maya extrude on E	—	Puts the extrusion with Maya's parameters on E. Off, Blender's own comes back.
Rebuild truncated keymaps	—	Repairs at startup any keymap that has lost its entries.
Marking menu on Ctrl+Tab	—	Turns the marking menu on. Off, Ctrl+Tab goes back to Blender.
Reopen the menu after Edit Mode	—	After Edit from the marking menu, it reopens so you can pick a component.
Backspace also deletes	—	Backspace deletes like X and Delete: handy on Mac keyboards.
Maya green / blue / edit wire	—	What Maya colors affects: selection, interface, Edit Mode wireframe.
workspace.mel, images/, assets/	—	What a new project gets: a file for Maya, the render folder, an asset library.
Shortcuts on the buttons	—	Writes the shortcut on the button too, not just in the tooltip. Off by default.

2 · Setup

The panel's **Setup** section switches the five Maya-style settings on and off in one go. It is the first thing to do after installing: **Turn on**, then **Save as startup** from an empty scene.



The reminder at the top of the panel. G R S are Blender's move, rotate and scale: press the key, move, type an axis and a number. It can be hidden from the preferences.

The Setup section, at the bottom of the panel.


Command	Keys	What it does
Turn on / Turn off	—	Switches navigation, marking menu, contextual wire, colors and grid on or off. The line above says how many are on.
Save as startup	—	Saves the preferences and the startup file: layout and settings come back every time.
Self check	—	Checks menus, shortcuts and keymaps. The result goes to the landfall_self_check text block.
Navigation · Marking menu	—	The same switches as in the preferences, within reach.
Maya colors	—	Applies Maya's colors. The arrow restores your previous theme, the other icon the factory one.
Finite grid · 22 · 1.00	—	A bounded grid like Maya's: number of cells and size of one cell.
Follow theme	—	The grid takes its color from the theme; off, it uses the swatch on the right.
Shortcuts	—	Opens the card with every shortcut (chapter 13).

Before uninstalling: Turn off

The finite grid switches Blender's own off and Maya colors are a theme: uninstalling without Turn off leaves you with no grid and Maya's colors.

3 · Where Landfall is, and how to put it on the left


The Landfall panel appears in two places, with the same commands: in the viewport sidebar (**N** key, **Landfall** tab) and in the **Properties** editor, **Scene** tab. Blender does not allow panels in the toolbar on the left; to have it there you open a Properties editor on the left side, as in the picture.




A the panel in the Properties editor opened on the left · B the Scene tab, the cone and sphere icon · C the Landfall tab of the N sidebar · D the same panel in the N sidebar.

Putting it on the left, step by step

- 1 In the viewport open **View** > **Area** > **Vertical Split** (A), move the dividing line close to the left edge and click.
- 2 In the new narrow area on the left click the editor-type button at the top left (A in the second picture) and choose **Properties** (B).
- 3 In the icon column pick the **Scene** tab, the one with the cone and the sphere, and open the **Landfall** panel. Close the Blender panels you do not need: Blender remembers what you leave open.
- 4 Starting from an empty scene press **Setup** > **Save as startup**: the layout comes back the same at every launch.




View > Area > Vertical Split.



A the editor-type button · B Properties.

4 · Project

The project system mirrors Maya's *Set Project*: a folder holding scenes, sourceimages, images and the rest, and a `workspace.mel` that Maya recognises. With a project set, opening and saving start in scenes/.



The Project section. The active project's name is at the top.

Command	Keys	What it does
Create	—	Pick where and what to call it: it builds the folders and makes it current.
Set	—	Makes an existing project folder current.
Open scene	Ctrl+O	Opens the browser inside scenes/. With no project it is Blender's Open.
Save as	Ctrl+Shift+S	Saves into scenes/ with relative paths. A file already in the project stays where it is.
Make paths relative	—	Makes every external path relative: do it before moving the project.
Write workspace.mel	—	Writes Maya's project file into a project made without one.

Ctrl+S stays Blender's own: it overwrites the current file.

5 · Maya navigation


With **Navigation** on, the viewport handles like Maya's. Blender's own middle-mouse navigation keeps working, and on a trackpad it is the only one available.

Command	Keys	What it does
Orbit	Alt + left button	Rotates the view around the selection.
Pan	Alt + middle button	Moves the view sideways.
Zoom	Alt + right button	Zooms in and out, towards the pointer.
Frame selection	F	Object Mode only. In Edit Mode F makes a face: use Numpad .
Frame all	Home	Maya's A. On a laptop Fn + Left Arrow.
Loop select	Double click	Selects an edge loop (it was Alt+click in Blender).
Edge ring	Ctrl + double click	Selects an edge ring.


The toggle also sets Orbit Around Selection, Auto Depth and Zoom to Mouse Position, and turns Emulate 3 Button Mouse off.

6 · Marking menu

Ctrl+Tab opens a ring of eight commands around the pointer and a list underneath. Unlike Blender's pies, ring and list stay visible together, as in Maya's marking menus. The commands change between Object Mode and Edit Mode.




Object Mode: modes on the left, Edit and Sculpt on the right, Display at the top, Frame selected at the bottom, selections in the list.




A click on a branch (in blue) opens its list under the item: here Display.

Command	Keys	What it does
Open the menu	Ctrl+Tab	In Object Mode and Edit Mode, with the pointer in the viewport.
Run a command	Click	Runs it and closes.
Open a branch	Click the branch	Display, Modeling and Snap open their own list. A second click folds it.
Back	Right click	Back to the base list, then closes.
Close	Esc	Leaves at once. A click outside does the same, in two steps.




Edit Mode: vertex, edge and face on the left, like the 1 2 3 keys; Multi turns all three on. Choosing Edit brings the menu back so you can pick a component (it can be turned off in the preferences).



The Modeling branch in Edit Mode: the twelve modelling commands in two columns.


7 · Landfall's radial menus

Three pie menus and a hotbox. In the pies every item also has a number: pressing it picks the item. A grey item is not available in the current mode.




Shift+Q · Landfall pie, in every mode.

Command	Keys	What it does
X-ray · Wire	Shift+Q	Selected objects see-through, wire on top of the shading.
Hide · Show all · Isolate	Shift+Q	Hides, shows everything, isolates the selection (Local View).
Border edges · Merge by distance	Shift+Q	In Edit Mode: selects the open borders, merges nearby vertices.
Freeze	Shift+Q	In Object Mode: applies location, rotation and scale.




Shift+Alt+Q · modelling pie, in Edit Mode.



Shift+Alt+X · snap pie, in every mode except Pose.


Shift+Alt+Q: Extrude, Inset, Bevel, Loop cut, Knife, Bridge, Subdivide, Merge by distance: Blender's own tools, gathered in one gesture.

Shift+Alt+X: picks the snap target and turns snapping on: vertex, edge, face, grid, edge centre, perpendicular, volume. *Snapping off* turns it off. The X recalls Maya's snap to grid.




Alt+Q · the hotbox: every section of the panel in one window at the pointer. Labels are shortened; the panel shows them in full.

8 · Display




The Display section.

Command	Keys	What it does
X-ray · 0.30	—	Makes only the selected objects see-through. The slider sets the opacity.
Wire on shaded	—	Wireframe over solid shading, like Maya's Wireframe on Shaded.
Hide · Show sel	—	Hides the selection; shows the hidden objects selected in the Outliner.
Show last · Show all	—	Shows the last hidden group; shows everything.
Isolate	—	Blender's Local View: only the selection. Again to return.
Border edges	—	Draws the open edges in orange. Underneath: width, color, selection only.
Select border edges	—	In Edit Mode, selects those edges.
Object color	—	Eight colors, a free one, X back to white. Switches shading to Object.



Border edges on: the edge of the sheet and the rims of the eyes, which are holes in the mesh.

9 · Modelling




The Modeling section in Edit Mode. In Object Mode the Edit Mode commands are greyed out.

Command	Keys	What it does
Center pivot	—	Moves the origin to the centre of the geometry.
Edit pivot	—	While on, G and R move the origin instead of the object. Remember to turn it off.
Freeze	—	Applies location, rotation and scale.
Hierarchy · Inverse	—	Selects all children; inverts the selection in any mode.
Extrude with options	E	Maya's extrusion. The E next to it says whether it is also on E.
Merge by distance	—	Merges vertices within a threshold, adjustable afterwards with F9.
Merge at center	—	Collapses the selected vertices into one point.
Spin · Detach	—	Rotates the selected edge; separates the faces into a new object.
Grid fill	—	Fills a closed edge loop with quads.

Extrusion on E

In Edit Mode, with faces selected: press **E**, move the mouse to set the distance and confirm with a click or Enter. The panel at the bottom left shows the six parameters of Maya's *polyExtrudeFace* plus the move, and stays editable while the extrusion is the last operation (F9 too).




The parameter panel and the extruded face.

Command	Keys	What it does
Thickness	E	Thickness along the normal, corrected on edges and corners.
Offset	E	Insets the face before extruding.
Divisions	E	How many segments along the extrusion.
Keep Faces Together	E	On: one region. Off: every face on its own.
Twist · Taper	E	Rotation around the axis and scale of the far end, spread over the divisions.
Move X Y Z	E	The move made with the mouse, along the normal.

There is no construction history: after another operation the values freeze. The toolbar's extrude tool stays Blender's own.

10 · Smooth preview

Maya's three levels, with Blender's Subdivision Surface modifier: it stays in the stack, to apply or remove whenever you like.




From the left: **Alt+1** cage only, **Alt+2** smooth surface with the cage on top, **Alt+3** surface only.

Command	Keys	What it does
1	Alt+1	Turns the subdivision off in the viewport, level kept.
2	Alt+2	Smooth surface and green cage (dark blue when not selected).
3	Alt+3	Smooth surface only.
Subdivisions	—	Subdivision level, applied at once to the selected objects.
Apply smooth	—	Applies the subdivision for good.
Cage	—	Turns the cage on by hand. Underneath: width, colors, selection only, see-through.

In Sculpt **Alt+1/2/3** stay Blender's own (multires levels).

11 · Texturing




The Texturing section in Edit Mode.

Command	Keys	What it does
Unwrap + scale + pack	—	In Edit Mode: unwrap, average island scale and pack in one step.
Pla · Cyl · Sph · Auto	—	Planar, cylindrical, spherical and automatic UV projection.
Load PBR set	—	Pick the maps: it builds the Principled BSDF and wires them, recognised by name.
Reload textures	—	Reloads every image in the file from disk.


Names recognised: basecolor, albedo, diffuse · roughness · metallic · normal · height, displacement · emission · opacity, alpha.

12 · Gizmos, editors and output



The Gizmos section.

Command	Keys	What it does
Gizmos	Alt+W	Shows or hides the manipulators.
Move · Rotate · Scale	—	Turns each manipulator on or off.
Global · Median Point	, .	Orientation and pivot. The comma and period keys open their pies.



The Editors and output section.

Command	Keys	What it does
UV · Shading	—	Switches to the UV Editing and Shading workspaces.
Playblast	—	OpenGL render of the animation from the viewport, as in Maya.
Quad view	Ctrl+Alt+Q	Four views in the viewport: top, front, side, perspective.
Toolbar · Sidebar · Header	—	Shows or hides those regions in every viewport at once.

13 · The Shortcuts card

The **Shortcuts** button at the bottom of the panel opens a card over the viewport. It stays open while you work, moves by dragging its title bar and closes with the X. Keys are read from the keymap: change a shortcut and the card follows.



The card: Landfall's shortcuts, Maya navigation, panel-only commands and the Blender keys worth learning.

14 · Shortcut summary

Command	Keys	What it does
Marking menu	Ctrl+Tab	Object and Edit Mode.
Landfall pie	Shift+Q	Every mode.
Modelling pie	Shift+Alt+Q	Edit Mode.
Snap pie	Shift+Alt+X	Every mode except Pose.
Hotbox	Alt+Q	Every mode.
Gizmos on/off	Alt+W	Except Sculpt and Pose.
Smooth preview 1 · 2 · 3	Alt+1 · 2 · 3	Except Sculpt.
Maya extrusion	E	Edit Mode.
Open in project	Ctrl+O	Anywhere.
Save in project	Ctrl+Shift+S	Anywhere.
Orbit · Pan · Zoom	Alt + left · middle · right	With Maya navigation.
Frame selection	F	Object Mode.
Loop · Ring	Double click · Ctrl + double click	Edit Mode.
Delete	Backspace	As well as X and Delete.

To change a shortcut: **Preferences** › **Keymap**, search *landfall*. Every shortcut exists once per mode, so change every copy. If a shortcut stops responding, restart Blender and press **Self check**.