Margo Conformance Report

Persona: **Device Supplier** | Group: **self-check** | Claimed App Version: **1.0.0-rc.3** | CTT Margo Version: **1.0.0-rc.3** | System under test: **no device identified in this run (mock WFM https://10.0.0.7:3003/v1alpha2/margo)** | Run: **2026-10-15T09:33:13Z**

✅ 90 passed, 0 failed, 2 not run, 92 total

Requirements Coverage

The tests of this group carry no requirement IDs.

Scenario Summary

Scenario	Total	Passed	Failed	Not run
Capability Reporting — Device Role Variants	5	5	0	0
Desired State — Default Negotiation and Zero-Deployment Manifest	4	4	0	0
MI-004 — Device Certificate Must Conform To RFC 5280	1	1	0	0
MI-006/009 — Bundle Digest That Doesn't Match Content Must Be Rejected	3	3	0	0
MI-008 — Manifest With Unsupported Digest Algorithm Must Be Rejected	3	3	0	0
MI-010 — A manifestVersion Not Strictly Greater Than The Last Must Be Rejected	5	5	0	0
MI-018 — Device Trusts The WFM Server Certificate Via The Root CA	1	1	0	0
MI-019 — Any Fetched Artifact With A Wrong Digest Must Be Rejected	3	3	0	0
MI-025/026 — A Wrong sizeBytes (Digest Still Valid) Must NOT Cause Rejection	3	3	0	0
Unregister A Device (DELETE capabilities)	4	4	0	0
Flexible Order — Multi-App Desired State (mock server reports both apps)	17	17	0	0
Flexible Order — Desired State Reconciliation Lifecycle	15	15	0	0
Capabilities Reporting	2	2	0	0



Scenario	Total	Passed	Failed	Not run
Capabilities Error Handling	4	4	0	0
Deployment Retrieval And Status	9	9	0	0
MIAF Identity — mTLS SVID Authentication	4	4	0	0
MIAF Identity — SVID Rotation Continuity	2	0	0	2
Status And Retrieval Errors	7	7	0	0

Step Details

Scenario	Step	Name	Requirement IDs	Method	Endpoint	Expected	Actual	Result	Reason
Capability Reporting — Device Role Variants	step-core-1.1	Report Capabilities — Standalone Device Role (compose only)		PUT	/api/v1/capabilities/device-core-roles	201	201	**PASS**	
Capability Reporting — Device Role Variants	step-core-1.2	Report Capabilities — Standalone Cluster Role (helm only)		PUT	/api/v1/capabilities/device-core-roles	200	200	**PASS**	
Capability Reporting — Device Role Variants	step-core-1.3	Reject Capabilities — Invalid supportedDeploymentTypes Value		PUT	/api/v1/capabilities/device-core-roles	422	422	**PASS**	
Capability Reporting — Device Role Variants	step-core-1.4	Reject Capabilities — Invalid supportedRuntimes Value		PUT	/api/v1/capabilities/device-core-roles	422	422	**PASS**	
Capability Reporting — Device Role Variants	step-core-1.5	Reject Capabilities — cpus[] Entry Missing Required cores		PUT	/api/v1/capabilities/device-core-roles	422	422	**PASS**	
Desired State — Default Negotiation and Zero-Deployment Manifest	step-core-2.1	Get Deployments With No Accept Header — Defaults To Manifest Format		GET	/api/v1/deployments	200	200	**PASS**	

Scenario	Step	Name	Requirement IDs	Method	Endpoint	Expected	Actual	Result	Reason
Desired State — Default Negotiation and Zero-Deployment Manifest	step-core-2.2	Reset Desired State To Empty (test-control)		PUT	/api/v1/test/deployments	200	200	**PASS**	
Desired State — Default Negotiation and Zero-Deployment Manifest	step-core-2.3	Get Deployments — Zero Deployments Still Returns A Valid (Empty) Manifest		GET	/api/v1/deployments	200	200	**PASS**	
Desired State — Default Negotiation and Zero-Deployment Manifest	step-core-2-cleanup	Cleanup: Restore Default Deployment		PUT	/api/v1/test/deployments	200	200	**PASS**	
MI-004 — Device Certificate Must Conform To RFC 5280	step-mi004-1.0	Connect With A Conforming SVID Over mTLS — Accepted		GET	/api/v1/deployments	200	200	**PASS**	
MI-006/009 — Bundle Digest That Doesn't Match Content Must Be Rejected	step-mi006-1.1	Arm bundle_digest_mismatch Fixture		PUT	/api/v1/test/deployments	200	200	**PASS**	
MI-006/009 — Bundle Digest That Doesn't Match Content Must Be Rejected	step-mi006-1.2	GET Deployments — Bundle Digest Mismatch Must Be Rejected		GET	/api/v1/deployments	200	200	**PASS**	
MI-006/009 — Bundle Digest That Doesn't Match Content Must Be Rejected	step-mi006-cleanup	Cleanup: Restore Default Deployment And Clear Fixture		PUT	/api/v1/test/deployments	200	200	**PASS**	
MI-008 — Manifest With Unsupported	step-mi008-1.1	Arm The unsupported_digest_al		PUT	/api/v1/test/deployments	200	200	**PASS**	

Scenario	Step	Name	Requirement IDs	Method	Endpoint	Expected	Actual	Result	Reason
Digest Algorithm Must Be Rejected		gorithm Negative Fixture							
MI-008 — Manifest With Unsupported Digest Algorithm Must Be Rejected	step-mi008-1.2	GET Deployments — Manifest Uses An Unsupported Digest Algorithm And Must Be Rejected		GET	/api/v1/deployments	200	200	**PASS**	
MI-008 — Manifest With Unsupported Digest Algorithm Must Be Rejected	step-mi008-cleanup	Cleanup: Restore Default Deployment And Clear Fixture		PUT	/api/v1/test/deployments	200	200	**PASS**	
MI-010 — A manifestVersion Not Strictly Greater Than The Last Must Be Rejected	step-mi010-1.1	Assign A Deployment (manifestVersion climbs to 2)		PUT	/api/v1/test/deployments	200	200	**PASS**	
MI-010 — A manifestVersion Not Strictly Greater Than The Last Must Be Rejected	step-mi010-1.2	GET Deployments — Establish The Current Version		GET	/api/v1/deployments	200	200	**PASS**	
MI-010 — A manifestVersion Not Strictly Greater Than The Last Must Be Rejected	step-mi010-1.3	Arm non_increasing_manifest_version Fixture		PUT	/api/v1/test/deployments	200	200	**PASS**	
MI-010 — A manifestVersion Not Strictly Greater Than The Last Must Be Rejected	step-mi010-1.4	GET Deployments — Version Went Backwards, Must Be Rejected		GET	/api/v1/deployments	200	200	**PASS**	
MI-010 — A manifestVersion Not Strictly Greater Than	step-mi010-cleanup	Cleanup: Restore Default Deployment And Clear Fixture		PUT	/api/v1/test/deployments	200	200	**PASS**	

Scenario	Step	Name	Requirement IDs	Method	Endpoint	Expected	Actual	Result	Reason
The Last Must Be Rejected									
MI-018 — Device Trusts The WFM Server Certificate Via The Root CA	step-mi018-1.0	Connect To The WFM Over mTLS — Server SVID Verified Against The Trust Bundle		GET	/api/v1/deployments	200	200	**PASS**	
MI-019 — Any Fetched Artifact With A Wrong Digest Must Be Rejected	step-mi019-1.1	Arm deployment_digest_mismatch Fixture		PUT	/api/v1/test/deployments	200	200	**PASS**	
MI-019 — Any Fetched Artifact With A Wrong Digest Must Be Rejected	step-mi019-1.2	GET Deployments — Deployment Digest Mismatch Must Be Rejected		GET	/api/v1/deployments	200	200	**PASS**	
MI-019 — Any Fetched Artifact With A Wrong Digest Must Be Rejected	step-mi019-cleanup	Cleanup: Restore Default Deployment And Clear Fixture		PUT	/api/v1/test/deployments	200	200	**PASS**	
MI-025/026 — A Wrong sizeBytes (Digest Still Valid) Must NOT Cause Rejection	step-mi025-1.1	Arm wrong_size_bytes Fixture		PUT	/api/v1/test/deployments	200	200	**PASS**	
MI-025/026 — A Wrong sizeBytes (Digest Still Valid) Must NOT Cause Rejection	step-mi025-1.2	GET Deployments — sizeBytes Is Bogus But The Manifest Is Still Acceptable		GET	/api/v1/deployments	200	200	**PASS**	
MI-025/026 — A Wrong sizeBytes (Digest Still	step-mi025-cleanup	Cleanup: Restore Default Deployment And Clear Fixture		PUT	/api/v1/test/deployments	200	200	**PASS**	

Scenario	Step	Name	Requirement IDs	Method	Endpoint	Expected	Actual	Result	Reason
Valid) Must NOT Cause Rejection									
Unregister A Device (DELETE capabilities)	step-unreg-1	Report Capabilities For The Device To Unregister		PUT	/api/v1/capabilities/device-unregister-test	201	201	**PASS**	
Unregister A Device (DELETE capabilities)	step-unreg-2	Unregister The Device — 204 No Content		DELETE	/api/v1/capabilities/device-unregister-test	204	204	**PASS**	
Unregister A Device (DELETE capabilities)	step-unreg-3	Unregister The Same Device Again — 404 device-not-found		DELETE	/api/v1/capabilities/device-unregister-test	404	404	**PASS**	
Unregister A Device (DELETE capabilities)	step-unreg-4	Report Capabilities Again — The Device Is Registered Anew		PUT	/api/v1/capabilities/device-unregister-test	201	201	**PASS**	
Flexible Order — Multi-App Desired State (mock server reports both apps)	flex-multiapp-assign-both	Assign Both Sample Apps (test-control)		PUT	/api/v1/test/deployments	200	200	**PASS**	
Flexible Order — Multi-App Desired State (mock server reports both apps)	flex-multiapp-get-both	Get Deployments — Confirm Mock Server Reports Both Apps		GET	/api/v1/deployments	200	200	**PASS**	
Flexible Order — Multi-App Desired State (mock server reports both apps)	flex-multiapp-fetch-app-a-manifest	Fetch App A Deployment Manifest (nginx compose)		GET	/api/v1/deployments/b7f1c3a0-1a2b-4c3d-9e5f-6a7b8c9d0e1a/sha256:a46a38e890bec589765ecb66b4b62a40de06b2aa5476d57e651f87bc96b49b9f	200	200	**PASS**	
Flexible Order — Multi-App		Fetch App A's Actual compose.yaml		GET		200	200	**PASS**	

Scenario	Step	Name	Requirement IDs	Method	Endpoint	Expected	Actual	Result	Reason
Desired State (mock server reports both apps)	flex-multiapp-fetch-app-a-compose	(served by this mock server)			/sample-apps/app-a/compose.yaml				
Flexible Order — Multi-App Desired State (mock server reports both apps)	flex-multiapp-status-app-a-pending	Report App A Status: pending		POST	/api/v1/deployments/b7f1c3a0-1a2b-4c3d-9e5f-6a7b8c9d0e1a/status	200	200	**PASS**	
Flexible Order — Multi-App Desired State (mock server reports both apps)	flex-multiapp-status-app-a-installing	Report App A Status: installing		POST	/api/v1/deployments/b7f1c3a0-1a2b-4c3d-9e5f-6a7b8c9d0e1a/status	200	200	**PASS**	
Flexible Order — Multi-App Desired State (mock server reports both apps)	flex-multiapp-status-app-a-installed	Report App A Status: installed		POST	/api/v1/deployments/b7f1c3a0-1a2b-4c3d-9e5f-6a7b8c9d0e1a/status	200	200	**PASS**	
Flexible Order — Multi-App Desired State (mock server reports both apps)	flex-multiapp-fetch-app-b-manifest	Fetch App B Deployment Manifest (redis compose)		GET	/api/v1/deployments/c8e2d4b1-2b3c-5d4e-0f6a-7b8c9d0e1f2b/sha256:da013cbaf5a7757d2e64839f68500be1117af68cd001c2c5c7c44aa411af6806	200	200	**PASS**	
Flexible Order — Multi-App Desired State (mock server reports both apps)	flex-multiapp-fetch-app-b-compose	Fetch App B's Actual compose.yaml (served by this mock server)		GET	/sample-apps/app-b/compose.yaml	200	200	**PASS**	
Flexible Order — Multi-App Desired State (mock server reports both apps)	flex-multiapp-status-app-b-pending	Report App B Status: pending		POST	/api/v1/deployments/c8e2d4b1-2b3c-5d4e-0f6a-7b8c9d0e1f2b/status	200	200	**PASS**	

Scenario	Step	Name	Requirement IDs	Method	Endpoint	Expected	Actual	Result	Reason
Flexible Order — Multi-App Desired State (mock server reports both apps)	flex-multiapp-status-app-b-installing	Report App B Status: installing		POST	/api/v1/deployments/c8e2d4b1-2b3c-5d4e-0f6a-7b8c9d0e1f2b/status	200	200	**PASS**	
Flexible Order — Multi-App Desired State (mock server reports both apps)	flex-multiapp-status-app-b-installed	Report App B Status: installed — both apps now running		POST	/api/v1/deployments/c8e2d4b1-2b3c-5d4e-0f6a-7b8c9d0e1f2b/status	200	200	**PASS**	
Flexible Order — Multi-App Desired State (mock server reports both apps)	flex-multiapp-remove-app-b	Remove App B, Keep App A (test-control)		PUT	/api/v1/test/deployments	200	200	**PASS**	
Flexible Order — Multi-App Desired State (mock server reports both apps)	flex-multiapp-get-after-remove	Get Deployments — Confirm Exactly App A Remains		GET	/api/v1/deployments	200	200	**PASS**	
Flexible Order — Multi-App Desired State (mock server reports both apps)	flex-multiapp-status-app-b-removed	Report App B Status: removed (no longer desired)		POST	/api/v1/deployments/c8e2d4b1-2b3c-5d4e-0f6a-7b8c9d0e1f2b/status	200	200	**PASS**	
Flexible Order — Multi-App Desired State (mock server reports both apps)	flex-multiapp-restore-default	Restore Default Deployment (test-control) — leave shared client in the state siblings expect		PUT	/api/v1/test/deployments	200	200	**PASS**	
Flexible Order — Multi-App Desired State (mock server reports both apps)	flex-multiapp-get-final-state	Get Deployments — Confirm Restored To Default Only		GET	/api/v1/deployments	200	200	**PASS**	
Flexible Order — Desired				PUT		200	200	**PASS**	

Scenario	Step	Name	Requirement IDs	Method	Endpoint	Expected	Actual	Result	Reason
State Reconciliation Lifecycle	flex-reconciliation-reset-empty	Reset Desired State To Empty (test-control)			/api/v1/test/deployments				
Flexible Order — Desired State Reconciliation Lifecycle	flex-reconciliation-get-empty	Get Deployments — Confirm Empty Desired State		GET	/api/v1/deployments	200	200	**PASS**	
Flexible Order — Desired State Reconciliation Lifecycle	flex-reconciliation-steady-state-304	Re-poll With Same ETag — Steady State (304, no reconciliation needed)		GET	/api/v1/deployments	304	304	**PASS**	
Flexible Order — Desired State Reconciliation Lifecycle	flex-reconciliation-add-default	Add Default Deployment Back (test-control) — DESIRED-STATE-ADDED		PUT	/api/v1/test/deployments	200	200	**PASS**	
Flexible Order — Desired State Reconciliation Lifecycle	flex-reconciliation-get-after-add	Get Deployments — Confirm Deployment Present, Version Advanced		GET	/api/v1/deployments	200	200	**PASS**	
Flexible Order — Desired State Reconciliation Lifecycle	flex-reconciliation-fetch-bundle	Fetch Bundle For Newly-Added Deployment		GET	/api/v1/bundles/sha256:93bf20a87fb0cb93997a492e8c385cae50de1afe0b3a5143ef5cb51befd4dceb	200	200	**PASS**	
Flexible Order — Desired State Reconciliation Lifecycle	flex-reconciliation-fetch-manifest	Fetch Individual Deployment Manifest		GET	/api/v1/deployments/a3e2f5dc-912e-494f-8395-52cf3769bc06/sha256:1f2da3a19786931da6bfa292fc0469de2ae2e33a8209796c0221f1aa03156e2f	200	200	**PASS**	
Flexible Order — Desired State Reconciliation Lifecycle	flex-reconciliation-status-pending	Report Status: pending		POST	/api/v1/deployments/a3e2f5dc-912e-494f-8395-52cf3769bc06/status	200	200	**PASS**	

Scenario	Step	Name	Requirement IDs	Method	Endpoint	Expected	Actual	Result	Reason
Flexible Order — Desired State Reconciliation Lifecycle	flex-reconciliation-status-installing	Report Status: installing		POST	/api/v1/deployments/a3e2f5dc-912e-494f-8395-52cf3769bc06/status	200	200	**PASS**	
Flexible Order — Desired State Reconciliation Lifecycle	flex-reconciliation-status-installed	Report Status: installed		POST	/api/v1/deployments/a3e2f5dc-912e-494f-8395-52cf3769bc06/status	200	200	**PASS**	
Flexible Order — Desired State Reconciliation Lifecycle	flex-reconciliation-add-second-deployment	Assign A Second Deployment (test-control)		PUT	/api/v1/test/deployments	200	200	**PASS**	
Flexible Order — Desired State Reconciliation Lifecycle	flex-reconciliation-status-second-installed	Report Status: installed (second deployment)		POST	/api/v1/deployments/recon-temp-deployment-001/status	200	200	**PASS**	
Flexible Order — Desired State Reconciliation Lifecycle	flex-reconciliation-remove-second-deployment	Unassign Second Deployment (test-control) — back to default only		PUT	/api/v1/test/deployments	200	200	**PASS**	
Flexible Order — Desired State Reconciliation Lifecycle	flex-reconciliation-status-second-removed	Report Status: removed (second deployment, no longer desired)		POST	/api/v1/deployments/recon-temp-deployment-001/status	200	200	**PASS**	
Flexible Order — Desired State Reconciliation Lifecycle	flex-reconciliation-get-final-state	Get Deployments — Confirm Restored To Default Only		GET	/api/v1/deployments	200	200	**PASS**	
Capabilities Reporting	step-2.1	Report Capabilities (create)		PUT	/api/v1/capabilities/device-001	201	201	**PASS**	
Capabilities Reporting	step-2.2	Report Capabilities (update)		PUT	/api/v1/capabilities/device-001	200	200	**PASS**	
	step-5.1			PUT		422	422	**PASS**	

Scenario	Step	Name	Requirement IDs	Method	Endpoint	Expected	Actual	Result	Reason
Capabilities Error Handling		Reject Capabilities With Missing Properties			/api/v1/capabilities/device-caps-errors				
Capabilities Error Handling	step-5.2	Reject Capabilities With Invalid Peripheral Type		PUT	/api/v1/capabilities/device-caps-errors	422	422	**PASS**	
Capabilities Error Handling	step-5.3	Reject Capabilities With Invalid Interface Type		PUT	/api/v1/capabilities/device-caps-errors	422	422	**PASS**	
Capabilities Error Handling	step-5.4	Reject Capabilities With Invalid Cpu Architecture		PUT	/api/v1/capabilities/device-caps-errors	422	422	**PASS**	
Deployment Retrieval And Status	step-3.1	Get Current Deployments		GET	/api/v1/deployments	200	200	**PASS**	
Deployment Retrieval And Status	step-3.2	Get Deployments With Matching ETag		GET	/api/v1/deployments	304	304	**PASS**	
Deployment Retrieval And Status	step-3.3	Download Deployment Bundle		GET	/api/v1/bundles/sha256:93bf20a87fb0cb93997a492e8c385cae50de1afe0b3a5143ef5cb51befd4dceb	200	200	**PASS**	
Deployment Retrieval And Status	step-3.4	Download Bundle With Matching ETag		GET	/api/v1/bundles/sha256:93bf20a87fb0cb93997a492e8c385cae50de1afe0b3a5143ef5cb51befd4dceb	304	304	**PASS**	
Deployment Retrieval And Status	step-3.5	Download Individual Deployment Manifest		GET	/api/v1/deployments/a3e2f5dc-912e-494f-8395-52cf3769bc06/sha256:1f2da3a19786931da6bfa292fc0469de2ae2e	200	200	**PASS**	

Scenario	Step	Name	Requirement IDs	Method	Endpoint	Expected	Actual	Result	Reason
					33a8209796c0221f1aa03156e2f				
Deployment Retrieval And Status	step-3.6	Download Individual Deployment Manifest With Matching ETag		GET	/api/v1/deployments/a3e2f5dc-912e-494f-8395-52cf3769bc06/sha256:1f2da3a19786931da6bfa292fc0469de2ae2e33a8209796c0221f1aa03156e2f	304	304	**PASS**	
Deployment Retrieval And Status	step-3.7	Report Deployment Status		POST	/api/v1/deployments/a3e2f5dc-912e-494f-8395-52cf3769bc06/status	200	200	**PASS**	
Deployment Retrieval And Status	step-3.8	Report Deployment Status: failed, with error details		POST	/api/v1/deployments/a3e2f5dc-912e-494f-8395-52cf3769bc06/status	200	200	**PASS**	
Deployment Retrieval And Status	step-3.9	Report Deployment Status: removing		POST	/api/v1/deployments/a3e2f5dc-912e-494f-8395-52cf3769bc06/status	200	200	**PASS**	
MIAF Identity — mTLS SVID Authentication	step-miaf-mtls-1	Client Presents Its SVID On A Capabilities Report — Accepted		PUT	/api/v1/capabilities/device-identity-check	201	201	**PASS**	
MIAF Identity — mTLS SVID Authentication	step-miaf-mtls-2	Client's SPIFFE ID Is Recognised By The WFM — Request Accepted		GET	/api/v1/deployments	200	200	**PASS**	
MIAF Identity — mTLS SVID Authentication	step-miaf-mtls-3	A Client Without A Certificate Is Refused		GET	/api/v1/deployments			**PASS**	connection refused as expected: Get "https://10.0.0.7:3003/v1alpha2/margo/api/v1/deployments": remote error: tls: certificate required
	step-miaf-mtls-4			GET				**PASS**	

Scenario	Step	Name	Requirement IDs	Method	Endpoint	Expected	Actual	Result	Reason
MIAF Identity — mTLS SVID Authentication		A Client Certificate The MIS Did Not Issue Is Refused			/api/v1/deployments				connection refused as expected: Get "https://10.0.0.7:3003/v1alpha2/margo/api/v1/deployments": remote error: tls: unknown certificate authority
MIAF Identity — SVID Rotation Continuity	step-miaf-rotation-1	Request With The Pre-Rotation SVID (baseline)		GET	/api/v1/deployments	200		**NOT RUN**	**no SVID rotation to test — re-issue the client SVID for the same SPIFFE ID and run Setup Identity again (it keeps the SVID it replaces)**
MIAF Identity — SVID Rotation Continuity	step-miaf-rotation-2	Request With The Re-Issued SVID (after rotation)		GET	/api/v1/deployments	200		**NOT RUN**	**no SVID rotation to test — re-issue the client SVID for the same SPIFFE ID and run Setup Identity again (it keeps the SVID it replaces)**
Status And Retrieval Errors	step-6.1	Get Current Deployments (Setup)		GET	/api/v1/deployments	200	200	**PASS**	
Status And Retrieval Errors	step-6.2	Reject Deployments Request With Unsupported Accept Header		GET	/api/v1/deployments	406	406	**PASS**	
Status And Retrieval Errors	step-6.3	Reject Bundle Download With Wrong Digest		GET	/api/v1/bundles/not-the-right-digest	404	404	**PASS**	
Status And Retrieval Errors	step-6.4	Reject Deployment Manifest Download With Wrong Digest		GET	/api/v1/deployments/a3e2f5dc-912e-494f-8395-52cf3769bc06/not-the-right-digest	404	404	**PASS**	
Status And Retrieval Errors	step-6.5	Reject Status With Invalid State		POST	/api/v1/deployments/a3e2f5dc-912e-494f-8395-52cf3769bc06/status	422	422	**PASS**	
Status And Retrieval Errors	step-6.6			POST	/api/v1/deployments/	422	422	**PASS**	

Scenario	Step	Name	Requirement IDs	Method	Endpoint	Expected	Actual	Result	Reason
		Reject Status With Missing Component Name			a3e2f5dc-912e-494f-8395-52cf3769bc06/status				
Status And Retrieval Errors	step-6.7	Reject Status With Path Deployment Mismatch		POST	/api/v1/deployments/a3e2f5dc-912e-494f-8395-52cf3769bc06/status	422	422	**PASS**	