
Claude Code sandbox: what happens to a tool call (~/.claude @ 6a1da04 + uncommitted fixes, 2026-10-29)
At session start
sandbox-bootstrap.sh
adds the repo path to allowRead in
<repo>/.claude/settings.local.json
+ keeps that file out of git
(this is the repo grant used by READ)
Legend
BLOCKED: no approval opens it
PROMPT: you approve
FREE: no prompt
Claude makes a tool call
Which tool?
Bash
Read
Edit / Write
worktree
Bash (the only tool inside the sandbox)
dangerouslyDisableSandbox?
yes
no
PROMPT (ask rule, all modes)
If approved: runs with your full rights:
secrets, sockets and git hooks reachable
git-guard.py: creates / moves / deletes
a branch or worktree? ssh / scp?
yes
no / approved
PROMPT
Runs in bubblewrap
own mount + PID + network namespace
READ
secret or escape path?
~/.ssh ~/.gnupg keyrings pwd.txt .credentials.json
~/.mozilla ~/.thunderbird ~/.cache/{mozilla,librewolf,
thunderbird,evolution,aerc}
/run/user/1000 X11/ICE system D-Bus /tmp/.mathworks-1000
yes
no
BLOCKED
repo, toolchain dir, $TMPDIR,
/add-dir path, settings.local allowRead,
or outside ~ (/usr, /etc, ...)?
yes
no (rest of ~)
FREE
BLOCKED (denyRead ~/)
-> escalate
WRITE
read-only or denyWrite?
.git/hooks .git/config Claude config
IPython/Jupyter configs + kernels
Mathematica init/Kernel/Paclets
MATLAB javaclasspath.txt
yes
no
BLOCKED
repo, $TMPDIR, toolchain state dir,
/add-dir path, settings.local allowWrite?
yes
no
FREE
BLOCKED
-> escalate
NETWORK
host in allowedDomains?
(PyPI, Anaconda, GitHub, GitLab, ...,
arXiv, Zenodo, GWOSC, MathWorks)
yes
no
FREE
PROMPT (manual mode)
auto mode: classifier decides
UNIX SOCKET
abstract namespace,
or in a denied path?
yes
no
BLOCKED
FREE (allowAllUnixSockets)
snapd, cups, avahi, journal, ...
accepted: no polkit reachable
When Bash is blocked: Claude names the path and why, then offers in order
1. Session
you type /add-dir <path>
(reads + writes, this session)
if not enough
2. Permanent
prompted edit of the repo's
.claude/settings.local.json allowRead/allowWrite
if not enough
3. Unsandboxed retry
git over ssh, or last resort you agree to
(full rights; re-enters Bash as
dangerouslyDisableSandbox: ask rule)
Read / Grep / Glob (not sandboxed)
permission deny rule?
secrets, browser/mail profiles + caches
yes
no
BLOCKED
inside working dirs
or toolchain allow list?
yes
no
FREE
PROMPT
(also in auto mode)
Edit / Write / NotebookEdit (not sandboxed)
permission deny rule?
yes
no
BLOCKED
bg-guard.py: background job
editing an existing file?
yes
no
BLOCKED
(jobs only report)
outside-repo-guard.py:
in .git/ or Claude hooks/settings/
skills/agents/CLAUDE.md?
yes
no
PROMPT
(runs code outside the sandbox)
inside repo, /tmp/claude-1000,
memory or plans?
yes
no
FREE
(normal permission mode applies)
PROMPT
(classifier can't approve)
EnterWorktree,
Agent with worktree isolation
PROMPT
(ask rule / git-guard.py)