
R and RStudio installation guide


1. General installation via website

a) Go to the R project website: https://www.r-project.org/


b) Click on **download R** in the top center of the page.



c) Select your favourite CRAN mirror (e.g. **Italy, GARR mirror, Milano**)




d) **Select your OS** from the top center of the page




2. Installation for Windows

a) Click on **install R for the first time**




b) Click on **Download R for Windows**.



c) Run the **R-4.6.2-win** EXE and follow the guided GUI installation.

d) Check the presence of R in the start menu.

3. Installation for macOS



4. Installation for Debian-like LINUX systems (e.g. Debian, Ubuntu, and Mint)

1) [OPTIONAL] Open a terminal to check the presence of R packages in the standard repositories

```
apt-cache search "^r-.*" | sort
```

2) Open a terminal, and type the following commands:

```
sudo apt update
sudo apt install r-base r-base-dev
```

5. RStudio Installation

Go to https://docs.posit.co/ide/user/download.html

Download the FREE RStudio Desktop version for your OS from STEP 2, **'Download installer'**.

6. Install R/Bioconductor packages

Go to https://www.bioconductor.org/install/

BiocManager::install() is the recommended way to install Bioconductor packages. The install() function provided by BiocManager is a wrapper around **install.packages()** (the 'standard' way in which R packages are installed) but with the repository chosen according to the version of Bioconductor in use, rather than to the version relevant at the time of the release of R. *Bioconductor* has indeed a repository and a release schedule that differs from R.
The current release of Bioconductor is version 3.22; it works with R versions from 4.5.0.



Please run from the **RStudio Console** OR from a **R console** (for UNIX/LINUX, type R on a terminal):

```
BiocManager::install(c('limma', 'affy', 'affyPLM', 'edgeR', 'igraph', 'ggplot2', 'reshape2', 'gplots'))
```