





Each point is one case. Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Each point is one case. Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Each point is one case. Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.


Along-track ramps: SATA per sub-band vs SATA whole band, highest ambiguity of every case
targets 200 m apart | largest difference 0.20 dB
targets 2.6 km apart | largest difference 0.39 dB
targets 10 km apart | largest difference 1.43 dB
SATA per sub-band [dB]
SATA whole band [dB]
0
−10
−20
−30
−40
−50
−60
small heights ($h_j = j \cdot 20\,\mathrm{m} \cdot \tan\alpha$)
normal heights ($h_j = j \cdot 200\,\mathrm{m} \cdot \tan\alpha$)
large heights ($h_j = j \cdot 2600\,\mathrm{m} \cdot \tan\alpha$)
Each point is one case. Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.


Along-track ramp, targets 200 m apart, small heights (target j at height j·20 m·tanα)
improvement = highest ambiguity (no SATA) − highest ambiguity (SATA)







Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

Along-track ramp, targets 200 m apart, small heights (target j at height j·20 m·tanα)
highest ambiguity [dB re. reference peak]









Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.


Along-track ramp, targets 200 m apart, normal heights (target j at height j·200 m·tanα)
improvement = highest ambiguity (no SATA) − highest ambiguity (SATA)







Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

Along-track ramp, targets 200 m apart, normal heights (target j at height j·200 m·tanα)
highest ambiguity [dB re. reference peak]










Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

Along-track ramp, targets 200 m apart, large heights (target j at height j·2600 m·tanα)
improvement = highest ambiguity (no SATA) − highest ambiguity (SATA)







Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.





Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.





Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SS-001: Along-track ramp, 2 targets 200 m apart, small heights
slope α = 0.1 ° (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xi} = [63.7, 27.0, 4.1, 1.7] m.

RA-SS-002: Along-track ramp, 2 targets 200 m apart, small heights
slope $\alpha = 1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-003: Along-track ramp, 2 targets 200 m apart, small heights
slope α = 1.5 ° (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xi} = [63.7, 27.0, 4.1, 1.7] m.

RA-SS-004: Along-track ramp, 2 targets 200 m apart, small heights
slope $\alpha = 2^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-005: Along-track ramp, 2 targets 200 m apart, small heights
slope $\alpha = 3°$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-006: Along-track ramp, 2 targets 200 m apart, small heights
slope $\alpha = 4°$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-007: Along-track ramp, 2 targets 200 m apart, small heights
slope $\alpha = 5^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-008: Along-track ramp, 2 targets 200 m apart, small heights
slope $\alpha = 10\,^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-009: Along-track ramp, 2 targets 200 m apart, small heights
slope $\alpha = 15\,^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-010: Along-track ramp, 2 targets 200 m apart, small heights
slope $\alpha = 20\,^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-011: Along-track ramp, 2 targets 200 m apart, small heights
slope $\alpha = 30\,^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-012: Along-track ramp, 2 targets 200 m apart, small heights
slope $\alpha = 40\,^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-013: Along-track ramp, 2 targets 200 m apart, small heights
slope $\alpha = 50\,^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-014: Along-track ramp, 3 targets 200 m apart, small heights
slope $\alpha = 0.1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-015: Along-track ramp, 3 targets 200 m apart, small heights
slope $\alpha = 1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-016: Along-track ramp, 3 targets 200 m apart, small heights
slope α = 1.5 ° (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SS-017: Along-track ramp, 3 targets 200 m apart, small heights
slope $\alpha = 2^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-018: Along-track ramp, 3 targets 200 m apart, small heights
slope $\alpha = 3^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-019: Along-track ramp, 3 targets 200 m apart, small heights
slope $\alpha = 4^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-020: Along-track ramp, 3 targets 200 m apart, small heights
slope $\alpha = 5^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-021: Along-track ramp, 3 targets 200 m apart, small heights
slope $\alpha = 10^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-022: Along-track ramp, 3 targets 200 m apart, small heights
slope $\alpha = 15^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-023: Along-track ramp, 3 targets 200 m apart, small heights
slope $\alpha = 20^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-024: Along-track ramp, 3 targets 200 m apart, small heights
slope $\alpha = 30^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-025: Along-track ramp, 3 targets 200 m apart, small heights
slope $\alpha = 40\,^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-026: Along-track ramp, 3 targets 200 m apart, small heights
slope $\alpha = 50^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-027: Along-track ramp, 5 targets 200 m apart, small heights
slope $\alpha = 0.1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-028: Along-track ramp, 5 targets 200 m apart, small heights
slope $\alpha = 1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-029: Along-track ramp, 5 targets 200 m apart, small heights
slope α = 1.5 ° (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SS-030: Along-track ramp, 5 targets 200 m apart, small heights
slope $\alpha = 2^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-031: Along-track ramp, 5 targets 200 m apart, small heights
slope $\alpha = 3^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-032: Along-track ramp, 5 targets 200 m apart, small heights
slope $\alpha = 4^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-033: Along-track ramp, 5 targets 200 m apart, small heights
slope $\alpha = 5^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-034: Along-track ramp, 5 targets 200 m apart, small heights
slope $\alpha = 10^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-035: Along-track ramp, 5 targets 200 m apart, small heights
slope $\alpha = 15^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-036: Along-track ramp, 5 targets 200 m apart, small heights
slope $\alpha = 20^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-037: Along-track ramp, 5 targets 200 m apart, small heights
slope $\alpha = 30^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-038: Along-track ramp, 5 targets 200 m apart, small heights
slope $\alpha = 40^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-039: Along-track ramp, 5 targets 200 m apart, small heights
slope $\alpha = 50^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-040: Along-track ramp, 7 targets 200 m apart, small heights
slope $\alpha = 0.1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-041: Along-track ramp, 7 targets 200 m apart, small heights
slope $\alpha = 1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-042: Along-track ramp, 7 targets 200 m apart, small heights
slope α = 1.5 ° (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SS-043: Along-track ramp, 7 targets 200 m apart, small heights
slope $\alpha = 2^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-044: Along-track ramp, 7 targets 200 m apart, small heights
slope $\alpha = 3°$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-045: Along-track ramp, 7 targets 200 m apart, small heights
slope $\alpha = 4^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-046: Along-track ramp, 7 targets 200 m apart, small heights
slope $\alpha = 5^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-047: Along-track ramp, 7 targets 200 m apart, small heights
slope $\alpha = 10^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-048: Along-track ramp, 7 targets 200 m apart, small heights
slope $\alpha = 15^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-049: Along-track ramp, 7 targets 200 m apart, small heights
slope $\alpha = 20^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-050: Along-track ramp, 7 targets 200 m apart, small heights
slope $\alpha = 30^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-051: Along-track ramp, 7 targets 200 m apart, small heights
slope $\alpha = 40\,^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-052: Along-track ramp, 7 targets 200 m apart, small heights
slope α = 50 ° (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SS-053: Along-track ramp, 9 targets 200 m apart, small heights
slope $\alpha = 0.1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-054: Along-track ramp, 9 targets 200 m apart, small heights
slope $\alpha = 1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-055: Along-track ramp, 9 targets 200 m apart, small heights
slope $\alpha = 1.5^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-056: Along-track ramp, 9 targets 200 m apart, small heights
slope $\alpha = 2^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-057: Along-track ramp, 9 targets 200 m apart, small heights
slope $\alpha = 3^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-058: Along-track ramp, 9 targets 200 m apart, small heights
slope $\alpha = 4^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SS-059: Along-track ramp, 9 targets 200 m apart, small heights
slope $\alpha = 5^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SS-060: Along-track ramp, 9 targets 200 m apart, small heights
slope $\alpha = 10^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-061: Along-track ramp, 9 targets 200 m apart, small heights
slope $\alpha = 15^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-062: Along-track ramp, 9 targets 200 m apart, small heights
slope α = 20 ° (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SS-063: Along-track ramp, 9 targets 200 m apart, small heights
slope α = 30 ° (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SS-064: Along-track ramp, 9 targets 200 m apart, small heights
slope $\alpha = 40\,^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-065: Along-track ramp, 9 targets 200 m apart, small heights
slope $\alpha = 50\,^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-066: Along-track ramp, 13 targets 200 m apart, small heights
slope $\alpha = 0.1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{tx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-067: Along-track ramp, 13 targets 200 m apart, small heights
slope $\alpha = 1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-068: Along-track ramp, 13 targets 200 m apart, small heights
slope $\alpha = 1.5^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{tx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-069: Along-track ramp, 13 targets 200 m apart, small heights
slope $\alpha = 2^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{tx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-070: Along-track ramp, 13 targets 200 m apart, small heights
slope $\alpha = 3^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{tx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-071: Along-track ramp, 13 targets 200 m apart, small heights
slope $\alpha = 4°$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-072: Along-track ramp, 13 targets 200 m apart, small heights
slope $\alpha = 5^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-073: Along-track ramp, 13 targets 200 m apart, small heights
slope $\alpha = 10^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-074: Along-track ramp, 13 targets 200 m apart, small heights
slope $\alpha = 15^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-075: Along-track ramp, 13 targets 200 m apart, small heights
slope $\alpha = 20^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-076: Along-track ramp, 13 targets 200 m apart, small heights
slope $\alpha = 30^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-077: Along-track ramp, 13 targets 200 m apart, small heights
slope $\alpha = 40^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SS-078: Along-track ramp, 13 targets 200 m apart, small heights
slope $\alpha = 50^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-001: Along-track ramp, 2 targets 200 m apart, normal heights
slope α = 0.1 ° (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xi} = [63.7, 27.0, 4.1, 1.7] m.

RA-SN-002: Along-track ramp, 2 targets 200 m apart, normal heights
slope $\alpha = 1^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-003: Along-track ramp, 2 targets 200 m apart, normal heights
slope α = 1.5 ° (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SN-004: Along-track ramp, 2 targets 200 m apart, normal heights
slope $\alpha = 2^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-005: Along-track ramp, 2 targets 200 m apart, normal heights
slope $\alpha = 3^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-006: Along-track ramp, 2 targets 200 m apart, normal heights
slope $\alpha = 4°$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-007: Along-track ramp, 2 targets 200 m apart, normal heights
slope $\alpha = 5^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-008: Along-track ramp, 2 targets 200 m apart, normal heights
slope $\alpha = 10^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-009: Along-track ramp, 2 targets 200 m apart, normal heights
slope $\alpha = 15^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-010: Along-track ramp, 2 targets 200 m apart, normal heights
slope $\alpha = 20^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-011: Along-track ramp, 2 targets 200 m apart, normal heights
slope $\alpha = 30^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-012: Along-track ramp, 2 targets 200 m apart, normal heights
slope $\alpha = 40^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-013: Along-track ramp, 2 targets 200 m apart, normal heights
slope $\alpha = 50^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-014: Along-track ramp, 3 targets 200 m apart, normal heights
slope α = 0.1 ° (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SN-015: Along-track ramp, 3 targets 200 m apart, normal heights
slope $\alpha = 1^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-016: Along-track ramp, 3 targets 200 m apart, normal heights
slope α = 1.5 ° (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SN-017: Along-track ramp, 3 targets 200 m apart, normal heights
slope $\alpha = 2^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-018: Along-track ramp, 3 targets 200 m apart, normal heights
slope $\alpha = 3^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-019: Along-track ramp, 3 targets 200 m apart, normal heights
slope $\alpha = 4°$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-020: Along-track ramp, 3 targets 200 m apart, normal heights
slope $\alpha = 5^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-021: Along-track ramp, 3 targets 200 m apart, normal heights
slope $\alpha = 10\,^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-022: Along-track ramp, 3 targets 200 m apart, normal heights
slope $\alpha = 15\,^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-023: Along-track ramp, 3 targets 200 m apart, normal heights
slope $\alpha = 20^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-024: Along-track ramp, 3 targets 200 m apart, normal heights
slope $\alpha = 30^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-025: Along-track ramp, 3 targets 200 m apart, normal heights
slope $\alpha = 40\,^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-026: Along-track ramp, 3 targets 200 m apart, normal heights
slope $\alpha = 50^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-027: Along-track ramp, 5 targets 200 m apart, normal heights
slope $\alpha = 0.1^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-028: Along-track ramp, 5 targets 200 m apart, normal heights
slope $\alpha = 1^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-029: Along-track ramp, 5 targets 200 m apart, normal heights
slope α = 1.5 ° (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SN-030: Along-track ramp, 5 targets 200 m apart, normal heights
slope $\alpha = 2^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-031: Along-track ramp, 5 targets 200 m apart, normal heights
slope $\alpha = 3°$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-032: Along-track ramp, 5 targets 200 m apart, normal heights
slope $\alpha = 4°$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-033: Along-track ramp, 5 targets 200 m apart, normal heights
slope $\alpha = 5^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-034: Along-track ramp, 5 targets 200 m apart, normal heights
slope $\alpha = 10^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-035: Along-track ramp, 5 targets 200 m apart, normal heights
slope $\alpha = 15^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-036: Along-track ramp, 5 targets 200 m apart, normal heights
slope $\alpha = 20^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-037: Along-track ramp, 5 targets 200 m apart, normal heights
slope $\alpha = 30^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-038: Along-track ramp, 5 targets 200 m apart, normal heights
slope $\alpha = 40^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-039: Along-track ramp, 5 targets 200 m apart, normal heights
slope $\alpha = 50^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-040: Along-track ramp, 7 targets 200 m apart, normal heights
slope $\alpha = 0.1^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-041: Along-track ramp, 7 targets 200 m apart, normal heights
slope $\alpha = 1^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-042: Along-track ramp, 7 targets 200 m apart, normal heights
slope α = 1.5 ° (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SN-043: Along-track ramp, 7 targets 200 m apart, normal heights
slope $\alpha = 2^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-044: Along-track ramp, 7 targets 200 m apart, normal heights
slope $\alpha = 3^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-045: Along-track ramp, 7 targets 200 m apart, normal heights
slope $\alpha = 4°$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-046: Along-track ramp, 7 targets 200 m apart, normal heights
slope $\alpha = 5^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-047: Along-track ramp, 7 targets 200 m apart, normal heights
slope $\alpha = 10^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-048: Along-track ramp, 7 targets 200 m apart, normal heights
slope α = 15 ° (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SN-049: Along-track ramp, 7 targets 200 m apart, normal heights
slope α = 20 ° (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SN-050: Along-track ramp, 7 targets 200 m apart, normal heights
slope $\alpha = 30^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-051: Along-track ramp, 7 targets 200 m apart, normal heights
slope $\alpha = 40^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-052: Along-track ramp, 7 targets 200 m apart, normal heights
slope $\alpha = 50^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-053: Along-track ramp, 9 targets 200 m apart, normal heights
slope $\alpha = 0.1^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-054: Along-track ramp, 9 targets 200 m apart, normal heights
slope $\alpha = 1^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-055: Along-track ramp, 9 targets 200 m apart, normal heights
slope α = 1.5 ° (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SN-056: Along-track ramp, 9 targets 200 m apart, normal heights
slope $\alpha = 2^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-057: Along-track ramp, 9 targets 200 m apart, normal heights
slope $\alpha = 3^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-058: Along-track ramp, 9 targets 200 m apart, normal heights
slope $\alpha = 4^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-059: Along-track ramp, 9 targets 200 m apart, normal heights
slope $\alpha = 5^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-060: Along-track ramp, 9 targets 200 m apart, normal heights
slope $\alpha = 10^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-061: Along-track ramp, 9 targets 200 m apart, normal heights
slope α = 15 ° (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SN-062: Along-track ramp, 9 targets 200 m apart, normal heights
slope $\alpha = 20^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-063: Along-track ramp, 9 targets 200 m apart, normal heights
slope $\alpha = 30^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-064: Along-track ramp, 9 targets 200 m apart, normal heights
slope $\alpha = 40^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-065: Along-track ramp, 9 targets 200 m apart, normal heights
slope $\alpha = 50^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-066: Along-track ramp, 13 targets 200 m apart, normal heights
slope $\alpha = 0.1^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-067: Along-track ramp, 13 targets 200 m apart, normal heights
slope $\alpha = 1^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-068: Along-track ramp, 13 targets 200 m apart, normal heights
slope $\alpha = 1.5^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-069: Along-track ramp, 13 targets 200 m apart, normal heights
slope $\alpha = 2^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-070: Along-track ramp, 13 targets 200 m apart, normal heights
slope $\alpha = 3^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-071: Along-track ramp, 13 targets 200 m apart, normal heights
slope $\alpha = 4^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-072: Along-track ramp, 13 targets 200 m apart, normal heights
slope $\alpha = 5^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-073: Along-track ramp, 13 targets 200 m apart, normal heights
slope $\alpha = 10^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-074: Along-track ramp, 13 targets 200 m apart, normal heights
slope $\alpha = 15^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-075: Along-track ramp, 13 targets 200 m apart, normal heights
slope $\alpha = 20^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-076: Along-track ramp, 13 targets 200 m apart, normal heights
slope $\alpha = 30^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-077: Along-track ramp, 13 targets 200 m apart, normal heights
slope $\alpha = 40^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SN-078: Along-track ramp, 13 targets 200 m apart, normal heights
slope $\alpha = 50^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-001: Along-track ramp, 2 targets 200 m apart, large heights
slope $\alpha = 0.1^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-002: Along-track ramp, 2 targets 200 m apart, large heights
slope $\alpha = 1^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-003: Along-track ramp, 2 targets 200 m apart, large heights
slope α = 1.5 ° (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SL-004: Along-track ramp, 2 targets 200 m apart, large heights
slope $\alpha = 2^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-005: Along-track ramp, 2 targets 200 m apart, large heights
slope $\alpha = 3^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-006: Along-track ramp, 2 targets 200 m apart, large heights
slope $\alpha = 4^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-007: Along-track ramp, 2 targets 200 m apart, large heights
slope $\alpha = 5^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-008: Along-track ramp, 2 targets 200 m apart, large heights
slope $\alpha = 10^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-009: Along-track ramp, 2 targets 200 m apart, large heights
slope α = 15 ° (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xi} = [63.7, 27.0, 4.1, 1.7] m.

RA-SL-010: Along-track ramp, 2 targets 200 m apart, large heights
slope $\alpha = 20^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-011: Along-track ramp, 2 targets 200 m apart, large heights
slope $\alpha = 30^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-012: Along-track ramp, 2 targets 200 m apart, large heights
slope $\alpha = 40\,^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-013: Along-track ramp, 2 targets 200 m apart, large heights
slope $\alpha = 50^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-014: Along-track ramp, 3 targets 200 m apart, large heights
slope $\alpha = 0.1^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-015: Along-track ramp, 3 targets 200 m apart, large heights
slope $\alpha = 1^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-016: Along-track ramp, 3 targets 200 m apart, large heights
slope $\alpha = 1.5^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-017: Along-track ramp, 3 targets 200 m apart, large heights
slope $\alpha = 2^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-018: Along-track ramp, 3 targets 200 m apart, large heights
slope $\alpha = 3^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SL-019: Along-track ramp, 3 targets 200 m apart, large heights
slope $\alpha = 4^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-020: Along-track ramp, 3 targets 200 m apart, large heights
slope $\alpha = 5^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-021: Along-track ramp, 3 targets 200 m apart, large heights
slope $\alpha = 10^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-022: Along-track ramp, 3 targets 200 m apart, large heights
slope α = 15 ° (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SL-023: Along-track ramp, 3 targets 200 m apart, large heights
slope $\alpha = 20^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-024: Along-track ramp, 3 targets 200 m apart, large heights
slope $\alpha = 30^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-025: Along-track ramp, 3 targets 200 m apart, large heights
slope α = 40 ° (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SL-026: Along-track ramp, 3 targets 200 m apart, large heights
slope $\alpha = 50^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-027: Along-track ramp, 5 targets 200 m apart, large heights
slope $\alpha = 0.1^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-028: Along-track ramp, 5 targets 200 m apart, large heights
slope $\alpha = 1^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-029: Along-track ramp, 5 targets 200 m apart, large heights
slope α = 1.5 ° (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SL-030: Along-track ramp, 5 targets 200 m apart, large heights
slope $\alpha = 2^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-031: Along-track ramp, 5 targets 200 m apart, large heights
slope $\alpha = 3^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-032: Along-track ramp, 5 targets 200 m apart, large heights
slope $\alpha = 4^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-033: Along-track ramp, 5 targets 200 m apart, large heights
slope $\alpha = 5^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-034: Along-track ramp, 5 targets 200 m apart, large heights
slope $\alpha = 10^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xx} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-035: Along-track ramp, 5 targets 200 m apart, large heights
slope $\alpha = 15^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-036: Along-track ramp, 5 targets 200 m apart, large heights
slope $\alpha = 20^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-037: Along-track ramp, 5 targets 200 m apart, large heights
slope $\alpha = 30^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-038: Along-track ramp, 5 targets 200 m apart, large heights
slope $\alpha = 40^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-039: Along-track ramp, 5 targets 200 m apart, large heights
slope $\alpha = 50^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-040: Along-track ramp, 7 targets 200 m apart, large heights
slope $\alpha = 0.1^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-041: Along-track ramp, 7 targets 200 m apart, large heights
slope $\alpha = 1^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-042: Along-track ramp, 7 targets 200 m apart, large heights
slope $\alpha = 1.5^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-043: Along-track ramp, 7 targets 200 m apart, large heights
slope $\alpha = 2^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{el} = [63.7, 27.0, 4.1, 1.7] m.

RA-SL-044: Along-track ramp, 7 targets 200 m apart, large heights
slope $\alpha = 3^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-045: Along-track ramp, 7 targets 200 m apart, large heights
slope $\alpha = 4^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-046: Along-track ramp, 7 targets 200 m apart, large heights
slope $\alpha = 5^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-047: Along-track ramp, 7 targets 200 m apart, large heights
slope α = 10 ° (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SL-048: Along-track ramp, 7 targets 200 m apart, large heights
slope α = 15 ° (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SL-049: Along-track ramp, 7 targets 200 m apart, large heights
slope α = 20 ° (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SL-050: Along-track ramp, 7 targets 200 m apart, large heights
slope $\alpha = 30^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-051: Along-track ramp, 7 targets 200 m apart, large heights
slope $\alpha = 40\,^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-052: Along-track ramp, 7 targets 200 m apart, large heights
slope $\alpha = 50^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-053: Along-track ramp, 9 targets 200 m apart, large heights
slope $\alpha = 0.1^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-054: Along-track ramp, 9 targets 200 m apart, large heights
slope $\alpha = 1^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xl} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-055: Along-track ramp, 9 targets 200 m apart, large heights
slope α = 1.5 ° (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SL-056: Along-track ramp, 9 targets 200 m apart, large heights
slope $\alpha = 2^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-057: Along-track ramp, 9 targets 200 m apart, large heights
slope $\alpha = 3^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-058: Along-track ramp, 9 targets 200 m apart, large heights
slope $\alpha = 4^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SL-059: Along-track ramp, 9 targets 200 m apart, large heights
slope $\alpha = 5^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-060: Along-track ramp, 9 targets 200 m apart, large heights
slope $\alpha = 10^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-061: Along-track ramp, 9 targets 200 m apart, large heights
slope α = 15 ° (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-SL-062: Along-track ramp, 9 targets 200 m apart, large heights
slope $\alpha = 20^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-063: Along-track ramp, 9 targets 200 m apart, large heights
slope $\alpha = 30^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-064: Along-track ramp, 9 targets 200 m apart, large heights
slope $\alpha = 40^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-065: Along-track ramp, 9 targets 200 m apart, large heights
slope $\alpha = 50^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-066: Along-track ramp, 13 targets 200 m apart, large heights
slope $\alpha = 0.1^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-067: Along-track ramp, 13 targets 200 m apart, large heights
slope $\alpha = 1^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-068: Along-track ramp, 13 targets 200 m apart, large heights
slope α = 1.5 ° (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{int} = [63.7, 27.0, 4.1, 1.7] m.

RA-SL-069: Along-track ramp, 13 targets 200 m apart, large heights
slope $\alpha = 2^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-070: Along-track ramp, 13 targets 200 m apart, large heights
slope $\alpha = 3^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-071: Along-track ramp, 13 targets 200 m apart, large heights
slope $\alpha = 4^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-072: Along-track ramp, 13 targets 200 m apart, large heights
slope $\alpha = 5^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-073: Along-track ramp, 13 targets 200 m apart, large heights
slope $\alpha = 10^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-074: Along-track ramp, 13 targets 200 m apart, large heights
slope $\alpha = 15^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-075: Along-track ramp, 13 targets 200 m apart, large heights
slope $\alpha = 20^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-076: Along-track ramp, 13 targets 200 m apart, large heights
slope $\alpha = 30^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-077: Along-track ramp, 13 targets 200 m apart, large heights
slope $\alpha = 40^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-SL-078: Along-track ramp, 13 targets 200 m apart, large heights
slope $\alpha = 50^\circ$ (target j at height j·2600 m·tanα)









Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.