





Each point is one case. Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Each point is one case. Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Each point is one case. Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.


Along-track ramps: SATA per sub-band vs SATA whole band, highest ambiguity of every case
targets 200 m apart | largest difference 0.20 dB
targets 2.6 km apart | largest difference 0.39 dB
targets 10 km apart | largest difference 1.43 dB
SATA per sub-band [dB]
SATA whole band [dB]
0
−10
−20
−30
−40
−50
−60
small heights ($h_j = j \cdot 20\,\mathrm{m} \cdot \tan\alpha$)
normal heights ($h_j = j \cdot 200\,\mathrm{m} \cdot \tan\alpha$)
large heights ($h_j = j \cdot 2600\,\mathrm{m} \cdot \tan\alpha$)
Each point is one case. Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.


Along-track ramp, targets 200 m apart, small heights (target j at height j·20 m·tanα)
improvement = highest ambiguity (no SATA) − highest ambiguity (SATA)







Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

Along-track ramp, targets 200 m apart, small heights (target j at height j·20 m·tanα)
highest ambiguity [dB re. reference peak]









Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.


Along-track ramp, targets 200 m apart, normal heights (target j at height j·200 m·tanα)
improvement = highest ambiguity (no SATA) − highest ambiguity (SATA)







Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

Along-track ramp, targets 200 m apart, normal heights (target j at height j·200 m·tanα)
highest ambiguity [dB re. reference peak]










Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

Along-track ramp, targets 200 m apart, large heights (target j at height j·2600 m·tanα)
improvement = highest ambiguity (no SATA) − highest ambiguity (SATA)







Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.





Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.





Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-NS-001: Along-track ramp, 2 targets 2.6 km apart, small heights
slope $\alpha = 0.1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-002: Along-track ramp, 2 targets 2.6 km apart, small heights
slope $\alpha = 1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-003: Along-track ramp, 2 targets 2.6 km apart, small heights
slope α = 1.5 ° (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-NS-004: Along-track ramp, 2 targets 2.6 km apart, small heights
slope $\alpha = 2^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-005: Along-track ramp, 2 targets 2.6 km apart, small heights
slope $\alpha = 3°$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-006: Along-track ramp, 2 targets 2.6 km apart, small heights
slope $\alpha = 4^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-007: Along-track ramp, 2 targets 2.6 km apart, small heights
slope $\alpha = 5^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-008: Along-track ramp, 2 targets 2.6 km apart, small heights
slope $\alpha = 10^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-009: Along-track ramp, 2 targets 2.6 km apart, small heights
slope $\alpha = 15^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-010: Along-track ramp, 2 targets 2.6 km apart, small heights
slope $\alpha = 20^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-011: Along-track ramp, 2 targets 2.6 km apart, small heights
slope α = 30 ° (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-NS-012: Along-track ramp, 2 targets 2.6 km apart, small heights
slope $\alpha = 40^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-013: Along-track ramp, 2 targets 2.6 km apart, small heights
slope $\alpha = 50^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-014: Along-track ramp, 3 targets 2.6 km apart, small heights
slope $\alpha = 0.1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-015: Along-track ramp, 3 targets 2.6 km apart, small heights
slope $\alpha = 1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-016: Along-track ramp, 3 targets 2.6 km apart, small heights
slope $\alpha = 1.5^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-017: Along-track ramp, 3 targets 2.6 km apart, small heights
slope $\alpha = 2^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-018: Along-track ramp, 3 targets 2.6 km apart, small heights
slope $\alpha = 3^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-019: Along-track ramp, 3 targets 2.6 km apart, small heights
slope $\alpha = 4^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-020: Along-track ramp, 3 targets 2.6 km apart, small heights
slope $\alpha = 5^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-021: Along-track ramp, 3 targets 2.6 km apart, small heights
slope $\alpha = 10^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-022: Along-track ramp, 3 targets 2.6 km apart, small heights
slope $\alpha = 15^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-023: Along-track ramp, 3 targets 2.6 km apart, small heights
slope $\alpha = 20^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-024: Along-track ramp, 3 targets 2.6 km apart, small heights
slope $\alpha = 30^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-025: Along-track ramp, 3 targets 2.6 km apart, small heights
slope $\alpha = 40°$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-026: Along-track ramp, 3 targets 2.6 km apart, small heights
slope $\alpha = 50^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-027: Along-track ramp, 5 targets 2.6 km apart, small heights
slope $\alpha = 0.1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-028: Along-track ramp, 5 targets 2.6 km apart, small heights
slope $\alpha = 1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-029: Along-track ramp, 5 targets 2.6 km apart, small heights
slope α = 1.5 ° (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-NS-030: Along-track ramp, 5 targets 2.6 km apart, small heights
slope $\alpha = 2^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ra} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{at} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-031: Along-track ramp, 5 targets 2.6 km apart, small heights
slope $\alpha = 3°$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-032: Along-track ramp, 5 targets 2.6 km apart, small heights
slope $\alpha = 4^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-033: Along-track ramp, 5 targets 2.6 km apart, small heights
slope $\alpha = 5^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-034: Along-track ramp, 5 targets 2.6 km apart, small heights
slope $\alpha = 10^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-035: Along-track ramp, 5 targets 2.6 km apart, small heights
slope $\alpha = 15^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-036: Along-track ramp, 5 targets 2.6 km apart, small heights
slope $\alpha = 20^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-037: Along-track ramp, 5 targets 2.6 km apart, small heights
slope $\alpha = 30^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-038: Along-track ramp, 5 targets 2.6 km apart, small heights
slope $\alpha = 40°$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NS-039: Along-track ramp, 5 targets 2.6 km apart, small heights
slope $\alpha = 50^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-001: Along-track ramp, 2 targets 2.6 km apart, normal heights
slope α = 0.1 ° (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-NN-002: Along-track ramp, 2 targets 2.6 km apart, normal heights
slope $\alpha = 1^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-003: Along-track ramp, 2 targets 2.6 km apart, normal heights
slope α = 1.5 ° (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-NN-004: Along-track ramp, 2 targets 2.6 km apart, normal heights
slope $\alpha = 2^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-005: Along-track ramp, 2 targets 2.6 km apart, normal heights
slope $\alpha = 3°$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-006: Along-track ramp, 2 targets 2.6 km apart, normal heights
slope $\alpha = 4°$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-007: Along-track ramp, 2 targets 2.6 km apart, normal heights
slope $\alpha = 5^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-008: Along-track ramp, 2 targets 2.6 km apart, normal heights
slope $\alpha = 10^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-009: Along-track ramp, 2 targets 2.6 km apart, normal heights
slope $\alpha = 15^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{at} = [63.7, 27.0, 4.1, 1.7] m.

RA-NN-010: Along-track ramp, 2 targets 2.6 km apart, normal heights
slope $\alpha = 20^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-011: Along-track ramp, 2 targets 2.6 km apart, normal heights
slope $\alpha = 30^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-012: Along-track ramp, 2 targets 2.6 km apart, normal heights
slope $\alpha = 40\,^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-013: Along-track ramp, 2 targets 2.6 km apart, normal heights
slope $\alpha = 50\,^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-014: Along-track ramp, 3 targets 2.6 km apart, normal heights
slope α = 0.1 ° (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-NN-015: Along-track ramp, 3 targets 2.6 km apart, normal heights
slope $\alpha = 1^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-016: Along-track ramp, 3 targets 2.6 km apart, normal heights
slope α = 1.5 ° (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-NN-017: Along-track ramp, 3 targets 2.6 km apart, normal heights
slope $\alpha = 2^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-018: Along-track ramp, 3 targets 2.6 km apart, normal heights
slope $\alpha = 3°$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-019: Along-track ramp, 3 targets 2.6 km apart, normal heights
slope $\alpha = 4°$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-020: Along-track ramp, 3 targets 2.6 km apart, normal heights
slope $\alpha = 5^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-021: Along-track ramp, 3 targets 2.6 km apart, normal heights
slope $\alpha = 10^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-022: Along-track ramp, 3 targets 2.6 km apart, normal heights
slope $\alpha = 15^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-023: Along-track ramp, 3 targets 2.6 km apart, normal heights
slope $\alpha = 20^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-024: Along-track ramp, 3 targets 2.6 km apart, normal heights
slope $\alpha = 30^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-025: Along-track ramp, 3 targets 2.6 km apart, normal heights
slope $\alpha = 40^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-026: Along-track ramp, 3 targets 2.6 km apart, normal heights
slope $\alpha = 50^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xl} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-027: Along-track ramp, 5 targets 2.6 km apart, normal heights
slope $\alpha = 0.1^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-028: Along-track ramp, 5 targets 2.6 km apart, normal heights
slope $\alpha = 1^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-029: Along-track ramp, 5 targets 2.6 km apart, normal heights
slope α = 1.5 ° (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-NN-030: Along-track ramp, 5 targets 2.6 km apart, normal heights
slope $\alpha = 2^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-031: Along-track ramp, 5 targets 2.6 km apart, normal heights
slope $\alpha = 3^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-032: Along-track ramp, 5 targets 2.6 km apart, normal heights
slope $\alpha = 4°$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ra} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{at} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-033: Along-track ramp, 5 targets 2.6 km apart, normal heights
slope $\alpha = 5^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{at} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-034: Along-track ramp, 5 targets 2.6 km apart, normal heights
slope $\alpha = 10^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-NN-035: Along-track ramp, 5 targets 2.6 km apart, normal heights
slope $\alpha = 15^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-036: Along-track ramp, 5 targets 2.6 km apart, normal heights
slope $\alpha = 20\,^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-037: Along-track ramp, 5 targets 2.6 km apart, normal heights
slope $\alpha = 30^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-038: Along-track ramp, 5 targets 2.6 km apart, normal heights
slope $\alpha = 40\,^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NN-039: Along-track ramp, 5 targets 2.6 km apart, normal heights
slope $\alpha = 50^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-001: Along-track ramp, 2 targets 2.6 km apart, large heights
slope $\alpha = 0.1^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-NL-002: Along-track ramp, 2 targets 2.6 km apart, large heights
slope $\alpha = 1^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-003: Along-track ramp, 2 targets 2.6 km apart, large heights
slope α = 1.5 ° (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-NL-004: Along-track ramp, 2 targets 2.6 km apart, large heights
slope $\alpha = 2^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-005: Along-track ramp, 2 targets 2.6 km apart, large heights
slope $\alpha = 3^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-006: Along-track ramp, 2 targets 2.6 km apart, large heights
slope $\alpha = 4^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xl} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-007: Along-track ramp, 2 targets 2.6 km apart, large heights
slope $\alpha = 5^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-NL-008: Along-track ramp, 2 targets 2.6 km apart, large heights
slope $\alpha = 10^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-009: Along-track ramp, 2 targets 2.6 km apart, large heights
slope $\alpha = 15^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-010: Along-track ramp, 2 targets 2.6 km apart, large heights
slope $\alpha = 20^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-011: Along-track ramp, 2 targets 2.6 km apart, large heights
slope $\alpha = 30^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-012: Along-track ramp, 2 targets 2.6 km apart, large heights
slope $\alpha = 40^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-013: Along-track ramp, 2 targets 2.6 km apart, large heights
slope $\alpha = 50^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-014: Along-track ramp, 3 targets 2.6 km apart, large heights
slope $\alpha = 0.1^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-015: Along-track ramp, 3 targets 2.6 km apart, large heights
slope $\alpha = 1^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-016: Along-track ramp, 3 targets 2.6 km apart, large heights
slope $\alpha = 1.5^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-017: Along-track ramp, 3 targets 2.6 km apart, large heights
slope $\alpha = 2^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-018: Along-track ramp, 3 targets 2.6 km apart, large heights
slope $\alpha = 3^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-019: Along-track ramp, 3 targets 2.6 km apart, large heights
slope $\alpha = 4^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-020: Along-track ramp, 3 targets 2.6 km apart, large heights
slope $\alpha = 5^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xl} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-021: Along-track ramp, 3 targets 2.6 km apart, large heights
slope $\alpha = 10^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-022: Along-track ramp, 3 targets 2.6 km apart, large heights
slope $\alpha = 15^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-023: Along-track ramp, 3 targets 2.6 km apart, large heights
slope $\alpha = 20^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-024: Along-track ramp, 3 targets 2.6 km apart, large heights
slope $\alpha = 30^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-025: Along-track ramp, 3 targets 2.6 km apart, large heights
slope $\alpha = 40^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-026: Along-track ramp, 3 targets 2.6 km apart, large heights
slope $\alpha = 50^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-027: Along-track ramp, 5 targets 2.6 km apart, large heights
slope $\alpha = 0.1^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-028: Along-track ramp, 5 targets 2.6 km apart, large heights
slope $\alpha = 1^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-029: Along-track ramp, 5 targets 2.6 km apart, large heights
slope $\alpha = 1.5^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-030: Along-track ramp, 5 targets 2.6 km apart, large heights
slope $\alpha = 2^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-031: Along-track ramp, 5 targets 2.6 km apart, large heights
slope $\alpha = 3^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-032: Along-track ramp, 5 targets 2.6 km apart, large heights
slope $\alpha = 4^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-NL-033: Along-track ramp, 5 targets 2.6 km apart, large heights
slope $\alpha = 5^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-034: Along-track ramp, 5 targets 2.6 km apart, large heights
slope $\alpha = 10^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-035: Along-track ramp, 5 targets 2.6 km apart, large heights
slope $\alpha = 15^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-036: Along-track ramp, 5 targets 2.6 km apart, large heights
slope $\alpha = 20^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-037: Along-track ramp, 5 targets 2.6 km apart, large heights
slope $\alpha = 30^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-038: Along-track ramp, 5 targets 2.6 km apart, large heights
slope $\alpha = 40^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-NL-039: Along-track ramp, 5 targets 2.6 km apart, large heights
slope $\alpha = 50^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-001: Along-track ramp, 2 targets 10 km apart, small heights
slope $\alpha = 0.1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{at} = [63.7, 27.0, 4.1, 1.7] m.

RA-LS-002: Along-track ramp, 2 targets 10 km apart, small heights
slope $\alpha = 1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{st} = [63.7, 27.0, 4.1, 1.7] m.

RA-LS-003: Along-track ramp, 2 targets 10 km apart, small heights
slope α = 1.5 ° (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xc} = [63.7, 27.0, 4.1, 1.7] m.

RA-LS-004: Along-track ramp, 2 targets 10 km apart, small heights
slope $\alpha = 2^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-005: Along-track ramp, 2 targets 10 km apart, small heights
slope $\alpha = 3^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{at} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-006: Along-track ramp, 2 targets 10 km apart, small heights
slope $\alpha = 4^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{tx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{at} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-007: Along-track ramp, 2 targets 10 km apart, small heights
slope $\alpha = 5^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-008: Along-track ramp, 2 targets 10 km apart, small heights
slope $\alpha = 10^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-009: Along-track ramp, 2 targets 10 km apart, small heights
slope $\alpha = 15^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.


148

RA-LS-010: Along-track ramp, 2 targets 10 km apart, small heights
slope $\alpha = 20^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-011: Along-track ramp, 2 targets 10 km apart, small heights
slope $\alpha = 30^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-012: Along-track ramp, 2 targets 10 km apart, small heights
slope $\alpha = 40^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{st} = [63.7, 27.0, 4.1, 1.7] m.

RA-LS-013: Along-track ramp, 2 targets 10 km apart, small heights
slope $\alpha = 50^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-014: Along-track ramp, 3 targets 10 km apart, small heights
slope $\alpha = 0.1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-015: Along-track ramp, 3 targets 10 km apart, small heights
slope $\alpha = 1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-016: Along-track ramp, 3 targets 10 km apart, small heights
slope α = 1.5 ° (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-LS-017: Along-track ramp, 3 targets 10 km apart, small heights
slope $\alpha = 2^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xz} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-018: Along-track ramp, 3 targets 10 km apart, small heights
slope $\alpha = 3^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-019: Along-track ramp, 3 targets 10 km apart, small heights
slope $\alpha = 4^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-020: Along-track ramp, 3 targets 10 km apart, small heights
slope $\alpha = 5^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-021: Along-track ramp, 3 targets 10 km apart, small heights
slope $\alpha = 10^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{st} = [63.7, 27.0, 4.1, 1.7] m.

RA-LS-022: Along-track ramp, 3 targets 10 km apart, small heights
slope $\alpha = 15^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-023: Along-track ramp, 3 targets 10 km apart, small heights
slope $\alpha = 20^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-024: Along-track ramp, 3 targets 10 km apart, small heights
slope $\alpha = 30^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{sl} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-025: Along-track ramp, 3 targets 10 km apart, small heights
slope $\alpha = 40^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-026: Along-track ramp, 3 targets 10 km apart, small heights
slope $\alpha = 50\,^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-027: Along-track ramp, 5 targets 10 km apart, small heights
slope $\alpha = 0.1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ra} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-028: Along-track ramp, 5 targets 10 km apart, small heights
slope $\alpha = 1^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-029: Along-track ramp, 5 targets 10 km apart, small heights
slope α = 1.5 ° (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-LS-030: Along-track ramp, 5 targets 10 km apart, small heights
slope $\alpha = 2^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-031: Along-track ramp, 5 targets 10 km apart, small heights
slope $\alpha = 3^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-032: Along-track ramp, 5 targets 10 km apart, small heights
slope $\alpha = 4^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-033: Along-track ramp, 5 targets 10 km apart, small heights
slope $\alpha = 5^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-034: Along-track ramp, 5 targets 10 km apart, small heights
slope $\alpha = 10^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-035: Along-track ramp, 5 targets 10 km apart, small heights
slope $\alpha = 15^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-036: Along-track ramp, 5 targets 10 km apart, small heights
slope $\alpha = 20^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-037: Along-track ramp, 5 targets 10 km apart, small heights
slope $\alpha = 30^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-038: Along-track ramp, 5 targets 10 km apart, small heights
slope $\alpha = 40\,^\circ$ (target j at height j·20 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LS-039: Along-track ramp, 5 targets 10 km apart, small heights
slope $\alpha = 50\,^\circ$ (target j at height j·20 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-001: Along-track ramp, 2 targets 10 km apart, normal heights
slope $\alpha = 0.1^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{st} = [63.7, 27.0, 4.1, 1.7] m.

RA-LN-002: Along-track ramp, 2 targets 10 km apart, normal heights
slope $\alpha = 1^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-003: Along-track ramp, 2 targets 10 km apart, normal heights
slope α = 1.5 ° (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-LN-004: Along-track ramp, 2 targets 10 km apart, normal heights
slope $\alpha = 2^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-005: Along-track ramp, 2 targets 10 km apart, normal heights
slope $\alpha = 3^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-006: Along-track ramp, 2 targets 10 km apart, normal heights
slope $\alpha = 4^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-007: Along-track ramp, 2 targets 10 km apart, normal heights
slope $\alpha = 5^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-008: Along-track ramp, 2 targets 10 km apart, normal heights
slope $\alpha = 10^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-009: Along-track ramp, 2 targets 10 km apart, normal heights
slope $\alpha = 15^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-010: Along-track ramp, 2 targets 10 km apart, normal heights
slope $\alpha = 20^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-011: Along-track ramp, 2 targets 10 km apart, normal heights
slope $\alpha = 30^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{rt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-012: Along-track ramp, 2 targets 10 km apart, normal heights
slope $\alpha = 40^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-013: Along-track ramp, 2 targets 10 km apart, normal heights
slope $\alpha = 50^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{ant} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-014: Along-track ramp, 3 targets 10 km apart, normal heights
slope $\alpha = 0.1^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-015: Along-track ramp, 3 targets 10 km apart, normal heights
slope $\alpha = 1^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-016: Along-track ramp, 3 targets 10 km apart, normal heights
slope $\alpha = 1.5^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-017: Along-track ramp, 3 targets 10 km apart, normal heights
slope $\alpha = 2^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-018: Along-track ramp, 3 targets 10 km apart, normal heights
slope $\alpha = 3^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{st} = [63.7, 27.0, 4.1, 1.7] m.

RA-LN-019: Along-track ramp, 3 targets 10 km apart, normal heights
slope $\alpha = 4°$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-020: Along-track ramp, 3 targets 10 km apart, normal heights
slope $\alpha = 5^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{sl} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-021: Along-track ramp, 3 targets 10 km apart, normal heights
slope $\alpha = 10^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-022: Along-track ramp, 3 targets 10 km apart, normal heights
slope $\alpha = 15^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-023: Along-track ramp, 3 targets 10 km apart, normal heights
slope $\alpha = 20\,^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-024: Along-track ramp, 3 targets 10 km apart, normal heights
slope $\alpha = 30^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xl} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-025: Along-track ramp, 3 targets 10 km apart, normal heights
slope $\alpha = 40\,^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xl} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-026: Along-track ramp, 3 targets 10 km apart, normal heights
slope $\alpha = 50\,^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xl} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-027: Along-track ramp, 5 targets 10 km apart, normal heights
slope α = 0.1 ° (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{st} = [63.7, 27.0, 4.1, 1.7] m.

RA-LN-028: Along-track ramp, 5 targets 10 km apart, normal heights
slope $\alpha = 1^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-029: Along-track ramp, 5 targets 10 km apart, normal heights
slope $\alpha = 1.5^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-030: Along-track ramp, 5 targets 10 km apart, normal heights
slope $\alpha = 2^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-LN-031: Along-track ramp, 5 targets 10 km apart, normal heights
slope $\alpha = 3°$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-032: Along-track ramp, 5 targets 10 km apart, normal heights
slope $\alpha = 4^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ra} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{at} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-033: Along-track ramp, 5 targets 10 km apart, normal heights
slope $\alpha = 5^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ra} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{at} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-034: Along-track ramp, 5 targets 10 km apart, normal heights
slope $\alpha = 10^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-035: Along-track ramp, 5 targets 10 km apart, normal heights
slope $\alpha = 15^\circ$ (target j at height j·200 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-036: Along-track ramp, 5 targets 10 km apart, normal heights
slope $\alpha = 20^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-037: Along-track ramp, 5 targets 10 km apart, normal heights
slope $\alpha = 30^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-038: Along-track ramp, 5 targets 10 km apart, normal heights
slope $\alpha = 40\,^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LN-039: Along-track ramp, 5 targets 10 km apart, normal heights
slope $\alpha = 50^\circ$ (target j at height j·200 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-001: Along-track ramp, 2 targets 10 km apart, large heights
slope $\alpha = 0.1^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-002: Along-track ramp, 2 targets 10 km apart, large heights
slope $\alpha = 1^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{tx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-003: Along-track ramp, 2 targets 10 km apart, large heights
slope α = 1.5 ° (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{st} = [63.7, 27.0, 4.1, 1.7] m.

RA-LL-004: Along-track ramp, 2 targets 10 km apart, large heights
slope $\alpha = 2^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{tx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{at} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-005: Along-track ramp, 2 targets 10 km apart, large heights
slope $\alpha = 3°$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{tx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{at} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-006: Along-track ramp, 2 targets 10 km apart, large heights
slope $\alpha = 4^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-007: Along-track ramp, 2 targets 10 km apart, large heights
slope $\alpha = 5^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-008: Along-track ramp, 2 targets 10 km apart, large heights
slope $\alpha = 10^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-009: Along-track ramp, 2 targets 10 km apart, large heights
slope $\alpha = 15^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-010: Along-track ramp, 2 targets 10 km apart, large heights
slope $\alpha = 20^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-011: Along-track ramp, 2 targets 10 km apart, large heights
slope $\alpha = 30^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-012: Along-track ramp, 2 targets 10 km apart, large heights
slope $\alpha = 40^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-013: Along-track ramp, 2 targets 10 km apart, large heights
slope $\alpha = 50^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{tx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-014: Along-track ramp, 3 targets 10 km apart, large heights
slope $\alpha = 0.1^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-015: Along-track ramp, 3 targets 10 km apart, large heights
slope $\alpha = 1^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-016: Along-track ramp, 3 targets 10 km apart, large heights
slope $\alpha = 1.5^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-017: Along-track ramp, 3 targets 10 km apart, large heights
slope $\alpha = 2^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-018: Along-track ramp, 3 targets 10 km apart, large heights
slope $\alpha = 3^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xℓ}$ = [63.7, 27.0, 4.1, 1.7] m.

RA-LL-019: Along-track ramp, 3 targets 10 km apart, large heights
slope $\alpha = 4^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xl} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-020: Along-track ramp, 3 targets 10 km apart, large heights
slope $\alpha = 5^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xl} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-021: Along-track ramp, 3 targets 10 km apart, large heights
slope $\alpha = 10^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-022: Along-track ramp, 3 targets 10 km apart, large heights
slope $\alpha = 15^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-023: Along-track ramp, 3 targets 10 km apart, large heights
slope $\alpha = 20^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-024: Along-track ramp, 3 targets 10 km apart, large heights
slope $\alpha = 30^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-025: Along-track ramp, 3 targets 10 km apart, large heights
slope $\alpha = 40^\circ$ (target j at height j·2600 m·tanα)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-026: Along-track ramp, 3 targets 10 km apart, large heights
slope $\alpha = 50^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-027: Along-track ramp, 5 targets 10 km apart, large heights
slope $\alpha = 0.1^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-028: Along-track ramp, 5 targets 10 km apart, large heights
slope $\alpha = 1^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-029: Along-track ramp, 5 targets 10 km apart, large heights
slope $\alpha = 1.5^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-030: Along-track ramp, 5 targets 10 km apart, large heights
slope $\alpha = 2^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-031: Along-track ramp, 5 targets 10 km apart, large heights
slope $\alpha = 3^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-032: Along-track ramp, 5 targets 10 km apart, large heights
slope $\alpha = 4^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-033: Along-track ramp, 5 targets 10 km apart, large heights
slope $\alpha = 5^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-034: Along-track ramp, 5 targets 10 km apart, large heights
slope $\alpha = 10^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-035: Along-track ramp, 5 targets 10 km apart, large heights
slope α = 15 ° (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xi} = [63.7, 27.0, 4.1, 1.7] m.

RA-LL-036: Along-track ramp, 5 targets 10 km apart, large heights
slope α = 20 ° (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RA-LL-037: Along-track ramp, 5 targets 10 km apart, large heights
slope $\alpha = 30^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-038: Along-track ramp, 5 targets 10 km apart, large heights
slope $\alpha = 40^\circ$ (target j at height j·2600 m·tanα)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RA-LL-039: Along-track ramp, 5 targets 10 km apart, large heights
slope $\alpha = 50^\circ$ (target j at height j·2600 m·tanα)









Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.