






Each point is one case. Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Random geometries (all cases), targets 2.6 km apart
no SATA
SATA whole band
SATA per sub-band
no SATA vs SATA whole band
highest ambiguity [dB re. reference peak]
highest target [m]
SATA whole band [dB]
no SATA [dB]
dashed: improvement of
10, 20, 30, 40 dB
10 dB
20 dB
30 dB
40 dB
random heights
piecewise ramp
zig-zag
steepening
flattening
cliff
spike
mesa
Each point is one case. Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.


Random geometries (all cases), targets 10 km apart
no SATA
SATA whole band
SATA per sub-band
no SATA vs SATA whole band
highest ambiguity [dB re. reference peak]
highest target [m]
SATA whole band [dB]
no SATA [dB]
dashed: improvement of
10, 20, 30, 40 dB
10 dB
20 dB
30 dB
40 dB
random heights
piecewise ramp
zig-zag
steepening
flattening
cliff
spike
mesa
Each point is one case. Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Random geometries: SATA per sub-band vs SATA whole band, highest ambiguity of every case
targets 200 m apart | largest difference 0.32 dB
targets 2.6 km apart | largest difference 0.51 dB
targets 10 km apart | largest difference 2.54 dB
SATA per sub-band [dB]
SATA whole band [dB]
0
−10
−20
−30
−40
−50
−60
random heights
piecewise ramp
zig-zag
steepening
flattening
cliff
spike
mesa
Each point is one case. Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

Random heights, targets 200 m apart, small heights (heights drawn uniformly between 0 and 10, 50 or 100 m)
improvement = highest ambiguity (no SATA) − highest ambiguity (SATA) | cells with more than one case: smallest improvement






Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

Random heights, targets 200 m apart, normal heights (heights drawn uniformly between 0 and 100, 500 or 1000 m)
improvement = highest ambiguity (no SATA) − highest ambiguity (SATA) | cells with more than one case: smallest improvement



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

Random heights, targets 200 m apart, normal heights (heights drawn uniformly between 0 and 100, 500 or 1000 m)
highest ambiguity [dB re. reference peak] | cells with more than one case: highest value



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

Random heights, targets 200 m apart, large heights (heights drawn uniformly between 0 and 1300, 6500 or 13000 m)
improvement = highest ambiguity (no SATA) − highest ambiguity (SATA) | cells with more than one case: smallest improvement




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.


Random heights, targets 2.6 km apart, small heights (heights drawn uniformly between 0 and 10, 50 or 100 m)
improvement = highest ambiguity (no SATA) − highest ambiguity (SATA) | cells with more than one case: smallest improvement



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.





Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.





Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-SS-001: Random heights, 5 targets 200 m apart, small heights
heights drawn uniformly between 0 and 10 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SS-002: Random heights, 5 targets 200 m apart, small heights
heights drawn uniformly between 0 and 10 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SS-003: Random heights, 5 targets 200 m apart, small heights
heights drawn uniformly between 0 and 50 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SS-004: Random heights, 5 targets 200 m apart, small heights
heights drawn uniformly between 0 and 50 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SS-005: Random heights, 5 targets 200 m apart, small heights
heights drawn uniformly between 0 and 100 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SS-006: Random heights, 5 targets 200 m apart, small heights
heights drawn uniformly between 0 and 100 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-SS-007: Random heights, 9 targets 200 m apart, small heights
heights drawn uniformly between 0 and 10 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SS-008: Random heights, 9 targets 200 m apart, small heights
heights drawn uniformly between 0 and 10 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SS-009: Random heights, 9 targets 200 m apart, small heights
heights drawn uniformly between 0 and 50 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SS-010: Random heights, 9 targets 200 m apart, small heights
heights drawn uniformly between 0 and 50 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SS-011: Random heights, 9 targets 200 m apart, small heights
heights drawn uniformly between 0 and 100 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SS-012: Random heights, 9 targets 200 m apart, small heights
heights drawn uniformly between 0 and 100 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-SS-013: Random heights, 13 targets 200 m apart, small heights
heights drawn uniformly between 0 and 10 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SS-014: Random heights, 13 targets 200 m apart, small heights
heights drawn uniformly between 0 and 10 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-SS-015: Random heights, 13 targets 200 m apart, small heights
heights drawn uniformly between 0 and 50 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SS-016: Random heights, 13 targets 200 m apart, small heights
heights drawn uniformly between 0 and 50 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SS-017: Random heights, 13 targets 200 m apart, small heights
heights drawn uniformly between 0 and 100 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SS-018: Random heights, 13 targets 200 m apart, small heights
heights drawn uniformly between 0 and 100 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SN-001: Random heights, 5 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 100 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SN-002: Random heights, 5 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 100 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SN-003: Random heights, 5 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 500 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SN-004: Random heights, 5 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 500 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SN-005: Random heights, 5 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 1000 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SN-006: Random heights, 5 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 1000 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-SN-007: Random heights, 9 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 100 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SN-008: Random heights, 9 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 100 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SN-009: Random heights, 9 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 500 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SN-010: Random heights, 9 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 500 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SN-011: Random heights, 9 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 1000 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-SN-012: Random heights, 9 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 1000 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-SN-013: Random heights, 13 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 100 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-SN-014: Random heights, 13 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 100 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SN-015: Random heights, 13 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 500 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SN-016: Random heights, 13 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 500 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SN-017: Random heights, 13 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 1000 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SN-018: Random heights, 13 targets 200 m apart, normal heights
heights drawn uniformly between 0 and 1000 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SL-001: Random heights, 5 targets 200 m apart, large heights
heights drawn uniformly between 0 and 1300 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SL-002: Random heights, 5 targets 200 m apart, large heights
heights drawn uniformly between 0 and 1300 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-SL-003: Random heights, 5 targets 200 m apart, large heights
heights drawn uniformly between 0 and 6500 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SL-004: Random heights, 5 targets 200 m apart, large heights
heights drawn uniformly between 0 and 6500 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SL-005: Random heights, 5 targets 200 m apart, large heights
heights drawn uniformly between 0 and 13000 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-SL-006: Random heights, 5 targets 200 m apart, large heights
heights drawn uniformly between 0 and 13000 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SL-007: Random heights, 9 targets 200 m apart, large heights
heights drawn uniformly between 0 and 1300 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{ct} = [63.7, 27.0, 4.1, 1.7] m.

RH-SL-008: Random heights, 9 targets 200 m apart, large heights
heights drawn uniformly between 0 and 1300 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SL-009: Random heights, 9 targets 200 m apart, large heights
heights drawn uniformly between 0 and 6500 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-SL-010: Random heights, 9 targets 200 m apart, large heights
heights drawn uniformly between 0 and 6500 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SL-011: Random heights, 9 targets 200 m apart, large heights
heights drawn uniformly between 0 and 13000 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xi} = [63.7, 27.0, 4.1, 1.7] m.

RH-SL-012: Random heights, 9 targets 200 m apart, large heights
heights drawn uniformly between 0 and 13000 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{x1} = [63.7, 27.0, 4.1, 1.7] m.

RH-SL-013: Random heights, 13 targets 200 m apart, large heights
heights drawn uniformly between 0 and 1300 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SL-014: Random heights, 13 targets 200 m apart, large heights
heights drawn uniformly between 0 and 1300 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SL-015: Random heights, 13 targets 200 m apart, large heights
heights drawn uniformly between 0 and 6500 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SL-016: Random heights, 13 targets 200 m apart, large heights
heights drawn uniformly between 0 and 6500 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SL-017: Random heights, 13 targets 200 m apart, large heights
heights drawn uniformly between 0 and 13000 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-SL-018: Random heights, 13 targets 200 m apart, large heights
heights drawn uniformly between 0 and 13000 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-NS-001: Random heights, 5 targets 2.6 km apart, small heights
heights drawn uniformly between 0 and 10 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-NS-002: Random heights, 5 targets 2.6 km apart, small heights
heights drawn uniformly between 0 and 10 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-NS-003: Random heights, 5 targets 2.6 km apart, small heights
heights drawn uniformly between 0 and 50 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-NS-004: Random heights, 5 targets 2.6 km apart, small heights
heights drawn uniformly between 0 and 50 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-NS-005: Random heights, 5 targets 2.6 km apart, small heights
heights drawn uniformly between 0 and 100 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-NS-006: Random heights, 5 targets 2.6 km apart, small heights
heights drawn uniformly between 0 and 100 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-NN-001: Random heights, 5 targets 2.6 km apart, normal heights
heights drawn uniformly between 0 and 100 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-NN-002: Random heights, 5 targets 2.6 km apart, normal heights
heights drawn uniformly between 0 and 100 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-NN-003: Random heights, 5 targets 2.6 km apart, normal heights
heights drawn uniformly between 0 and 500 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-NN-004: Random heights, 5 targets 2.6 km apart, normal heights
heights drawn uniformly between 0 and 500 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-NN-005: Random heights, 5 targets 2.6 km apart, normal heights
heights drawn uniformly between 0 and 1000 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-NN-006: Random heights, 5 targets 2.6 km apart, normal heights
heights drawn uniformly between 0 and 1000 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-NL-001: Random heights, 5 targets 2.6 km apart, large heights
heights drawn uniformly between 0 and 1300 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-NL-002: Random heights, 5 targets 2.6 km apart, large heights
heights drawn uniformly between 0 and 1300 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-NL-003: Random heights, 5 targets 2.6 km apart, large heights
heights drawn uniformly between 0 and 6500 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-NL-004: Random heights, 5 targets 2.6 km apart, large heights
heights drawn uniformly between 0 and 6500 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-NL-005: Random heights, 5 targets 2.6 km apart, large heights
heights drawn uniformly between 0 and 13000 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-NL-006: Random heights, 5 targets 2.6 km apart, large heights
heights drawn uniformly between 0 and 13000 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-LS-001: Random heights, 5 targets 10 km apart, small heights
heights drawn uniformly between 0 and 10 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-LS-002: Random heights, 5 targets 10 km apart, small heights
heights drawn uniformly between 0 and 10 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-LS-003: Random heights, 5 targets 10 km apart, small heights
heights drawn uniformly between 0 and 50 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-LS-004: Random heights, 5 targets 10 km apart, small heights
heights drawn uniformly between 0 and 50 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-LS-005: Random heights, 5 targets 10 km apart, small heights
heights drawn uniformly between 0 and 100 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-LS-006: Random heights, 5 targets 10 km apart, small heights
heights drawn uniformly between 0 and 100 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xl} = [63.7, 27.0, 4.1, 1.7] m.

RH-LN-001: Random heights, 5 targets 10 km apart, normal heights
heights drawn uniformly between 0 and 100 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{tx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-LN-002: Random heights, 5 targets 10 km apart, normal heights
heights drawn uniformly between 0 and 100 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xl} = [63.7, 27.0, 4.1, 1.7] m.

RH-LN-003: Random heights, 5 targets 10 km apart, normal heights
heights drawn uniformly between 0 and 500 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-LN-004: Random heights, 5 targets 10 km apart, normal heights
heights drawn uniformly between 0 and 500 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-LN-005: Random heights, 5 targets 10 km apart, normal heights
heights drawn uniformly between 0 and 1000 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-LN-006: Random heights, 5 targets 10 km apart, normal heights
heights drawn uniformly between 0 and 1000 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-LL-001: Random heights, 5 targets 10 km apart, large heights
heights drawn uniformly between 0 and 1300 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-LL-002: Random heights, 5 targets 10 km apart, large heights
heights drawn uniformly between 0 and 1300 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-LL-003: Random heights, 5 targets 10 km apart, large heights
heights drawn uniformly between 0 and 6500 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-LL-004: Random heights, 5 targets 10 km apart, large heights
heights drawn uniformly between 0 and 6500 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

RH-LL-005: Random heights, 5 targets 10 km apart, large heights
heights drawn uniformly between 0 and 13000 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

RH-LL-006: Random heights, 5 targets 10 km apart, large heights
heights drawn uniformly between 0 and 13000 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SS-001: Piecewise ramp, 5 targets 200 m apart, small heights
random slopes between neighbours, steps of 20 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SS-002: Piecewise ramp, 5 targets 200 m apart, small heights
random slopes between neighbours, steps of 20 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xc} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SS-003: Piecewise ramp, 5 targets 200 m apart, small heights
random slopes between neighbours, steps of 20 m (draw 2)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SS-004: Piecewise ramp, 5 targets 200 m apart, small heights
random slopes between neighbours, steps of 20 m (draw 3)













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-SS-005: Piecewise ramp, 5 targets 200 m apart, small heights
random slopes between neighbours, steps of 20 m (draw 4)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SS-006: Piecewise ramp, 9 targets 200 m apart, small heights
random slopes between neighbours, steps of 20 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SS-007: Piecewise ramp, 9 targets 200 m apart, small heights
random slopes between neighbours, steps of 20 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-SS-008: Piecewise ramp, 9 targets 200 m apart, small heights
random slopes between neighbours, steps of 20 m (draw 2)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SS-009: Piecewise ramp, 9 targets 200 m apart, small heights
random slopes between neighbours, steps of 20 m (draw 3)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SS-010: Piecewise ramp, 9 targets 200 m apart, small heights
random slopes between neighbours, steps of 20 m (draw 4)












Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-SS-011: Piecewise ramp, 13 targets 200 m apart, small heights
random slopes between neighbours, steps of 20 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SS-012: Piecewise ramp, 13 targets 200 m apart, small heights
random slopes between neighbours, steps of 20 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SS-013: Piecewise ramp, 13 targets 200 m apart, small heights
random slopes between neighbours, steps of 20 m (draw 2)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SS-014: Piecewise ramp, 13 targets 200 m apart, small heights
random slopes between neighbours, steps of 20 m (draw 3)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SS-015: Piecewise ramp, 13 targets 200 m apart, small heights
random slopes between neighbours, steps of 20 m (draw 4)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SN-001: Piecewise ramp, 5 targets 200 m apart, normal heights
random slopes between neighbours, steps of 200 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SN-002: Piecewise ramp, 5 targets 200 m apart, normal heights
random slopes between neighbours, steps of 200 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xl} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SN-003: Piecewise ramp, 5 targets 200 m apart, normal heights
random slopes between neighbours, steps of 200 m (draw 2)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-SN-004: Piecewise ramp, 5 targets 200 m apart, normal heights
random slopes between neighbours, steps of 200 m (draw 3)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SN-005: Piecewise ramp, 5 targets 200 m apart, normal heights
random slopes between neighbours, steps of 200 m (draw 4)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{at} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SN-006: Piecewise ramp, 9 targets 200 m apart, normal heights
random slopes between neighbours, steps of 200 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xl} = [63.7, 27.0, 4.1, 1.7] m.

PW-SN-007: Piecewise ramp, 9 targets 200 m apart, normal heights
random slopes between neighbours, steps of 200 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{el} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SN-008: Piecewise ramp, 9 targets 200 m apart, normal heights
random slopes between neighbours, steps of 200 m (draw 2)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SN-009: Piecewise ramp, 9 targets 200 m apart, normal heights
random slopes between neighbours, steps of 200 m (draw 3)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-SN-010: Piecewise ramp, 9 targets 200 m apart, normal heights
random slopes between neighbours, steps of 200 m (draw 4)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{at} = [63.7, 27.0, 4.1, 1.7] m.

PW-SN-011: Piecewise ramp, 13 targets 200 m apart, normal heights
random slopes between neighbours, steps of 200 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-SN-012: Piecewise ramp, 13 targets 200 m apart, normal heights
random slopes between neighbours, steps of 200 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SN-013: Piecewise ramp, 13 targets 200 m apart, normal heights
random slopes between neighbours, steps of 200 m (draw 2)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SN-014: Piecewise ramp, 13 targets 200 m apart, normal heights
random slopes between neighbours, steps of 200 m (draw 3)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-SN-015: Piecewise ramp, 13 targets 200 m apart, normal heights
random slopes between neighbours, steps of 200 m (draw 4)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SL-001: Piecewise ramp, 5 targets 200 m apart, large heights
random slopes between neighbours, steps of 2600 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SL-002: Piecewise ramp, 5 targets 200 m apart, large heights
random slopes between neighbours, steps of 2600 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SL-003: Piecewise ramp, 5 targets 200 m apart, large heights
random slopes between neighbours, steps of 2600 m (draw 2)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SL-004: Piecewise ramp, 5 targets 200 m apart, large heights
random slopes between neighbours, steps of 2600 m (draw 3)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SL-005: Piecewise ramp, 5 targets 200 m apart, large heights
random slopes between neighbours, steps of 2600 m (draw 4)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SL-006: Piecewise ramp, 9 targets 200 m apart, large heights
random slopes between neighbours, steps of 2600 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SL-007: Piecewise ramp, 9 targets 200 m apart, large heights
random slopes between neighbours, steps of 2600 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{rx} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SL-008: Piecewise ramp, 9 targets 200 m apart, large heights
random slopes between neighbours, steps of 2600 m (draw 2)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{x\ell} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SL-009: Piecewise ramp, 9 targets 200 m apart, large heights
random slopes between neighbours, steps of 2600 m (draw 3)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SL-010: Piecewise ramp, 9 targets 200 m apart, large heights
random slopes between neighbours, steps of 2600 m (draw 4)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-SL-011: Piecewise ramp, 13 targets 200 m apart, large heights
random slopes between neighbours, steps of 2600 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SL-012: Piecewise ramp, 13 targets 200 m apart, large heights
random slopes between neighbours, steps of 2600 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SL-013: Piecewise ramp, 13 targets 200 m apart, large heights
random slopes between neighbours, steps of 2600 m (draw 2)













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-SL-014: Piecewise ramp, 13 targets 200 m apart, large heights
random slopes between neighbours, steps of 2600 m (draw 3)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-SL-015: Piecewise ramp, 13 targets 200 m apart, large heights
random slopes between neighbours, steps of 2600 m (draw 4)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-NS-001: Piecewise ramp, 5 targets 2.6 km apart, small heights
random slopes between neighbours, steps of 20 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-NS-002: Piecewise ramp, 5 targets 2.6 km apart, small heights
random slopes between neighbours, steps of 20 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-NS-003: Piecewise ramp, 5 targets 2.6 km apart, small heights
random slopes between neighbours, steps of 20 m (draw 2)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-NS-004: Piecewise ramp, 5 targets 2.6 km apart, small heights
random slopes between neighbours, steps of 20 m (draw 3)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-NS-005: Piecewise ramp, 5 targets 2.6 km apart, small heights
random slopes between neighbours, steps of 20 m (draw 4)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-NN-001: Piecewise ramp, 5 targets 2.6 km apart, normal heights
random slopes between neighbours, steps of 200 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-NN-002: Piecewise ramp, 5 targets 2.6 km apart, normal heights
random slopes between neighbours, steps of 200 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-NN-003: Piecewise ramp, 5 targets 2.6 km apart, normal heights
random slopes between neighbours, steps of 200 m (draw 2)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-NN-004: Piecewise ramp, 5 targets 2.6 km apart, normal heights
random slopes between neighbours, steps of 200 m (draw 3)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-NN-005: Piecewise ramp, 5 targets 2.6 km apart, normal heights
random slopes between neighbours, steps of 200 m (draw 4)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-NL-001: Piecewise ramp, 5 targets 2.6 km apart, large heights
random slopes between neighbours, steps of 2600 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{x\ell} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-NL-002: Piecewise ramp, 5 targets 2.6 km apart, large heights
random slopes between neighbours, steps of 2600 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-NL-003: Piecewise ramp, 5 targets 2.6 km apart, large heights
random slopes between neighbours, steps of 2600 m (draw 2)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-NL-004: Piecewise ramp, 5 targets 2.6 km apart, large heights
random slopes between neighbours, steps of 2600 m (draw 3)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-NL-005: Piecewise ramp, 5 targets 2.6 km apart, large heights
random slopes between neighbours, steps of 2600 m (draw 4)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-LS-001: Piecewise ramp, 5 targets 10 km apart, small heights
random slopes between neighbours, steps of 20 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-LS-002: Piecewise ramp, 5 targets 10 km apart, small heights
random slopes between neighbours, steps of 20 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-LS-003: Piecewise ramp, 5 targets 10 km apart, small heights
random slopes between neighbours, steps of 20 m (draw 2)













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-LS-004: Piecewise ramp, 5 targets 10 km apart, small heights
random slopes between neighbours, steps of 20 m (draw 3)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-LS-005: Piecewise ramp, 5 targets 10 km apart, small heights
random slopes between neighbours, steps of 20 m (draw 4)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-LN-001: Piecewise ramp, 5 targets 10 km apart, normal heights
random slopes between neighbours, steps of 200 m (draw 0)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-LN-002: Piecewise ramp, 5 targets 10 km apart, normal heights
random slopes between neighbours, steps of 200 m (draw 1)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-LN-003: Piecewise ramp, 5 targets 10 km apart, normal heights
random slopes between neighbours, steps of 200 m (draw 2)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

PW-LN-004: Piecewise ramp, 5 targets 10 km apart, normal heights
random slopes between neighbours, steps of 200 m (draw 3)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-LN-005: Piecewise ramp, 5 targets 10 km apart, normal heights
random slopes between neighbours, steps of 200 m (draw 4)












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-LL-001: Piecewise ramp, 5 targets 10 km apart, large heights
random slopes between neighbours, steps of 2600 m (draw 0)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{x,i} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-LL-002: Piecewise ramp, 5 targets 10 km apart, large heights
random slopes between neighbours, steps of 2600 m (draw 1)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-LL-003: Piecewise ramp, 5 targets 10 km apart, large heights
random slopes between neighbours, steps of 2600 m (draw 2)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-LL-004: Piecewise ramp, 5 targets 10 km apart, large heights
random slopes between neighbours, steps of 2600 m (draw 3)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

PW-LL-005: Piecewise ramp, 5 targets 10 km apart, large heights
random slopes between neighbours, steps of 2600 m (draw 4)













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-SS-001: Zig-zag ramp, 5 targets 200 m apart, small heights
slopes alternating +/-0.1 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-002: Zig-zag ramp, 5 targets 200 m apart, small heights
slopes alternating +/-1°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-003: Zig-zag ramp, 5 targets 200 m apart, small heights
slopes alternating +/-1.5 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-004: Zig-zag ramp, 5 targets 200 m apart, small heights
slopes alternating +/-2°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-005: Zig-zag ramp, 5 targets 200 m apart, small heights
slopes alternating +/-3°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-006: Zig-zag ramp, 5 targets 200 m apart, small heights
slopes alternating +/-4°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{tx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-007: Zig-zag ramp, 5 targets 200 m apart, small heights
slopes alternating +/-5 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{tx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-008: Zig-zag ramp, 5 targets 200 m apart, small heights
slopes alternating +/-10 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xr} = [63.7, 27.0, 4.1, 1.7] m.

ZI-SS-009: Zig-zag ramp, 5 targets 200 m apart, small heights
slopes alternating +/-15 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-010: Zig-zag ramp, 5 targets 200 m apart, small heights
slopes alternating +/-20 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-011: Zig-zag ramp, 5 targets 200 m apart, small heights
slopes alternating +/-30 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-012: Zig-zag ramp, 5 targets 200 m apart, small heights
slopes alternating +/-40 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-013: Zig-zag ramp, 5 targets 200 m apart, small heights
slopes alternating +/-50 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-SS-014: Zig-zag ramp, 9 targets 200 m apart, small heights
slopes alternating +/-0.1 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-015: Zig-zag ramp, 9 targets 200 m apart, small heights
slopes alternating +/-1°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-016: Zig-zag ramp, 9 targets 200 m apart, small heights
slopes alternating +/-1.5 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-017: Zig-zag ramp, 9 targets 200 m apart, small heights
slopes alternating +/-2°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-018: Zig-zag ramp, 9 targets 200 m apart, small heights
slopes alternating +/-3°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{tx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-SS-019: Zig-zag ramp, 9 targets 200 m apart, small heights
slopes alternating +/-4°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{tx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-020: Zig-zag ramp, 9 targets 200 m apart, small heights
slopes alternating +/-5°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-021: Zig-zag ramp, 9 targets 200 m apart, small heights
slopes alternating +/-10 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-022: Zig-zag ramp, 9 targets 200 m apart, small heights
slopes alternating +/-15 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-SS-023: Zig-zag ramp, 9 targets 200 m apart, small heights
slopes alternating +/-20 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-024: Zig-zag ramp, 9 targets 200 m apart, small heights
slopes alternating +/-30 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-025: Zig-zag ramp, 9 targets 200 m apart, small heights
slopes alternating +/-40 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SS-026: Zig-zag ramp, 9 targets 200 m apart, small heights
slopes alternating +/-50 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-001: Zig-zag ramp, 5 targets 200 m apart, normal heights
slopes alternating +/-0.1 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-002: Zig-zag ramp, 5 targets 200 m apart, normal heights
slopes alternating +/-1°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-003: Zig-zag ramp, 5 targets 200 m apart, normal heights
slopes alternating +/-1.5 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-004: Zig-zag ramp, 5 targets 200 m apart, normal heights
slopes alternating +/-2°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-005: Zig-zag ramp, 5 targets 200 m apart, normal heights
slopes alternating +/-3°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-006: Zig-zag ramp, 5 targets 200 m apart, normal heights
slopes alternating +/-4°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-007: Zig-zag ramp, 5 targets 200 m apart, normal heights
slopes alternating +/-5°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-008: Zig-zag ramp, 5 targets 200 m apart, normal heights
slopes alternating +/-10 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-SN-009: Zig-zag ramp, 5 targets 200 m apart, normal heights
slopes alternating +/-15 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{at} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-010: Zig-zag ramp, 5 targets 200 m apart, normal heights
slopes alternating +/-20 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{at} = [63.7, 27.0, 4.1, 1.7] m.

ZI-SN-011: Zig-zag ramp, 5 targets 200 m apart, normal heights
slopes alternating +/-30 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-012: Zig-zag ramp, 5 targets 200 m apart, normal heights
slopes alternating +/-40 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-013: Zig-zag ramp, 5 targets 200 m apart, normal heights
slopes alternating +/-50 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-014: Zig-zag ramp, 9 targets 200 m apart, normal heights
slopes alternating +/-0.1 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-015: Zig-zag ramp, 9 targets 200 m apart, normal heights
slopes alternating +/-1°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-SN-016: Zig-zag ramp, 9 targets 200 m apart, normal heights
slopes alternating +/-1.5 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-017: Zig-zag ramp, 9 targets 200 m apart, normal heights
slopes alternating +/-2°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-018: Zig-zag ramp, 9 targets 200 m apart, normal heights
slopes alternating +/-3°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-019: Zig-zag ramp, 9 targets 200 m apart, normal heights
slopes alternating +/-4°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-020: Zig-zag ramp, 9 targets 200 m apart, normal heights
slopes alternating +/-5°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-021: Zig-zag ramp, 9 targets 200 m apart, normal heights
slopes alternating +/-10 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-022: Zig-zag ramp, 9 targets 200 m apart, normal heights
slopes alternating +/-15 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-SN-023: Zig-zag ramp, 9 targets 200 m apart, normal heights
slopes alternating +/-20 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-024: Zig-zag ramp, 9 targets 200 m apart, normal heights
slopes alternating +/-30 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SN-025: Zig-zag ramp, 9 targets 200 m apart, normal heights
slopes alternating +/-40 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-SN-026: Zig-zag ramp, 9 targets 200 m apart, normal heights
slopes alternating +/-50 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-001: Zig-zag ramp, 5 targets 200 m apart, large heights
slopes alternating +/-0.1 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-002: Zig-zag ramp, 5 targets 200 m apart, large heights
slopes alternating +/-1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-003: Zig-zag ramp, 5 targets 200 m apart, large heights
slopes alternating +/-1.5 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-004: Zig-zag ramp, 5 targets 200 m apart, large heights
slopes alternating +/-2°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-005: Zig-zag ramp, 5 targets 200 m apart, large heights
slopes alternating +/-3°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-006: Zig-zag ramp, 5 targets 200 m apart, large heights
slopes alternating +/-4°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-007: Zig-zag ramp, 5 targets 200 m apart, large heights
slopes alternating +/-5°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xl} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-008: Zig-zag ramp, 5 targets 200 m apart, large heights
slopes alternating +/-10 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-009: Zig-zag ramp, 5 targets 200 m apart, large heights
slopes alternating +/-15 °, steps of 2600 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-010: Zig-zag ramp, 5 targets 200 m apart, large heights
slopes alternating +/-20 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-011: Zig-zag ramp, 5 targets 200 m apart, large heights
slopes alternating +/-30 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-012: Zig-zag ramp, 5 targets 200 m apart, large heights
slopes alternating +/-40 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-SL-013: Zig-zag ramp, 5 targets 200 m apart, large heights
slopes alternating +/-50 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-SL-014: Zig-zag ramp, 9 targets 200 m apart, large heights
slopes alternating +/-0.1 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-015: Zig-zag ramp, 9 targets 200 m apart, large heights
slopes alternating +/-1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-016: Zig-zag ramp, 9 targets 200 m apart, large heights
slopes alternating +/-1.5 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-017: Zig-zag ramp, 9 targets 200 m apart, large heights
slopes alternating +/-2°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-SL-018: Zig-zag ramp, 9 targets 200 m apart, large heights
slopes alternating +/-3°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-019: Zig-zag ramp, 9 targets 200 m apart, large heights
slopes alternating +/-4°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-020: Zig-zag ramp, 9 targets 200 m apart, large heights
slopes alternating +/-5°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-021: Zig-zag ramp, 9 targets 200 m apart, large heights
slopes alternating +/-10 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-022: Zig-zag ramp, 9 targets 200 m apart, large heights
slopes alternating +/-15 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-SL-023: Zig-zag ramp, 9 targets 200 m apart, large heights
slopes alternating +/-20 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-024: Zig-zag ramp, 9 targets 200 m apart, large heights
slopes alternating +/-30 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-025: Zig-zag ramp, 9 targets 200 m apart, large heights
slopes alternating +/-40 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-SL-026: Zig-zag ramp, 9 targets 200 m apart, large heights
slopes alternating +/-50 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NS-001: Zig-zag ramp, 5 targets 2.6 km apart, small heights
slopes alternating +/-0.1 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NS-002: Zig-zag ramp, 5 targets 2.6 km apart, small heights
slopes alternating +/-1°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-NS-003: Zig-zag ramp, 5 targets 2.6 km apart, small heights
slopes alternating +/-1.5 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NS-004: Zig-zag ramp, 5 targets 2.6 km apart, small heights
slopes alternating +/-2°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-NS-005: Zig-zag ramp, 5 targets 2.6 km apart, small heights
slopes alternating +/-3°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NS-006: Zig-zag ramp, 5 targets 2.6 km apart, small heights
slopes alternating +/-4°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NS-007: Zig-zag ramp, 5 targets 2.6 km apart, small heights
slopes alternating +/-5 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-NS-008: Zig-zag ramp, 5 targets 2.6 km apart, small heights
slopes alternating +/-10 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NS-009: Zig-zag ramp, 5 targets 2.6 km apart, small heights
slopes alternating +/-15 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NS-010: Zig-zag ramp, 5 targets 2.6 km apart, small heights
slopes alternating +/-20 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{ra} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{at} = [63.7, 27.0, 4.1, 1.7] m.

ZI-NS-011: Zig-zag ramp, 5 targets 2.6 km apart, small heights
slopes alternating +/-30 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NS-012: Zig-zag ramp, 5 targets 2.6 km apart, small heights
slopes alternating +/-40 °, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NS-013: Zig-zag ramp, 5 targets 2.6 km apart, small heights
slopes alternating +/-50 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NN-001: Zig-zag ramp, 5 targets 2.6 km apart, normal heights
slopes alternating +/-0.1 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NN-002: Zig-zag ramp, 5 targets 2.6 km apart, normal heights
slopes alternating +/-1°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NN-003: Zig-zag ramp, 5 targets 2.6 km apart, normal heights
slopes alternating +/-1.5 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NN-004: Zig-zag ramp, 5 targets 2.6 km apart, normal heights
slopes alternating +/-2°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NN-005: Zig-zag ramp, 5 targets 2.6 km apart, normal heights
slopes alternating +/-3°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NN-006: Zig-zag ramp, 5 targets 2.6 km apart, normal heights
slopes alternating +/-4°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NN-007: Zig-zag ramp, 5 targets 2.6 km apart, normal heights
slopes alternating +/-5°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NN-008: Zig-zag ramp, 5 targets 2.6 km apart, normal heights
slopes alternating +/-10 °, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NN-009: Zig-zag ramp, 5 targets 2.6 km apart, normal heights
slopes alternating +/-15 °, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{at} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NN-010: Zig-zag ramp, 5 targets 2.6 km apart, normal heights
slopes alternating +/-20 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{at} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NN-011: Zig-zag ramp, 5 targets 2.6 km apart, normal heights
slopes alternating +/-30 °, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{el} = [63.7, 27.0, 4.1, 1.7] m.

ZI-NN-012: Zig-zag ramp, 5 targets 2.6 km apart, normal heights
slopes alternating +/-40 °, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NN-013: Zig-zag ramp, 5 targets 2.6 km apart, normal heights
slopes alternating +/-50 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NL-001: Zig-zag ramp, 5 targets 2.6 km apart, large heights
slopes alternating +/-0.1 °, steps of 2600 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NL-002: Zig-zag ramp, 5 targets 2.6 km apart, large heights
slopes alternating +/-1°, steps of 2600 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NL-003: Zig-zag ramp, 5 targets 2.6 km apart, large heights
slopes alternating +/-1.5 °, steps of 2600 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NL-004: Zig-zag ramp, 5 targets 2.6 km apart, large heights
slopes alternating +/-2°, steps of 2600 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NL-005: Zig-zag ramp, 5 targets 2.6 km apart, large heights
slopes alternating +/-3°, steps of 2600 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NL-006: Zig-zag ramp, 5 targets 2.6 km apart, large heights
slopes alternating +/-4°, steps of 2600 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-NL-007: Zig-zag ramp, 5 targets 2.6 km apart, large heights
slopes alternating +/-5°, steps of 2600 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NL-008: Zig-zag ramp, 5 targets 2.6 km apart, large heights
slopes alternating +/-10 °, steps of 2600 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-NL-009: Zig-zag ramp, 5 targets 2.6 km apart, large heights
slopes alternating +/-15 °, steps of 2600 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-NL-010: Zig-zag ramp, 5 targets 2.6 km apart, large heights
slopes alternating +/-20 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-NL-011: Zig-zag ramp, 5 targets 2.6 km apart, large heights
slopes alternating +/-30 °, steps of 2600 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-NL-012: Zig-zag ramp, 5 targets 2.6 km apart, large heights
slopes alternating +/-40 °, steps of 2600 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-NL-013: Zig-zag ramp, 5 targets 2.6 km apart, large heights
slopes alternating +/-50 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-LS-001: Zig-zag ramp, 5 targets 10 km apart, small heights
slopes alternating +/-0.1 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LS-002: Zig-zag ramp, 5 targets 10 km apart, small heights
slopes alternating +/-1°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LS-003: Zig-zag ramp, 5 targets 10 km apart, small heights
slopes alternating +/-1.5 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-LS-004: Zig-zag ramp, 5 targets 10 km apart, small heights
slopes alternating +/-2°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LS-005: Zig-zag ramp, 5 targets 10 km apart, small heights
slopes alternating +/-3°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LS-006: Zig-zag ramp, 5 targets 10 km apart, small heights
slopes alternating +/-4°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{rx} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LS-007: Zig-zag ramp, 5 targets 10 km apart, small heights
slopes alternating +/-5 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LS-008: Zig-zag ramp, 5 targets 10 km apart, small heights
slopes alternating +/-10 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-LS-009: Zig-zag ramp, 5 targets 10 km apart, small heights
slopes alternating +/-15 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LS-010: Zig-zag ramp, 5 targets 10 km apart, small heights
slopes alternating +/-20 °, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LS-011: Zig-zag ramp, 5 targets 10 km apart, small heights
slopes alternating +/-30 °, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LS-012: Zig-zag ramp, 5 targets 10 km apart, small heights
slopes alternating +/-40 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-LS-013: Zig-zag ramp, 5 targets 10 km apart, small heights
slopes alternating +/-50 °, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LN-001: Zig-zag ramp, 5 targets 10 km apart, normal heights
slopes alternating +/-0.1 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LN-002: Zig-zag ramp, 5 targets 10 km apart, normal heights
slopes alternating +/-1°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-LN-003: Zig-zag ramp, 5 targets 10 km apart, normal heights
slopes alternating +/-1.5 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LN-004: Zig-zag ramp, 5 targets 10 km apart, normal heights
slopes alternating +/-2°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LN-005: Zig-zag ramp, 5 targets 10 km apart, normal heights
slopes alternating +/-3°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LN-006: Zig-zag ramp, 5 targets 10 km apart, normal heights
slopes alternating +/-4°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LN-007: Zig-zag ramp, 5 targets 10 km apart, normal heights
slopes alternating +/-5°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-LN-008: Zig-zag ramp, 5 targets 10 km apart, normal heights
slopes alternating +/-10 °, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-LN-009: Zig-zag ramp, 5 targets 10 km apart, normal heights
slopes alternating +/-15 °, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-LN-010: Zig-zag ramp, 5 targets 10 km apart, normal heights
slopes alternating +/-20 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{st} = [63.7, 27.0, 4.1, 1.7] m.

ZI-LN-011: Zig-zag ramp, 5 targets 10 km apart, normal heights
slopes alternating +/-30 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LN-012: Zig-zag ramp, 5 targets 10 km apart, normal heights
slopes alternating +/-40 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LN-013: Zig-zag ramp, 5 targets 10 km apart, normal heights
slopes alternating +/-50 °, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LL-001: Zig-zag ramp, 5 targets 10 km apart, large heights
slopes alternating +/-0.1 °, steps of 2600 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LL-002: Zig-zag ramp, 5 targets 10 km apart, large heights
slopes alternating +/-1°, steps of 2600 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LL-003: Zig-zag ramp, 5 targets 10 km apart, large heights
slopes alternating +/-1.5 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-LL-004: Zig-zag ramp, 5 targets 10 km apart, large heights
slopes alternating +/-2°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LL-005: Zig-zag ramp, 5 targets 10 km apart, large heights
slopes alternating +/-3°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LL-006: Zig-zag ramp, 5 targets 10 km apart, large heights
slopes alternating +/-4°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LL-007: Zig-zag ramp, 5 targets 10 km apart, large heights
slopes alternating +/-5°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LL-008: Zig-zag ramp, 5 targets 10 km apart, large heights
slopes alternating +/-10 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ZI-LL-009: Zig-zag ramp, 5 targets 10 km apart, large heights
slopes alternating +/-15 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-LL-010: Zig-zag ramp, 5 targets 10 km apart, large heights
slopes alternating +/-20 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-LL-011: Zig-zag ramp, 5 targets 10 km apart, large heights
slopes alternating +/-30 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-LL-012: Zig-zag ramp, 5 targets 10 km apart, large heights
slopes alternating +/-40 °, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ZI-LL-013: Zig-zag ramp, 5 targets 10 km apart, large heights
slopes alternating +/-50 °, steps of 2600 m









Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.