






Each point is one case. Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Random geometries (all cases), targets 2.6 km apart
no SATA
SATA whole band
SATA per sub-band
no SATA vs SATA whole band
highest ambiguity [dB re. reference peak]
highest target [m]
SATA whole band [dB]
no SATA [dB]
dashed: improvement of
10, 20, 30, 40 dB
10 dB
20 dB
30 dB
40 dB
random heights
piecewise ramp
zig-zag
steepening
flattening
cliff
spike
mesa
Each point is one case. Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.


Random geometries (all cases), targets 10 km apart
no SATA
SATA whole band
SATA per sub-band
no SATA vs SATA whole band
highest ambiguity [dB re. reference peak]
highest target [m]
SATA whole band [dB]
no SATA [dB]
dashed: improvement of
10, 20, 30, 40 dB
10 dB
20 dB
30 dB
40 dB
random heights
piecewise ramp
zig-zag
steepening
flattening
cliff
spike
mesa
Each point is one case. Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Random geometries: SATA per sub-band vs SATA whole band, highest ambiguity of every case
targets 200 m apart | largest difference 0.32 dB
targets 2.6 km apart | largest difference 0.51 dB
targets 10 km apart | largest difference 2.54 dB
SATA per sub-band [dB]
SATA whole band [dB]
0
−10
−20
−30
−40
−50
−60
random heights
piecewise ramp
zig-zag
steepening
flattening
cliff
spike
mesa
Each point is one case. Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.




Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.



Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.





Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.





Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ST-SS-001: Steepening ramp, 5 targets 200 m apart, small heights
slope changing from 0.1° to 10°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ST-SS-002: Steepening ramp, 5 targets 200 m apart, small heights
slope changing from 0.1° to 20°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-SS-003: Steepening ramp, 5 targets 200 m apart, small heights
slope changing from 0.1° to 30°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ST-SS-004: Steepening ramp, 5 targets 200 m apart, small heights
slope changing from 0.1° to 50°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ST-SS-005: Steepening ramp, 9 targets 200 m apart, small heights
slope changing from 0.1° to 10°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ST-SS-006: Steepening ramp, 9 targets 200 m apart, small heights
slope changing from 0.1° to 20°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ST-SS-007: Steepening ramp, 9 targets 200 m apart, small heights
slope changing from 0.1° to 30°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-SS-008: Steepening ramp, 9 targets 200 m apart, small heights
slope changing from 0.1° to 50°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-SN-001: Steepening ramp, 5 targets 200 m apart, normal heights
slope changing from 0.1° to 10°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{at} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-SN-002: Steepening ramp, 5 targets 200 m apart, normal heights
slope changing from 0.1° to 20°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ST-SN-003: Steepening ramp, 5 targets 200 m apart, normal heights
slope changing from 0.1° to 30°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-SN-004: Steepening ramp, 5 targets 200 m apart, normal heights
slope changing from 0.1° to 50°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xl} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-SN-005: Steepening ramp, 9 targets 200 m apart, normal heights
slope changing from 0.1° to 10°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-SN-006: Steepening ramp, 9 targets 200 m apart, normal heights
slope changing from 0.1° to 20°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xl} = [63.7, 27.0, 4.1, 1.7] m.

ST-SN-007: Steepening ramp, 9 targets 200 m apart, normal heights
slope changing from 0.1° to 30°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xl} = [63.7, 27.0, 4.1, 1.7] m.

ST-SN-008: Steepening ramp, 9 targets 200 m apart, normal heights
slope changing from 0.1° to 50°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ST-SL-001: Steepening ramp, 5 targets 200 m apart, large heights
slope changing from 0.1° to 10°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-SL-002: Steepening ramp, 5 targets 200 m apart, large heights
slope changing from 0.1° to 20°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-SL-003: Steepening ramp, 5 targets 200 m apart, large heights
slope changing from 0.1° to 30°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-SL-004: Steepening ramp, 5 targets 200 m apart, large heights
slope changing from 0.1° to 50°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-SL-005: Steepening ramp, 9 targets 200 m apart, large heights
slope changing from 0.1° to 10°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ST-SL-006: Steepening ramp, 9 targets 200 m apart, large heights
slope changing from 0.1° to 20°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-SL-007: Steepening ramp, 9 targets 200 m apart, large heights
slope changing from 0.1° to 30°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-SL-008: Steepening ramp, 9 targets 200 m apart, large heights
slope changing from 0.1° to 50°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{x\ell}$ = [63.7, 27.0, 4.1, 1.7] m.

ST-NS-001: Steepening ramp, 5 targets 2.6 km apart, small heights
slope changing from 0.1° to 10°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-NS-002: Steepening ramp, 5 targets 2.6 km apart, small heights
slope changing from 0.1° to 20°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-NS-003: Steepening ramp, 5 targets 2.6 km apart, small heights
slope changing from 0.1° to 30°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-NS-004: Steepening ramp, 5 targets 2.6 km apart, small heights
slope changing from 0.1° to 50°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-NN-001: Steepening ramp, 5 targets 2.6 km apart, normal heights
slope changing from 0.1° to 10°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-NN-002: Steepening ramp, 5 targets 2.6 km apart, normal heights
slope changing from 0.1° to 20°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xl} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-NN-003: Steepening ramp, 5 targets 2.6 km apart, normal heights
slope changing from 0.1° to 30°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-NN-004: Steepening ramp, 5 targets 2.6 km apart, normal heights
slope changing from 0.1° to 50°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-NL-001: Steepening ramp, 5 targets 2.6 km apart, large heights
slope changing from 0.1° to 10°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-NL-002: Steepening ramp, 5 targets 2.6 km apart, large heights
slope changing from 0.1° to 20°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-NL-003: Steepening ramp, 5 targets 2.6 km apart, large heights
slope changing from 0.1° to 30°, steps of 2600 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-NL-004: Steepening ramp, 5 targets 2.6 km apart, large heights
slope changing from 0.1° to 50°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-LS-001: Steepening ramp, 5 targets 10 km apart, small heights
slope changing from 0.1° to 10°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-LS-002: Steepening ramp, 5 targets 10 km apart, small heights
slope changing from 0.1° to 20°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ST-LS-003: Steepening ramp, 5 targets 10 km apart, small heights
slope changing from 0.1° to 30°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ST-LS-004: Steepening ramp, 5 targets 10 km apart, small heights
slope changing from 0.1° to 50°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-LN-001: Steepening ramp, 5 targets 10 km apart, normal heights
slope changing from 0.1° to 10°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{st} = [63.7, 27.0, 4.1, 1.7] m.

ST-LN-002: Steepening ramp, 5 targets 10 km apart, normal heights
slope changing from 0.1° to 20°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-LN-003: Steepening ramp, 5 targets 10 km apart, normal heights
slope changing from 0.1° to 30°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ST-LN-004: Steepening ramp, 5 targets 10 km apart, normal heights
slope changing from 0.1° to 50°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-LL-001: Steepening ramp, 5 targets 10 km apart, large heights
slope changing from 0.1° to 10°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-LL-002: Steepening ramp, 5 targets 10 km apart, large heights
slope changing from 0.1° to 20°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-LL-003: Steepening ramp, 5 targets 10 km apart, large heights
slope changing from 0.1° to 30°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ST-LL-004: Steepening ramp, 5 targets 10 km apart, large heights
slope changing from 0.1° to 50°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

FL-SS-001: Flattening ramp, 5 targets 200 m apart, small heights
slope changing from 10° to 0.1°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xc} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SS-002: Flattening ramp, 5 targets 200 m apart, small heights
slope changing from 20° to 0.1°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SS-003: Flattening ramp, 5 targets 200 m apart, small heights
slope changing from 30° to 0.1°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SS-004: Flattening ramp, 5 targets 200 m apart, small heights
slope changing from 50° to 0.1°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xc} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SS-005: Flattening ramp, 9 targets 200 m apart, small heights
slope changing from 10° to 0.1°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

FL-SS-006: Flattening ramp, 9 targets 200 m apart, small heights
slope changing from 20° to 0.1°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SS-007: Flattening ramp, 9 targets 200 m apart, small heights
slope changing from 30° to 0.1°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SS-008: Flattening ramp, 9 targets 200 m apart, small heights
slope changing from 50° to 0.1°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

FL-SN-001: Flattening ramp, 5 targets 200 m apart, normal heights
slope changing from 10° to 0.1°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{at} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SN-002: Flattening ramp, 5 targets 200 m apart, normal heights
slope changing from 20° to 0.1°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

FL-SN-003: Flattening ramp, 5 targets 200 m apart, normal heights
slope changing from 30° to 0.1°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{el} = [63.7, 27.0, 4.1, 1.7] m.

FL-SN-004: Flattening ramp, 5 targets 200 m apart, normal heights
slope changing from 50° to 0.1°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SN-005: Flattening ramp, 9 targets 200 m apart, normal heights
slope changing from 10° to 0.1°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SN-006: Flattening ramp, 9 targets 200 m apart, normal heights
slope changing from 20° to 0.1°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SN-007: Flattening ramp, 9 targets 200 m apart, normal heights
slope changing from 30° to 0.1°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SN-008: Flattening ramp, 9 targets 200 m apart, normal heights
slope changing from 50° to 0.1°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SL-001: Flattening ramp, 5 targets 200 m apart, large heights
slope changing from 10° to 0.1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

FL-SL-002: Flattening ramp, 5 targets 200 m apart, large heights
slope changing from 20° to 0.1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SL-003: Flattening ramp, 5 targets 200 m apart, large heights
slope changing from 30° to 0.1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SL-004: Flattening ramp, 5 targets 200 m apart, large heights
slope changing from 50° to 0.1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SL-005: Flattening ramp, 9 targets 200 m apart, large heights
slope changing from 10° to 0.1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

FL-SL-006: Flattening ramp, 9 targets 200 m apart, large heights
slope changing from 20° to 0.1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SL-007: Flattening ramp, 9 targets 200 m apart, large heights
slope changing from 30° to 0.1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-SL-008: Flattening ramp, 9 targets 200 m apart, large heights
slope changing from 50° to 0.1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{x\delta} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-NS-001: Flattening ramp, 5 targets 2.6 km apart, small heights
slope changing from 10° to 0.1°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-NS-002: Flattening ramp, 5 targets 2.6 km apart, small heights
slope changing from 20° to 0.1°, steps of 20 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-NS-003: Flattening ramp, 5 targets 2.6 km apart, small heights
slope changing from 30° to 0.1°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-NS-004: Flattening ramp, 5 targets 2.6 km apart, small heights
slope changing from 50° to 0.1°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-NN-001: Flattening ramp, 5 targets 2.6 km apart, normal heights
slope changing from 10° to 0.1°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{at} = [63.7, 27.0, 4.1, 1.7] m.

FL-NN-002: Flattening ramp, 5 targets 2.6 km apart, normal heights
slope changing from 20° to 0.1°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

FL-NN-003: Flattening ramp, 5 targets 2.6 km apart, normal heights
slope changing from 30° to 0.1°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

FL-NN-004: Flattening ramp, 5 targets 2.6 km apart, normal heights
slope changing from 50° to 0.1°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-NL-001: Flattening ramp, 5 targets 2.6 km apart, large heights
slope changing from 10° to 0.1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-NL-002: Flattening ramp, 5 targets 2.6 km apart, large heights
slope changing from 20° to 0.1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-NL-003: Flattening ramp, 5 targets 2.6 km apart, large heights
slope changing from 30° to 0.1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-NL-004: Flattening ramp, 5 targets 2.6 km apart, large heights
slope changing from 50° to 0.1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

FL-LS-001: Flattening ramp, 5 targets 10 km apart, small heights
slope changing from 10° to 0.1°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{el} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-LS-002: Flattening ramp, 5 targets 10 km apart, small heights
slope changing from 20° to 0.1°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-LS-003: Flattening ramp, 5 targets 10 km apart, small heights
slope changing from 30° to 0.1°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-LS-004: Flattening ramp, 5 targets 10 km apart, small heights
slope changing from 50° to 0.1°, steps of 20 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-LN-001: Flattening ramp, 5 targets 10 km apart, normal heights
slope changing from 10° to 0.1°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{st} = [63.7, 27.0, 4.1, 1.7] m.

FL-LN-002: Flattening ramp, 5 targets 10 km apart, normal heights
slope changing from 20° to 0.1°, steps of 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

FL-LN-003: Flattening ramp, 5 targets 10 km apart, normal heights
slope changing from 30° to 0.1°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

FL-LN-004: Flattening ramp, 5 targets 10 km apart, normal heights
slope changing from 50° to 0.1°, steps of 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-LL-001: Flattening ramp, 5 targets 10 km apart, large heights
slope changing from 10° to 0.1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

FL-LL-002: Flattening ramp, 5 targets 10 km apart, large heights
slope changing from 20° to 0.1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

FL-LL-003: Flattening ramp, 5 targets 10 km apart, large heights
slope changing from 30° to 0.1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

FL-LL-004: Flattening ramp, 5 targets 10 km apart, large heights
slope changing from 50° to 0.1°, steps of 2600 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-SS-001: Cliff, 5 targets 200 m apart, small heights
second half raised by 1 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SS-002: Cliff, 5 targets 200 m apart, small heights
second half raised by 5 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SS-003: Cliff, 5 targets 200 m apart, small heights
second half raised by 10 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SS-004: Cliff, 5 targets 200 m apart, small heights
second half raised by 25 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SS-005: Cliff, 5 targets 200 m apart, small heights
second half raised by 50 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SS-006: Cliff, 5 targets 200 m apart, small heights
second half raised by 100 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SS-007: Cliff, 5 targets 200 m apart, small heights
second half raised by 200 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xl} = [63.7, 27.0, 4.1, 1.7] m.

CL-SS-008: Cliff, 9 targets 200 m apart, small heights
second half raised by 1 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SS-009: Cliff, 9 targets 200 m apart, small heights
second half raised by 5 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SS-010: Cliff, 9 targets 200 m apart, small heights
second half raised by 10 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SS-011: Cliff, 9 targets 200 m apart, small heights
second half raised by 25 m












Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-SS-012: Cliff, 9 targets 200 m apart, small heights
second half raised by 50 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xr} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SS-013: Cliff, 9 targets 200 m apart, small heights
second half raised by 100 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-SS-014: Cliff, 9 targets 200 m apart, small heights
second half raised by 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-SN-001: Cliff, 5 targets 200 m apart, normal heights
second half raised by 10 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SN-002: Cliff, 5 targets 200 m apart, normal heights
second half raised by 50 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SN-003: Cliff, 5 targets 200 m apart, normal heights
second half raised by 100 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SN-004: Cliff, 5 targets 200 m apart, normal heights
second half raised by 250 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SN-005: Cliff, 5 targets 200 m apart, normal heights
second half raised by 500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SN-006: Cliff, 5 targets 200 m apart, normal heights
second half raised by 1000 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SN-007: Cliff, 5 targets 200 m apart, normal heights
second half raised by 2000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-SN-008: Cliff, 9 targets 200 m apart, normal heights
second half raised by 10 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SN-009: Cliff, 9 targets 200 m apart, normal heights
second half raised by 50 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SN-010: Cliff, 9 targets 200 m apart, normal heights
second half raised by 100 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-SN-011: Cliff, 9 targets 200 m apart, normal heights
second half raised by 250 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xl} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SN-012: Cliff, 9 targets 200 m apart, normal heights
second half raised by 500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SN-013: Cliff, 9 targets 200 m apart, normal heights
second half raised by 1000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-SN-014: Cliff, 9 targets 200 m apart, normal heights
second half raised by 2000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SL-001: Cliff, 5 targets 200 m apart, large heights
second half raised by 130 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SL-002: Cliff, 5 targets 200 m apart, large heights
second half raised by 650 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{st} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SL-003: Cliff, 5 targets 200 m apart, large heights
second half raised by 1300 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-SL-004: Cliff, 5 targets 200 m apart, large heights
second half raised by 3250 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-SL-005: Cliff, 5 targets 200 m apart, large heights
second half raised by 6500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-SL-006: Cliff, 5 targets 200 m apart, large heights
second half raised by 13000 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{rx} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SL-007: Cliff, 5 targets 200 m apart, large heights
second half raised by 26000 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{rx} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SL-008: Cliff, 9 targets 200 m apart, large heights
second half raised by 130 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-SL-009: Cliff, 9 targets 200 m apart, large heights
second half raised by 650 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-SL-010: Cliff, 9 targets 200 m apart, large heights
second half raised by 1300 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-SL-011: Cliff, 9 targets 200 m apart, large heights
second half raised by 3250 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-SL-012: Cliff, 9 targets 200 m apart, large heights
second half raised by 6500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-SL-013: Cliff, 9 targets 200 m apart, large heights
second half raised by 13000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xi} = [63.7, 27.0, 4.1, 1.7] m.

CL-SL-014: Cliff, 9 targets 200 m apart, large heights
second half raised by 26000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-NS-001: Cliff, 5 targets 2.6 km apart, small heights
second half raised by 1 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-NS-002: Cliff, 5 targets 2.6 km apart, small heights
second half raised by 5 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-NS-003: Cliff, 5 targets 2.6 km apart, small heights
second half raised by 10 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-NS-004: Cliff, 5 targets 2.6 km apart, small heights
second half raised by 25 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-NS-005: Cliff, 5 targets 2.6 km apart, small heights
second half raised by 50 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-NS-006: Cliff, 5 targets 2.6 km apart, small heights
second half raised by 100 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-NS-007: Cliff, 5 targets 2.6 km apart, small heights
second half raised by 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-NN-001: Cliff, 5 targets 2.6 km apart, normal heights
second half raised by 10 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-NN-002: Cliff, 5 targets 2.6 km apart, normal heights
second half raised by 50 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-NN-003: Cliff, 5 targets 2.6 km apart, normal heights
second half raised by 100 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-NN-004: Cliff, 5 targets 2.6 km apart, normal heights
second half raised by 250 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-NN-005: Cliff, 5 targets 2.6 km apart, normal heights
second half raised by 500 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-NN-006: Cliff, 5 targets 2.6 km apart, normal heights
second half raised by 1000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-NN-007: Cliff, 5 targets 2.6 km apart, normal heights
second half raised by 2000 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-NL-001: Cliff, 5 targets 2.6 km apart, large heights
second half raised by 130 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-NL-002: Cliff, 5 targets 2.6 km apart, large heights
second half raised by 650 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-NL-003: Cliff, 5 targets 2.6 km apart, large heights
second half raised by 1300 m












Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-NL-004: Cliff, 5 targets 2.6 km apart, large heights
second half raised by 3250 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-NL-005: Cliff, 5 targets 2.6 km apart, large heights
second half raised by 6500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xr} = [63.7, 27.0, 4.1, 1.7] m.

CL-NL-006: Cliff, 5 targets 2.6 km apart, large heights
second half raised by 13000 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-NL-007: Cliff, 5 targets 2.6 km apart, large heights
second half raised by 26000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-LS-001: Cliff, 5 targets 10 km apart, small heights
second half raised by 1 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-LS-002: Cliff, 5 targets 10 km apart, small heights
second half raised by 5 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-LS-003: Cliff, 5 targets 10 km apart, small heights
second half raised by 10 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-LS-004: Cliff, 5 targets 10 km apart, small heights
second half raised by 25 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-LS-005: Cliff, 5 targets 10 km apart, small heights
second half raised by 50 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{ch} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{st} = [63.7, 27.0, 4.1, 1.7] m.

CL-LS-006: Cliff, 5 targets 10 km apart, small heights
second half raised by 100 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-LS-007: Cliff, 5 targets 10 km apart, small heights
second half raised by 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-LN-001: Cliff, 5 targets 10 km apart, normal heights
second half raised by 10 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-LN-002: Cliff, 5 targets 10 km apart, normal heights
second half raised by 50 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-LN-003: Cliff, 5 targets 10 km apart, normal heights
second half raised by 100 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-LN-004: Cliff, 5 targets 10 km apart, normal heights
second half raised by 250 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-LN-005: Cliff, 5 targets 10 km apart, normal heights
second half raised by 500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-LN-006: Cliff, 5 targets 10 km apart, normal heights
second half raised by 1000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-LN-007: Cliff, 5 targets 10 km apart, normal heights
second half raised by 2000 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-LL-001: Cliff, 5 targets 10 km apart, large heights
second half raised by 130 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-LL-002: Cliff, 5 targets 10 km apart, large heights
second half raised by 650 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-LL-003: Cliff, 5 targets 10 km apart, large heights
second half raised by 1300 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-LL-004: Cliff, 5 targets 10 km apart, large heights
second half raised by 3250 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

CL-LL-005: Cliff, 5 targets 10 km apart, large heights
second half raised by 6500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-LL-006: Cliff, 5 targets 10 km apart, large heights
second half raised by 13000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

CL-LL-007: Cliff, 5 targets 10 km apart, large heights
second half raised by 26000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SS-001: Spike, 5 targets 200 m apart, small heights
middle target raised by 10 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SS-002: Spike, 5 targets 200 m apart, small heights
middle target raised by 50 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SS-003: Spike, 5 targets 200 m apart, small heights
middle target raised by 100 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SS-004: Spike, 5 targets 200 m apart, small heights
middle target raised by 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SS-005: Spike, 9 targets 200 m apart, small heights
middle target raised by 10 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SS-006: Spike, 9 targets 200 m apart, small heights
middle target raised by 50 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SS-007: Spike, 9 targets 200 m apart, small heights
middle target raised by 100 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SS-008: Spike, 9 targets 200 m apart, small heights
middle target raised by 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SN-001: Spike, 5 targets 200 m apart, normal heights
middle target raised by 100 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SN-002: Spike, 5 targets 200 m apart, normal heights
middle target raised by 500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SN-003: Spike, 5 targets 200 m apart, normal heights
middle target raised by 1000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SN-004: Spike, 5 targets 200 m apart, normal heights
middle target raised by 2000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

SK-SN-005: Spike, 9 targets 200 m apart, normal heights
middle target raised by 100 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

SK-SN-006: Spike, 9 targets 200 m apart, normal heights
middle target raised by 500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SN-007: Spike, 9 targets 200 m apart, normal heights
middle target raised by 1000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SN-008: Spike, 9 targets 200 m apart, normal heights
middle target raised by 2000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SL-001: Spike, 5 targets 200 m apart, large heights
middle target raised by 1300 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SL-002: Spike, 5 targets 200 m apart, large heights
middle target raised by 6500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SL-003: Spike, 5 targets 200 m apart, large heights
middle target raised by 13000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SL-004: Spike, 5 targets 200 m apart, large heights
middle target raised by 26000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SL-005: Spike, 9 targets 200 m apart, large heights
middle target raised by 1300 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SL-006: Spike, 9 targets 200 m apart, large heights
middle target raised by 6500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SL-007: Spike, 9 targets 200 m apart, large heights
middle target raised by 13000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-SL-008: Spike, 9 targets 200 m apart, large heights
middle target raised by 26000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-NS-001: Spike, 5 targets 2.6 km apart, small heights
middle target raised by 10 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-NS-002: Spike, 5 targets 2.6 km apart, small heights
middle target raised by 50 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-NS-003: Spike, 5 targets 2.6 km apart, small heights
middle target raised by 100 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

SK-NS-004: Spike, 5 targets 2.6 km apart, small heights
middle target raised by 200 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

SK-NN-001: Spike, 5 targets 2.6 km apart, normal heights
middle target raised by 100 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

SK-NN-002: Spike, 5 targets 2.6 km apart, normal heights
middle target raised by 500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-NN-003: Spike, 5 targets 2.6 km apart, normal heights
middle target raised by 1000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xz} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-NN-004: Spike, 5 targets 2.6 km apart, normal heights
middle target raised by 2000 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

SK-NL-001: Spike, 5 targets 2.6 km apart, large heights
middle target raised by 1300 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-NL-002: Spike, 5 targets 2.6 km apart, large heights
middle target raised by 6500 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-NL-003: Spike, 5 targets 2.6 km apart, large heights
middle target raised by 13000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{rx} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-NL-004: Spike, 5 targets 2.6 km apart, large heights
middle target raised by 26000 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-LS-001: Spike, 5 targets 10 km apart, small heights
middle target raised by 10 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-LS-002: Spike, 5 targets 10 km apart, small heights
middle target raised by 50 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

SK-LS-003: Spike, 5 targets 10 km apart, small heights
middle target raised by 100 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.


313

SK-LS-004: Spike, 5 targets 10 km apart, small heights
middle target raised by 200 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-LN-001: Spike, 5 targets 10 km apart, normal heights
middle target raised by 100 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.


315

SK-LN-002: Spike, 5 targets 10 km apart, normal heights
middle target raised by 500 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

SK-LN-003: Spike, 5 targets 10 km apart, normal heights
middle target raised by 1000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

SK-LN-004: Spike, 5 targets 10 km apart, normal heights
middle target raised by 2000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-LL-001: Spike, 5 targets 10 km apart, large heights
middle target raised by 1300 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-LL-002: Spike, 5 targets 10 km apart, large heights
middle target raised by 6500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

SK-LL-003: Spike, 5 targets 10 km apart, large heights
middle target raised by 13000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

SK-LL-004: Spike, 5 targets 10 km apart, large heights
middle target raised by 26000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xs} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-SS-001: Mesa, 5 targets 200 m apart, small heights
all but the outer targets raised by 10 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xc} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-SS-002: Mesa, 5 targets 200 m apart, small heights
all but the outer targets raised by 50 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-SS-003: Mesa, 5 targets 200 m apart, small heights
all but the outer targets raised by 100 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ME-SS-004: Mesa, 9 targets 200 m apart, small heights
all but the outer targets raised by 10 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{tx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-SS-005: Mesa, 9 targets 200 m apart, small heights
all but the outer targets raised by 50 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-SS-006: Mesa, 9 targets 200 m apart, small heights
all but the outer targets raised by 100 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ME-SN-001: Mesa, 5 targets 200 m apart, normal heights
all but the outer targets raised by 100 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ME-SN-002: Mesa, 5 targets 200 m apart, normal heights
all but the outer targets raised by 500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{st} = [63.7, 27.0, 4.1, 1.7] m.

ME-SN-003: Mesa, 5 targets 200 m apart, normal heights
all but the outer targets raised by 1000 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-SN-004: Mesa, 9 targets 200 m apart, normal heights
all but the outer targets raised by 100 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ME-SN-005: Mesa, 9 targets 200 m apart, normal heights
all but the outer targets raised by 500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-SN-006: Mesa, 9 targets 200 m apart, normal heights
all but the outer targets raised by 1000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ME-SL-001: Mesa, 5 targets 200 m apart, large heights
all but the outer targets raised by 1300 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{ct} = [63.7, 27.0, 4.1, 1.7] m.

ME-SL-002: Mesa, 5 targets 200 m apart, large heights
all but the outer targets raised by 6500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{ch} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-SL-003: Mesa, 5 targets 200 m apart, large heights
all but the outer targets raised by 13000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-SL-004: Mesa, 9 targets 200 m apart, large heights
all but the outer targets raised by 1300 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-SL-005: Mesa, 9 targets 200 m apart, large heights
all but the outer targets raised by 6500 m













Highest ambiguity of the image, in dB relative to the reference peak. N_{rx} = 4, PRF = 2000 Hz, B_a = 1235 Hz, b_{xi} = [63.7, 27.0, 4.1, 1.7] m.

ME-SL-006: Mesa, 9 targets 200 m apart, large heights
all but the outer targets raised by 13000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xs} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-NS-001: Mesa, 5 targets 2.6 km apart, small heights
all but the outer targets raised by 10 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-NS-002: Mesa, 5 targets 2.6 km apart, small heights
all but the outer targets raised by 50 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-NS-003: Mesa, 5 targets 2.6 km apart, small heights
all but the outer targets raised by 100 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ME-NN-001: Mesa, 5 targets 2.6 km apart, normal heights
all but the outer targets raised by 100 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ME-NN-002: Mesa, 5 targets 2.6 km apart, normal heights
all but the outer targets raised by 500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-NN-003: Mesa, 5 targets 2.6 km apart, normal heights
all but the outer targets raised by 1000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ME-NL-001: Mesa, 5 targets 2.6 km apart, large heights
all but the outer targets raised by 1300 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-NL-002: Mesa, 5 targets 2.6 km apart, large heights
all but the outer targets raised by 6500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-NL-003: Mesa, 5 targets 2.6 km apart, large heights
all but the outer targets raised by 13000 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-LS-001: Mesa, 5 targets 10 km apart, small heights
all but the outer targets raised by 10 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-LS-002: Mesa, 5 targets 10 km apart, small heights
all but the outer targets raised by 50 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-LS-003: Mesa, 5 targets 10 km apart, small heights
all but the outer targets raised by 100 m












Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-LN-001: Mesa, 5 targets 10 km apart, normal heights
all but the outer targets raised by 100 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ME-LN-002: Mesa, 5 targets 10 km apart, normal heights
all but the outer targets raised by 500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-LN-003: Mesa, 5 targets 10 km apart, normal heights
all but the outer targets raised by 1000 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ME-LL-001: Mesa, 5 targets 10 km apart, large heights
all but the outer targets raised by 1300 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xt} = [63.7, 27.0, 4.1, 1.7]$ m.

ME-LL-002: Mesa, 5 targets 10 km apart, large heights
all but the outer targets raised by 6500 m













Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, B_a = 1235 Hz, b_{xt} = [63.7, 27.0, 4.1, 1.7] m.

ME-LL-003: Mesa, 5 targets 10 km apart, large heights
all but the outer targets raised by 13000 m









Highest ambiguity of the image, in dB relative to the reference peak. $N_{rx} = 4$, PRF = 2000 Hz, $B_a = 1235$ Hz, $b_{xi} = [63.7, 27.0, 4.1, 1.7]$ m.