

Window 92/308, centre 920 (one target) | P1 bins 0 (own dC0: 0), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 93/308, centre 930 (one target) | P1 bins 0 (own dC0: 0), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 94/308, centre 940 (one target) | P1 bins 128 (own dC0: 52), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 95/308, centre 950 (one target) | P1 bins 37 (own dC0: 37), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 96/308, centre 960 (one target) | P1 bins 36 (own dC0: 36), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 97/308, centre 970 (one target) | P1 bins 37 (own dC0: 37), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 98/308, centre 980 (one target) | P1 bins 38 (own dC0: 38), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 99/308, centre 990 (one target) | P1 bins 38 (own dC0: 38), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 100/308, centre 1000 (one target) | P1 bins 36 (own dC0: 36), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 101/308, centre 1010 (one target) | P1 bins 36 (own dC0: 36), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 102/308, centre 1020 (one target) | P1 bins 36 (own dC0: 36), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 103/308, centre 1030 (one target) | P1 bins 37 (own dC0: 37), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 104/308, centre 1040 (one target) | P1 bins 38 (own dC0: 38), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 105/308, centre 1050 (one target) | P1 bins 38 (own dC0: 38), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 106/308, centre 1060 (one target) | P1 bins 37 (own dC0: 37), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 107/308, centre 1070 (one target) | P1 bins 36 (own dC0: 36), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 108/308, centre 1080 (one target) | P1 bins 36 (own dC0: 36), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 109/308, centre 1090 (one target) | P1 bins 37 (own dC0: 37), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 110/308, centre 1100 (one target) | P1 bins 38 (own dC0: 38), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 111/308, centre 1110 (one target) | P1 bins 38 (own dC0: 38), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 112/308, centre 1120 (one target) | P1 bins 37 (own dC0: 37), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 113/308, centre 1130 (one target) | P1 bins 36 (own dC0: 36), P2 bins 62 (own dC0: 52)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 114/308, centre 1140 (BOTH illuminated) | P1 bins 35 (own dC0: 35), P2 bins 87 (own dC0: 49)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 115/308, centre 1150 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 116/308, centre 1160 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 117/308, centre 1170 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 118/308, centre 1180 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 119/308, centre 1190 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 120/308, centre 1200 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 121/308, centre 1210 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 122/308, centre 1220 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 123/308, centre 1230 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 124/308, centre 1240 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 125/308, centre 1250 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 126/308, centre 1260 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 127/308, centre 1270 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 128/308, centre 1280 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 129/308, centre 1290 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 130/308, centre 1300 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 131/308, centre 1310 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 132/308, centre 1320 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 133/308, centre 1330 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 134/308, centre 1340 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 135/308, centre 1350 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 136/308, centre 1360 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 137/308, centre 1370 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 138/308, centre 1380 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 139/308, centre 1390 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 140/308, centre 1400 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 141/308, centre 1410 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 142/308, centre 1420 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 143/308, centre 1430 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 144/308, centre 1440 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 145/308, centre 1450 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 146/308, centre 1460 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 147/308, centre 1470 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 148/308, centre 1480 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 149/308, centre 1490 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 150/308, centre 1500 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 151/308, centre 1510 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 152/308, centre 1520 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 153/308, centre 1530 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 154/308, centre 1540 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 155/308, centre 1550 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 156/308, centre 1560 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 157/308, centre 1570 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 158/308, centre 1580 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 159/308, centre 1590 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 160/308, centre 1600 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 161/308, centre 1610 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 162/308, centre 1620 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 163/308, centre 1630 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 164/308, centre 1640 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 165/308, centre 1650 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 166/308, centre 1660 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 167/308, centre 1670 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 168/308, centre 1680 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 169/308, centre 1690 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 170/308, centre 1700 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 171/308, centre 1710 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 172/308, centre 1720 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 173/308, centre 1730 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 174/308, centre 1740 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 175/308, centre 1750 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 176/308, centre 1760 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 177/308, centre 1770 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 178/308, centre 1780 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 179/308, centre 1790 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 180/308, centre 1800 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 181/308, centre 1810 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 182/308, centre 1820 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 183/308, centre 1830 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 184/308, centre 1840 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 185/308, centre 1850 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 186/308, centre 1860 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 187/308, centre 1870 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 188/308, centre 1880 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 189/308, centre 1890 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 190/308, centre 1900 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 191/308, centre 1910 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 192/308, centre 1920 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 193/308, centre 1930 (BOTH illuminated) | P1 bins 38 (own dC0: 38), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 194/308, centre 1940 (BOTH illuminated) | P1 bins 36 (own dC0: 36), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 195/308, centre 1950 (BOTH illuminated) | P1 bins 37 (own dC0: 37), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 196/308, centre 1960 (one target) | P1 bins 102 (own dC0: 52), P2 bins 26 (own dC0: 26)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 197/308, centre 1970 (one target) | P1 bins 0 (own dC0: 0), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 198/308, centre 1980 (one target) | P1 bins 0 (own dC0: 0), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 199/308, centre 1990 (one target) | P1 bins 0 (own dC0: 0), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 200/308, centre 2000 (one target) | P1 bins 0 (own dC0: 0), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 201/308, centre 2010 (one target) | P1 bins 0 (own dC0: 0), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 202/308, centre 2020 (one target) | P1 bins 0 (own dC0: 0), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 203/308, centre 2030 (one target) | P1 bins 0 (own dC0: 0), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 204/308, centre 2040 (one target) | P1 bins 0 (own dC0: 0), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 205/308, centre 2050 (one target) | P1 bins 0 (own dC0: 0), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 206/308, centre 2060 (one target) | P1 bins 0 (own dC0: 0), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 207/308, centre 2070 (one target) | P1 bins 0 (own dC0: 0), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 208/308, centre 2080 (one target) | P1 bins 0 (own dC0: 0), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 209/308, centre 2090 (one target) | P1 bins 0 (own dC0: 0), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 210/308, centre 2100 (one target) | P1 bins 0 (own dC0: 0), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 211/308, centre 2110 (one target) | P1 bins 0 (own dC0: 0), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 212/308, centre 2120 (one target) | P1 bins 0 (own dC0: 0), P2 bins 36 (own dC0: 36)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 213/308, centre 2130 (one target) | P1 bins 0 (own dC0: 0), P2 bins 37 (own dC0: 37)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 214/308, centre 2140 (one target) | P1 bins 0 (own dC0: 0), P2 bins 38 (own dC0: 38)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 215/308, centre 2150 (one target) | P1 bins 0 (own dC0: 0), P2 bins 102 (own dC0: 50)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 216/308, centre 2160 (one target) | P1 bins 0 (own dC0: 0), P2 bins 63 (own dC0: 52)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 217/308, centre 2170 (one target) | P1 bins 0 (own dC0: 0), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)




3) rotation applied to each target's bins (dotted: ideal for each)




Window 218/308, centre 2180 (one target) | P1 bins 0 (own dC0: 0), P2 bins 0 (own dC0: 0)


1) where P1 / P2 appear in the STFT of this window



2) ΔC_0 each bin reads (grey shade: map $\neq$ 0; dotted: $\Delta C_{0,1}$, $\Delta C_{0,2}$)



3) rotation applied to each target's bins (dotted: ideal for each)



delta_C0 map (shaded: synthetic aperture of each target, Lsa1 / Lsa2)

ΔC_0 map [cm]

5.0
2.5
0.0
−2.5
−5.0
−7.5
−10.0
−12.5

legacy (hold): interpolated, ends held
new (footprint): each target's value where it appears

P1: phase SATA added to its samples (dC0 = -12.89 cm)

arg(out) - arg(in) [deg]

150
100
50
0
−50
−100
−150

new map (err 0.029)
legacy map (err 0.738)
ideal 174.4 deg

P2: phase SATA added to its samples (dC0 = 6.46 cm)

arg(out) - arg(in) [deg]

150
100
50
0
−50
−100
−150

new map (err 0.024)
legacy map (err 0.710)
ideal 93.0 deg

1000
1200
1400
1600
1800
2000
2200

azimuth sample