






Window 1/50: samples 0-19, centre = 10 -- target outside the beam: no signal
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC0 each bin reads (0 of 32 bins in the footprint)
ΔC0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 2/50: samples 10-29, centre = 20 -- target outside the beam: no signal
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC0 each bin reads (0 of 32 bins in the footprint)
ΔC0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 3/50: samples 20-39, centre = 30 -- target outside the beam: no signal
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC0 each bin reads (1 of 32 bins in the footprint)
ΔC0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 4/50: samples 30-49, centre = 40 -- target outside the beam: no signal
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC0 each bin reads (2 of 32 bins in the footprint)
ΔC0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 5/50: samples 40-59, centre = 50 -- target outside the beam: no signal
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC0 each bin reads (3 of 32 bins in the footprint)
ΔC0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 6/50: samples 50-69, centre = 60
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 7/50: samples 60-79, centre = 70
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 8/50: samples 70-89, centre = 80
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC0 each bin reads (3 of 32 bins in the footprint)
ΔC0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 9/50: samples 80-99, centre = 90
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (4 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 10/50: samples 90-109, centre = 100
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 11/50: samples 100-119, centre = 110
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC0 each bin reads (3 of 32 bins in the footprint)
ΔC0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 12/50: samples 110-129, centre = 120
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 13/50: samples 120-139, centre = 130
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (4 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 14/50: samples 130-149, centre = 140
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 15/50: samples 140-159, centre = 150
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 16/50: samples 150-169, centre = 160
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 17/50: samples 160-179, centre = 170
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (4 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 18/50: samples 170-189, centre = 180
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 19/50: samples 180-199, centre = 190
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 20/50: samples 190-209, centre = 200
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 21/50: samples 200-219, centre = 210
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (4 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 22/50: samples 210-229, centre = 220
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 23/50: samples 220-239, centre = 230
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 24/50: samples 230-249, centre = 240
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC0 each bin reads (3 of 32 bins in the footprint)
ΔC0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 25/50: samples 240-259, centre = 250
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (4 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 26/50: samples 250-269, centre = 260
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 27/50: samples 260-279, centre = 270
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 28/50: samples 270-289, centre = 280
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 29/50: samples 280-299, centre = 290
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (4 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 30/50: samples 290-309, centre = 300
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC0 each bin reads (3 of 32 bins in the footprint)
ΔC0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 31/50: samples 300-319, centre = 310
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 32/50: samples 310-329, centre = 320
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC0 each bin reads (3 of 32 bins in the footprint)
ΔC0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 33/50: samples 320-339, centre = 330
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (4 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 34/50: samples 330-349, centre = 340
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 35/50: samples 340-359, centre = 350
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 36/50: samples 350-369, centre = 360
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 37/50: samples 360-379, centre = 370
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (4 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 38/50: samples 370-389, centre = 380
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 39/50: samples 380-399, centre = 390
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 40/50: samples 390-409, centre = 400
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 41/50: samples 400-419, centre = 410
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (4 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 42/50: samples 410-429, centre = 420
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 43/50: samples 420-439, centre = 430
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 44/50: samples 430-449, centre = 440
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]



Window 45/50: samples 440-459, centre = 450
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC_0 each bin reads (3 of 32 bins in the footprint)
ΔC_0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]


Window 46/50: samples 450-469, centre = 460 -- target outside the beam: no signal
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC0 each bin reads (2 of 32 bins in the footprint)
ΔC0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]


Window 47/50: samples 460-479, centre = 470 -- target outside the beam: no signal
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC0 each bin reads (1 of 32 bins in the footprint)
ΔC0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]


Window 48/50: samples 470-489, centre = 480 -- target outside the beam: no signal
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC0 each bin reads (0 of 32 bins in the footprint)
ΔC0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]


Window 49/50: samples 480-499, centre = 490 -- target outside the beam: no signal
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC0 each bin reads (0 of 32 bins in the footprint)
ΔC0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]


Window 50/50: samples 490-509, centre = 500 -- target outside the beam: no signal
STFT of this window (point target at cell 256)
STFT of raw data [dB]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]
ΔC0 each bin reads (0 of 32 bins in the footprint)
ΔC0 read by the bin [cm]
look angle θ [deg]
azimuth frequency f_a [Hz]
azimuth cell x = posaux [samples]