Finding	Design decision	Action / dependency
Slack is the main entry point during an incident.	Treat Slack as the incident summary and the dashboard as the investigation layer.	Design P0 and P2 alert templates with severity, destination, impact, freshness and a link to the incident detail.
The current dashboard shows metrics but does not explain what is happening.	Organize the experience around incidents rather than aggregated metrics.	Create an incident list and an incident detail view.
Stakeholders need to know urgency and location first.	Prioritize severity and destination in the information hierarchy.	Add severity, destination and status filters.
Users consider multiple data points important at different investigation stages.	Use progressive disclosure instead of showing everything at once.	Structure the detail as Impact → Technical diagnosis → Trend → History.
Localized incidents are difficult to identify in the current dashboard.	Each incident must preserve its specific context.	Store and display country, operator, cellular technology, timeframe and triggering metric.
The team needs to prioritize commercially relevant markets.	Include a Top destinations section in the incident list.	Product must define whether ranking is based on active travellers, business relevance, severity or incident volume.
nSpire provides technical measurements, but not complete customer impact.	Separate technical evidence from business impact.	Use monitored devices as technical evidence and connect internal data to estimate affected travellers.
P0 and P2 have usable detection signals; P1 does not.	Limit the first release to P0 and P2.	Validate the live nSpire feed before introducing P1.
A threshold alone may be based on insufficient historical data.	Show confidence as supporting context for P2.	Calculate confidence from OpenSignal sample volume and clarify when evidence is limited.
Users need to know whether the problem is still happening.	Include incident status, freshness and recovery history.	Define the recovery rule and the number of healthy measurement cycles required.
Operational actions and ownership are not yet defined.	Keep the MVP focused on detection and investigation.	Product and Operations must define actions, permissions, owners and escalation rules before designing execution features.

🎯 Outcome

The research indicates that the MVP should move from a metrics-first dashboard to an incident-first experience, using Slack for detection and the dashboard for prioritization, investigation and recovery tracking.