E-mail Sender

Assunto

PROVA/SEG/SOR2

Mensagem

PROVA SEGUNDA-FEIRA.

Enviar !

```
to use a virtual environment instead: https://pip.pypa.io/warnings/venv

quest: "GET / HTTP/1.1", host: "localhost"
.0" "-"
is.conf

mmit_memory = 1' to /etc/sysctl.conf and then reboot or run the command 'sysctl vm.overcommit_memory=1' for
es with Redis. To fix this issue run the command 'echo never > /sys/kernel/mm/transparent_hugepage/enabled'
.0" "-"

frontend_1  | 172.23.0.1 - - [21/Jun/2023:23:28:17 +0000] "POST /api HTTP/1.1" 200 78 "http://localhost/" "Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:109.0) Gecko/20100101 Firefox/114.0" "-"
worker_1    | Mensagem PROVA/SEG/SOR2 enviada
```

Arquivo   Editar   Ver   Terminal   Abas   Ajuda

localhost/api   ×   +   ˅

←   →   ⟳   ◯   ⬜   localhost/api   ☆   ⬙   ⬠   ≡

Mensagem enfileirada ! Assunto: PROVA/SEG/SOR2 Mensagem: PROVA SEGUNDA-FEIRA.

to use a virtual environment instead: https://pip.pypa.io/warnings/venv

quest: "GET / HTTP/1.1", host: "localhost"
.0" "-"
is.conf

mmit_memory = 1' to /etc/sysctl.conf and then reboot or run the command 'sysctl vm.overcommit_memory=1' for
es with Redis. To fix this issue run the command 'echo never > /sys/kernel/mm/transparent_hugepage/enabled'

.0" "-"

20100101 Firefox/114.0" "-"

app_1 | 172.23.0.3 - - [21/Jun/2023 23:34:29] "POST / HTTP/1.1" 200 78
frontend_1 | 172.23.0.1 - - [21/Jun/2023:23:34:29 +0000] "POST /api HTTP/1.1" 200 78 "http://localhost/" "Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:109.0) Gecko/20100101 Firefox/114.0" "-"

```
app_1      | Collecting redis==2.10.5
app_1      |   Downloading redis-2.10.5-py2.py3-none-any.whl (60 kB)
app_1      | Building wheels for collected packages: bottle
app_1      |   Building wheel for bottle (setup.py): started
app_1      |   Building wheel for bottle (setup.py): finished with status 'done'
app_1      |   Created wheel for bottle: filename=bottle-0.12.13-py3-none-any.whl size=87535 sha256=fe3ca01292a6a73f1032222b6aa1636167bf51f018d065ac654a71e4ef18b474
app_1      |   Stored in directory: /root/.cache/pip/wheels/35/64/12/0aeb26e8bef3ab6b19385a6b2c8188bff17d3ca9508c6f6d8d
app_1      | Successfully built bottle
app_1      | Installing collected packages: redis, psycopg2, bottle
app_1      | Successfully installed bottle-0.12.13 psycopg2-2.7.3.2 redis-2.10.5
app_1      | WARNING: Running pip as the 'root' user can result in broken permissions and conflicting behaviour with the system package manager. It is recommended to use a virtual environment instead: https://pip.pypa.io/warnings/venv
app_1      | WARNING: You are using pip version 21.2.4; however, version 21.3.1 is available.
app_1      | You should consider upgrading via the '/usr/local/bin/python -m pip install --upgrade pip' command.
app_1      | Bottle v0.12.13 server starting up (using WSGIRefServer())...
app_1      | Listening on http://0.0.0.0:8080/
app_1      | Hit Ctrl-C to quit.
app_1      |
db_1       |
db_1       | PostgreSQL Database directory appears to contain a database; Skipping initialization
db_1       |
db_1       | LOG:  database system was shut down at 2023-06-21 23:26:23 UTC
db_1       | LOG:  MultiXact member wraparound protections are now enabled
db_1       | LOG:  database system is ready to accept connections
db_1       | LOG:  autovacuum launcher started
frontend_1 | 2023/06/21 23:26:54 [error] 7#7: *1 "/usr/share/nginx/html/index.html" is forbidden (13: Permission denied), client: 172.23.0.1, server: localhost, request: "GET / HTTP/1.1", host: "localhost"
frontend_1 | 172.23.0.1 - - [21/Jun/2023:23:26:54 +0000] "GET / HTTP/1.1" 403 170 "-" "Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:109.0) Gecko/20100101 Firefox/114.0" "-"
queue_1    | 1:C 21 Jun 23:26:35.268 # Warning: no config file specified, using the default config. In order to specify a config file use redis-server /path/to/redis.conf
queue_1    |
queue_1    |                 _._
queue_1    |            _.-``__ ''-._
queue_1    |       _.-``    `.  `_.  ''-._           Redis 3.2.12 (00000000/0) 64 bit
queue_1    |   .-`` .-```.  ```\/    _.,_ ''-._
queue_1    |  (    '      ,       .-`  | `,    )     Running in standalone mode
queue_1    |  |`-._`-...-` __...-.``-._|'` _.-'|     Port: 6379
queue_1    |  |    `-._   `._    /     _.-'    |     PID: 1
queue_1    |   `-._    `-._  `-./  _.-'    _.-'
queue_1    |  |`-._`-._    `-.__.-'    _.-'_.-'|
queue_1    |  |    `-._`-._        _.-'_.-'    |           http://redis.io
queue_1    |   `-._    `-._`-.__.-'_.-'    _.-'
queue_1    |  |`-._`-._    `-.__.-'    _.-'_.-'|
queue_1    |  |    `-._`-._        _.-'_.-'    |
queue_1    |   `-._    `-._`-.__.-'_.-'    _.-'
queue_1    |       `-._    `-.__.-'    _.-'
queue_1    |           `-._        _.-'
queue_1    |               `-.__.-'
queue_1    |
queue_1    | 1:M 21 Jun 23:26:35.268 # Server started, Redis version 3.2.12
queue_1    | 1:M 21 Jun 23:26:35.268 # WARNING overcommit_memory is set to 0! Background save may fail under low memory condition. To fix this issue add 'vm.overcommit_memory = 1' to /etc/sysctl.conf and then reboot or run the command 'sysctl vm.overcommit_memory=1' for
  this to take effect.
queue_1    | 1:M 21 Jun 23:26:35.268 # WARNING you have Transparent Huge Pages (THP) support enabled in your kernel. This will create latency and memory usage issues with Redis. To fix this issue run the command 'echo never > /sys/kernel/mm/transparent_hugepage/enabled'
  as root, and add it to your /etc/rc.local in order to retain the setting after a reboot. Redis must be restarted after THP is disabled.
queue_1    | 1:M 21 Jun 23:26:35.268 * The server is now ready to accept connections on port 6379
worker_1   | Aguardando mensagens ...
frontend_1 | 172.23.0.1 - - [21/Jun/2023:23:27:24 +0000] "GET / HTTP/1.1" 200 787 "-" "Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:109.0) Gecko/20100101 Firefox/114.0" "-"
app_1      | Mensagem registrada !
app_1      | 172.23.0.3 - - [21/Jun/2023 23:28:17] "POST / HTTP/1.1" 200 78
worker_1   | Mandando a mensagem: PROVA/SEG/SOR2
frontend_1 | 172.23.0.1 - - [21/Jun/2023:23:28:17 +0000] "POST /api HTTP/1.1" 200 78 "http://localhost/" "Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:109.0) Gecko/20100101 Firefox/114.0" "-"
worker_1   | Mensagem PROVA/SEG/SOR2 enviada
```