RULES: USPSA Handgun Competition Rules, current edition
COURSE DESIGNER: Nationals Design Team

START POSITION: Standing behind barricade, hands on X's. Handgun is loaded and holstered as per ready condition in rule 8.1.1 and 8.1.2.

STAGE PROCEDURE

Upon start signal, engage all targets as visible All rounds must be fired within the confines of the fault lines.

SCORING


SCORING: Comstock, 6 rounds, 30 points **TARGETS:** 3 Pepper poppers, 3 Mini-poppers

SCORED HITS: KD = 1A

START - STOP: Audible - Last shot

PENALTIES: Per current edition of USPSA Handgun

Competition Rules



SETUP NOTES: The popper array is centered on the 2-foot-by-6-foot barricade, 36 feet down range. The poppers are spaced 2 feet on center. Center of X's on barricade are 60 inches above ground, 12 inches apart, and each is 6 inches in from either edge.



Revised 6/6/2006 135

CM 06-10 Steely Speed VII

Written Stage Briefing

Steely Speed VII is a 6 round, 30 point, Comstock classifier course. There are 3 Pepper poppers and 3 mini poppers. Steel must fall to score. The start signal is audible.

The start position is standing in Box A, facing downrange, hands on X's. Your handgun is loaded and holstered.

PCC start position is standing in Box A, facing downrange, stock on belt, muzzle touching the mark, loaded carbine held in both hands with safety on.


On the audible start signal, engage targets from within the fault lines.

Note: The mark for PCC is 3 feet above ground in center of the barricade.





Steely Speed VII



| | | | | | REMARKS | | | |
|-------------------|------|------|---------|-------|---------|-----------|-------|-------|
| Shooter: | | | | | | | | |
| RO: | | | | | | | | |
| SHOOTER NUMBER | Open | Lim. | Lim. 10 | Prod. | Rev. | Sing. St. | MAJOR | minor |
| 100 | NAME | | | | | _USPSA | | |

136