$ python3 day01.py

Python Day01

[illegible]

```
>>> print("[illegible]")
```

[illegible]

LucasHsu.dev — 2026

[illegible] 45 [illegible]

layout: default hideInToc: true

$ cat agenda.md

□□□□

1. Python Day01 — □□□□□□□□□□□□
2. □□□□
3. □□□□
4. □□
5. □□□□
6. □□□□□
7. □□□□□□□
8. Output
9. □□□□□□
10. f-string □□□□□
11. Input
12. □□□□
13. □□□□

layout: section transition: fade

PART 01

transition: slide-up

□□□□□□□□□

Python □□□□□□□□□□□□□(type)□□□□□□□□□□□□□□

10	12.3	'hi'	True	None
int	float	str	bool	NoneType
□□	□□□	□□	□□	□□

```
>>> type(10) # <class 'int'>
>>> type('hi') # <class 'str'>
```

transition: slide-up



transition: slide-up

```
# 
'123' ~ 
123 ~ 
'123' == 123 → False
```

'123'

→

123

→

```
>>> '123' == 123
False # 
```

layout: section transition: fade

PART 02

□□□□

[illegible] = [illegible]

```python
int_val = 10
float_val = 12.3
str_val = 'hello python'
boolean_val = True
nv = None

print(int_val, float_val, str_val, boolean_val)
print(type(int_val))   # <class 'int'>
print(type(str_val))   # <class 'str'>
print(nv)              # None
```

💡 [illegible] Python □□□□□□□□□□□□□□□□□□□□

🤔 [illegible]

```python
# ✏️ □□□□□□□□
int_val = 10
float_val = 12.3
str_val = 'hello python'
boolean_val = True
```

✅

```python
age = 18
user_name = 'Lucas'
total_price = 299
```

❌

```python
a = 18
x1 = 'Lucas'
data = 299
```

```
# +
>>> user_name ← snake_case Python
>>> userName ← camelCase Python
```

⚠️ `_` `if`, `for`, `while`

[illegible]

[illegible]

[illegible] [illegible] [illegible]

```python
a, b = 10, 20
print(a)  # 10
print(b)  # 20
```

✨ [illegible] Python [illegible]——[illegible]

layout: section transition: fade

PART 03

Output

▯ print() ▯▯▯▯▯▯

transition: slide-up

□□□□□□□□□□

```
print('hi')
print('hi')        # □□□□□□□ hi □□□
```

□□□□□

```
hi
hi
```

□□□□□□□□□□□□□□——□□□□□□□□□□□□□

```
# 😵 □□□ — □□□
name = 'Lucas'
age = 18
print('Hello,', name, 'you are', age, 'years old')
```

```
# 😊 □ f-string — □□□□
name = 'Lucas'
age = 18
print(f'Hello, {name}! You are {age} years old.')
```

```
# 🤯 f-string □□□□□□□
name = 'Lucas'
```

[illegible]

`print()` [illegible]——[illegible]

[illegible] [illegible] [illegible] [illegible]

```
print('hi')
print('hi')
# [illegible]:
# hi
# hi
```

🔑 [illegible] `end` — [illegible] `'\n'` [illegible]· `sep` — [illegible] `' '` [illegible]

f-string □□□□□

f-string □□□□□□□□□□□□□□□□□□

```
# □□□□
print(f'{□□}')

# □□□□□□□□□□□□
pi = 3.14159265
print(f'π ≈ {pi:.2f}')   # π ≈ 3.14
print(f'π ≈ {pi:.4f}')   # π ≈ 3.1416

# □□□□
print(f'{42:05d}')        # 00042
```

□□□□

`{□:□□}`

`:.2f` — □□□□

`:05d` — □□□□

✏️ □□□□

□□□□□□□□□□□□□

```
pi = 3.14159265
print(f'π ≈ {pi:.2f}')
print(f'π ≈ {pi:.4f}')
print(f'{42:05d}')
```

layout: section transition: fade

PART 04

Input

transition: slide-up

layout: two-cols layoutClass: gap-8 transition: slide-up

[illegible]

[illegible] `input()` [illegible]

```python
n = input()
nn = input('[illegible]')
```

⚠️ `input()` [illegible]
[illegible] `'123' != 123` [illegible]

□□□□

□□□□□□□□□□□□□□□□□□□□

sys.stdin | while + try | □□□□

```python
import sys

for line in sys.stdin:
    line = line.strip()
    print(line)
```

📂 **sys.stdin**
□□□
□□□□□□

🔄 **while+try**
□□□□
□□□□□□

📋 **□□□□**
□□□
□□□□□□

transition: slide-up

<

`a.py`

```python
a = input()
b = input()
print(a, b)
```

`in.txt`

```
Everything will get better
12345
```

```
python a.py < in.txt
```

```
Everything will get better 12345
```

💡 `<`

⚠️

□□□□□□□□□

□□ `in.txt` □□□□□□□□□□□□□□□□□□

```python
import sys

# □□□□ UTF-8 □□
sys.stdin.reconfigure(encoding='utf-8')

for line in sys.stdin:
    line = line.strip()
    print(line)
```

□□□□□□□□□

```
python a.py < in.txt > out.txt
```

⚠️ □□□ UTF-8 □□□□□□□□□□□□□□□□ Windows□□□□□□□

layout: section transition: fade

PART 05

[illegible]

[illegible]

transition: slide-up

□□□□□

□□	□□□	□□	□□□□
□□	`n + 2`	Addition	n=10 → 12
□□	`n - 2`	Subtraction	n=10 → 8
□□	`n * 2`	Multiplication	n=10 → 20
□□	`n / 2`	Division□□□□□ float□	n=10 → 5.0
□□□□	`n // 2`	□□□□□□□□	n=10 → 5
□□	`n ** 6`	Power	n=10 → 1000000
□□□	`n % 6`	Modulo□□□□□□□□□□□□	n=10 → 4

□□□□

```python
n = 10
```

n + 2 → **12**

n - 2 → **8**

n * 2 → **20**

n / 2 → **5.0** ← float□

n // 2 → **5**

n ** 6 → **1000000**

n % 6 → **4** ← 10 ÷ 6 □□□

💡 `/` □□□□ `float` □ `//` □□□□□□□□□□□

```python
x = 10
x = x + 5    # x 15
x = x * 2    # x 30
print(x)
```

⚡ `x += 1` ——

layout: section transition: fade

PART 06

layout: two-cols layoutClass: gap-8 transition: slide-up

[illegible]

[illegible]

- ✓ `True` [illegible]
- ✗ `False` [illegible]

[illegible]	[illegible]
`<`	[illegible]
`<=`	[illegible]
`>`	[illegible]
`>=`	[illegible]
`==`	[illegible]
`!=`	[illegible]

[illegible]Logical Operators[illegible]

[illegible]

[illegible]	[illegible]
`and`	[illegible]
`or`	[illegible]
`not`	[illegible]

```python
age = 18
has_id = True

age >= 18 and has_id      # True
age < 18 or has_id        # True
not has_id                # False
```

🧠 `and` = [illegible] · `or` = [illegible] · `not` = [illegible]

Truthy / Falsy

Python True / False

```
bool(0)         # False
bool(1)         # True
bool("")        # False
bool("hi")      # True
bool(None)      # False
bool([])        # False
```

Falsy False

- `0`
- `""`
- `None`
- `[]`
- `{}`

Truthy True

- 0

if □□□□

□□□□□□□□□

```python
age = 18

if age >= 18:
    print("□□□□")
```

⚠️ Python □□□□□□□□□□□□□□□□□□□□

if / elif / else

□□□□□□

```python
score = 85

if score >= 90:
    print("A")
elif score >= 80:
    print("B")
elif score >= 70:
    print("C")
else:
    print("F")
```

💡 □□□□□□□□□□□□□□□□□□□□

□□□□□□□

```python
username = input("□□□")
password = input("□□□")

if username == "admin" and password == "1234":
    print("□□□□")
else:
    print("□□□□")
```

🔑 □□□□□input + □□ + and □□□□

□□□□□□□□□

```python
n = int(input("□□□□□□□□"))

if n % 2 == 0:
    print("□□")
else:
    print("□□")
```

□□□□□□□□□□□ 3 □□□□

[illegible]

- Python [illegible]int / float / str / bool / None
- `input()` [illegible] [illegible]
- `print()` [illegible] f-string [illegible]
- `/` [illegible] `//` [illegible] `%` [illegible]
- [illegible] + [illegible]
- `if / elif / else` [illegible]

[illegible]

[illegible]

- [illegible]
- [illegible]
- [illegible]
- [illegible]

👉 [illegible]**Loop**[illegible]