

```
$ java A hello world
```

Scanner String[] args

```
// 0000000000000000
```

```
args[0] = "hello" ← 00000000
```

```
Scanner.nextLine() ← 00000000
```

```
$ cat agenda.md
```



1. Java — Scanner | String args

2. String args

3. □□□□□□□□

4. □□□□□□□

5. Scanner

6. Scanner □□□

7. Scanner □□

8. □□□□

9. □□□□

10. □□□□□

11. □□□□□□□□

12. □□□□□□□□

13. □□□□□□

PART 01

String args

00000 – 0000

□□□□□□□□

String[] args NO ERROR **main** □□□□□□□□□□□□□□□□□□□□□□□□

□□□□

□□□□□□□□□□□□□□

□□□□□

□□□□□□□□□□

\$ java A **hello world**

args[0] = "hello" · args[1] = "world"



```
1 public static void main(String[] args) {  
2     if (args.length > 0) {  
3         System.out.println("Hello " + args[0]);  
4     }  
5 }
```

```
$ java A  
args
```

```
$ java A Lucas  
Hello Lucas
```

⚠️ args[] main String[] args

PART 02

Scanner

0000 – 00000

Scanner □□□

Scanner □□□□□□□□□□□□□□□□□□□□□□□□



□□□□
□□□□□□□□□□



□□□□
□□□□□□□□



□□□□
□□□□□□□□

Scanner □□

```
1 import java.util.Scanner;
2
3 public static void main(String[] args) {
4     Scanner scanner = new Scanner(System.in);
5     System.out.print("□□□□□□");
6     String input = scanner.nextLine();
7     System.out.println("Hello " + input);
8     scanner.close();
9 }
```

□□□□□

1. □□ "□□□□□□"
2. □□□□□□ ← □□□□
3. □□□□□□□□



scanner.close() □□□□



□□	String args	Scanner
□□□□	□□□□□	□□□□□
□□□□	□□□□□	□□□□□
□□□□	□	□
□□□□	□□□□□	□□□□□□□



String[] args

Scanner



```
$ java A hello world
args[0] = "hello"
args[1] = "world"
Hello hello
```

□□□□□□□□□□


hello world

□□□□□□□□□□□□□□□□



 args []



 Scanner []



```
1  import java.util.Scanner;
2
3  public static void main(String[] args) {
4      // args[]
5      String mode = args.length > 0 ? args[0] : "normal";
6
7      // Scanner
8      Scanner scanner = new Scanner(System.in);
9      System.out.print(" ");
10     String name = scanner.nextLine();
11     System.out.println "[" + mode + "] Hello " + name);
12     scanner.close();
13 }
```

args → []

Scanner → []

```

■  □□□□□□□□□□
■  main □□□□□□□□□□
■  □□□□□□□□□□

```

- 0000000000
- 000000000
- 000000000000000000

[illegible]



```
$ java A --learn-more
```