

```
$ git log --oneline && git revert HEAD
```

Revert vs Reset

// 00000000000000000000000000000000

revert

0000

reset

0000

reflog

000

push -f

0000

\$ cat agenda.md



01 /      

02 / Revert

03 / Reset

  HEAD    

04 /    

    reflog  merge commit

PART 01



[illegible]

NO GPPH NO GPPH NO GPPH NO GPPH NO GPPH NO GPPH NO GPPH bug NO GPPH NO GPPH NO GPPH NO GPPH NO GPPH .. NO GPPH NO GPPH NO GPPH

□ □ □ □ □ □ □ □ □ □ □

□□□□□□□□ — □□□□□□□□

```
Git 0.0.0 — 0.0.0
```

PART 02

Revert  



□ □ □ □

main



□ □ □ □

main
main
main
main
main

B □ □ □ □

□ □ □ □

A → B → C → Revert B  B □ □ □

□ □ □ □ □ □ □ □ —  □ □ □ □ □ □ □ □ □ □ □ □ □ □



```
1 # 000000
2 git revert <commit-id>
3
4 # 00000000
5 git revert HEAD
6
7 # 00000000
8 git revert --no-commit <commit-id>
```



```
1 # A → B → C → D → E
2 # 000 C D E
3
4 git revert --no-commit b2c3d4e..e5f6g7h
5 git commit -m "Revert changes C to E"
6 git push origin main
```

--no-commit

`git revert <old>..<new> old`

PART 03

Reset

NO GLYPH



□ □ □ □



HEAD □□
□□□□□□□□

A → B
C □□□□□□□□

□□□□□□□□□□

□□	□□□□	□□□□
--soft	 HEAD	□□□□□□□□□□□□□□
--mixed □□□□	HEAD + □□□	□□□□□□□□  add
--hard	HEAD +  + 	□□□□□□□□□□□□

DANGER - □□□□

--hard □□□□□□□□□□□□□□

1. □□□□□ 2. □□□□□□ 3. □□□□□□□□□□


PART 04



□□□□

□□	Revert	Reset
□□□□	□□□□□□□□□□	□□□□□□□□
□□□	□□□□□□□□	□□□□□□□□
□□□□□□□	  	  
□□□□	□□	□□
□□□	□□□	□□□□

□□□□□□□ revert□□□□□ reset□



CHECKPOINT_01

???????? main????????

A `git reset --hard HEAD~1` push -f

B `git revert <commit-id>` push

C ?????????

[illegible]

```
1 # 00000 reset 000000
2 git fetch origin
3 git reset --hard origin/main
4 # 000000000000
```

RULE

```
reset ██████████ push -f — ██████████
```



Revert

□□□□□□□□□□□□□□□□

□□□□

revert --no-commit <old>..<new>

Reset

□□□□□□□□□□□□□□

reflog

--hard □□□□□□□□□□

□□□□□□□□ revert□□□□□□□□ reset□

History preserved.

git branch & commit

```
$ git log --oneline --graph
```

```
revert → push | reset → reflog →
```