

```
$ javac NotificationLab.java && java NotificationLab
```

# Java Interface

// □□□□□□□□□□

## contract

5/5

## dispatch

5/5

## injection

5/5

```
$ cat learning-path.md
```



**01 /**  

interface  implements

**02 /**  

**03 /**  

constructor injection  DIP  ISP

**04 /**  

default  lambda  sealed

## PART 01



□□□□□□□□□□□□

```
1  class NotificationService {
2      void notify(String channel, String message) {
3          if (channel.equals("email")) {
4              new EmailClient().deliver(message);
5          } else if (channel.equals("sms")) {
6              new SmsClient().deliver(message);
7          }
8      }
9  }
```


#### COUPLING REPORT

× □□□□□□□

× □□ SDK □□□□

× □□□□ SDK □□□□

□□ Push → □□□□□□




DOMAIN LANGUAGE

Notifier

send(message)





```
1 public interface Notifier {  
2     void send(String message);  
3 }
```

**public abstract**

□□□□□□□□□□

**no instance state**

□□□□□□□□□□□□

**role name**

□□□□□□□□□□

**contract** ≠ □□□□□□□□□□□□□□□□

# implements □□□□□

```
1  final class EmailNotifier implements Notifier {
2      @Override
3      public void send(String message) {
4          System.out.println("EMAIL > " + message);
5      }
6  }
7
8  final class SmsNotifier implements Notifier {
9      @Override
10     public void send(String message) {
11         System.out.println("SMS > " + message);
12     }
13 }
```

□□□□□□□□ public □□□□□□□□□□□□□□□□□ package-private□

## PART 02



□□□□□□□□□□



```
1 Notifier notifier = new EmailNotifier();
2 notifier.send("Welcome");
3
4 notifier = new SmsNotifier();
5 notifier.send("Code: 8042");
```

COMPILE TIME

Notifier 000 send 0

RUN TIME


0000000000

00000000 → 00000000



```
1 final class NotificationService {
2     private final Notifier notifier;
3
4     NotificationService(Notifier notifier) {
5         this.notifier = notifier;
6     }
7
8     void notify(String message) {
9         notifier.send(message);
10    }
11 }
```

□□□□□□□□□□□□□□□□□□□□□□□□



```
1 final class NotificationService {
2     private final Notifier notifier;
3
4     NotificationService(Notifier notifier) {
5         this.notifier = notifier;
6     }
7 }
```


```
final NotificationService
```




```
1 public static void main(String[] args) {
2     Notifier notifier =
3         new EmailNotifier();
4
5     var service =
6         new NotificationService(notifier);
7 }
```

COMPOSITION ROOT

NotificationService



□□□□□□□□□□□□



□□□□□□□□□□



xxxxxxxxxxxxxxxxxxxxxxxx

xxxx

xxxx

Email

SMS

Push

```
$ deps --graph
```

```
Service → Notifier ← implementations
```

```
xxxx → xx Notifierxxxxxx
```

▶ dispatch()

```
// select channels, then dispatch
```

## PART 03



DIP[ISP] [ ][ ][ ][ ][ ]

# interface ≠ DIP

□□□□

□□□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□

CHECKPOINT\_01

00000000 DIP0

A 0000 interface00000000 DIP

B 000000000000000000000000

C 00 class 00000000 interface

```
1 interface NotificationPlatform {  
2     void send(String message);  
3     void schedule(String message, Instant at);  
4     void revoke(String id);  
5 }
```

SMS `send` `schedule` `revoke` `UnsupportedOperationException` □□□□□□□□□□

Notifier

Schedulable

Revocable



```
1  final class CompositeNotifier implements Notifier {
2      private final List<Notifier> delegates;
3
4      CompositeNotifier(List<Notifier> delegates) {
5          this.delegates = List.copyOf(delegates);
6      }
7
8      public void send(String message) {
9          for (Notifier notifier : delegates) {
10             notifier.send(message);
11         }
12     }
13 }
```

Notifier



```
1 final class RecordingNotifier
2     implements Notifier {
3
4     final List<String> messages =
5         new ArrayList<>();
6
7     public void send(String message) {
8         messages.add(message);
9     }
10 }
```



```
1  @Test
2  void sendMessage() {
3      var fake = new RecordingNotifier();
4      var service =
5          new NotificationService(fake);
6
7      service.notify("shipped");
8
9      assertEquals(
10         List.of("shipped"),
11         fake.messages);
12 }
```

fast · deterministic · offline

# Interface abstract class

|  | Interface                                                                                                                                                                   | Abstract class                                                                      |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |                                                                                            |  |
|  |                                                                                            |  |
|  |                                                                                            |  |
|  |                                                                                            |  |
|  |   default |  |



## PART 04



Java 8 9017 00000

# default

NOTES

# static

Java8+

```
1 interface Notifier {
2     void send(String message);
3
4     default void sendUrgent(String message) {
5         send("[URGENT] " + message);
6     }
7
8     static Notifier silent() {
9         return message -> { };
10    }
11 }
```

## default

API

## static

# private interface method Java 9+

```
1 interface Notifier {
2     default void sendUrgent(String message) {
3         send("[URGENT] " + normalize(message));
4     }
5
6     default void sendNormal(String message) {
7         send(normalize(message));
8     }
9
10    private String normalize(String message) {
11        return message.strip();
12    }
13
14    void send(String message);
15 }
```

private □□□□□□□□□□□□□□□□□□

# Functional Interface + lambda

Java8+

```
1  @FunctionalInterface
2  interface Notifier {
3      void send(String message);
4  }
5
6  Notifier console =
7      message -> System.out.println(message);
```

□□□□□□

default / static / private □□□

**@FunctionalInterface**

□□□□□□□□□□

# Sealed interface Java 17

```
1 sealed interface DeliveryResult
2     permits Delivered, Rejected, Retrying {}
3
4 record Delivered(String id) implements DeliveryResult {}
5 record Rejected(String reason) implements DeliveryResult {}
6 record Retrying(int attempt) implements DeliveryResult {}
```


plugin API

Java 15 ☒ ☒ ☒ ☒ JEP 409 ☒ Java 17 ☐ ☐ ☐

# Monaco

Java

```
interface Notifier {  
    // TODO: send(String message)  
}  
  
final class PushNotifier implements Notifier {  
    // TODO: "PUSH > " + message  
}  
  
final class NotificationService {  
    // TODO: Notifier  
}
```



01

NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT

02

NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT

03

NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT


04

NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT

05


NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT  
NOT DISRUPT

fake



| □□                            | □□      | □□       |
|-------------------------------|---------|----------|
| default / static methods      | Java 8  | □□□□□□□□ |
| Functional interface / lambda | Java 8  | □□□□□□□□ |
| private interface methods     | Java 9  | □□□□□□   |
| Sealed interfaces             | Java 17 | □□□□□□□□ |

□□□□JLS §9 · JLS §9.8 · JEP 409



□□□□□□□□□□



□□□□□□□□□□



□□□□□□□□□□



NOT DESIGN  
NOT DESIGN fake NOT DESIGN □□□□□

Interface □□□□□□□□□□□□□□

# Lab complete.

~~~~~ FailingNotifier ~~~~~

```
$ java NotificationLab --reflect
```

```
contract → dispatch → injection → test
```