





# BIRC □□□□

Business Intelligence Center — □□□□□□□□□□



2026 □□□□□□□□□□

```
$ java OrderSystem --mode interactive
```

# Backend Day2

// 0000 - 00000000000000

0000  
000000

0000  
0000000

0000  
000000



NO GLIPH

NO GLIPH

NO GLIPH

NO GLIPH

## 🎯 Day 1 □□□□

- ✓   —      
- ✓    — if/else □□
- ✓   — while □□□□
- ✓ Scanner — □□□□



NO GLIPH

NO GLIPH

NO GLIPH

NO GLIPH

NO GLIPH

NO GLIPH

-          
-          
-          



□□□□□□□□□□if/else□while□□□□□□□□□□□□□□□□



NO GLYPH

NO GLYPH

NO GLYPH

NO GLYPH



☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

NO GLYPH

NO GLYPH

NO GLYPH

+

NO GLYPH

NO GLYPH

+

NO GLYPH

NO GLYPH



☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

NO GLYPH

NO GLYPH

NO GLYPH

0

NO GLYPH

NO GLYPH

NO GLYPH

NO GLYPH

NO GLYPH

NO GLYPH



☐

☐

☐

NO GLYPH

NO GLYPH

NO GLYPH

NO GLYPH

NO GLYPH

→

NO GLYPH

NO GLYPH

NO GLYPH

NO GLYPH

NO GLYPH

NO GLYPH

NO GLYPH



NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH  
NO GRAPH  
NO GRAPH  
NO GRAPH

App ☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐

1.

NO GRAPH  
NO GRAPH  
NO GRAPH

☐☐☐☐☐☐☐☐



2.

NO GRAPH  
NO GRAPH  
NO GRAPH  
NO GRAPH

☐☐☐☐☐



3.

NO GRAPH  
NO GRAPH  
NO GRAPH

☐☐☐☐☐☐



4.

NO GRAPH  
NO GRAPH  
NO GRAPH  
NO GRAPH

☐☐☐☐☐☐



☐☐☐☐☐☐



NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH



NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

## Phase 1 —

```
1 // 000000 index 0000000
2 String[] products = {"cola", "sandwich", "chips", "cookie", "juice"};
3 int[] prices = {30, 65, 45, 35, 40};
4
5 // 000000
6 for (int i = 0; i < products.length; i++) {
7     System.out.println((i + 1) + ". " + products[i] + " → " + prices[i] + " ₺");
8 }
9
10 // 000000
11 System.out.print("0000000000 (1-" + products.length + ")₺");
12 int choice = scanner.nextInt();
```



0000000000 index 00000000

1 2  
3 4

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

# Index □□□□

## Step 1.5 — □□□□□□□□

```
1 // 000 index 0 0 000
2 String[] products = {"cola", "sandwich", "chips", "cookie", "juice"};
3
4 //           ↑       ↑       ↑       ↑       ↑
5 //   index:      0       1       2       3       4
6 //   products[0] = "cola"
7 //   products[1] = "sandwich"
8 //   products[4] = "juice"      ← 00000 length - 1
```



NO GRAPH

NO GRAPH

NO GRAPH

products[5] →

**ArrayIndexOutOfBoundsException**

index      length - 1



NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

0

NO GRAPH

NO GRAPH

index □□□□□□□□□□

 1   =  0   



NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH



products + prices

NO GRAPH  
NO GRAPH index = □□□□

For □□

for (int i = 0; ...)

□□□□□□



□□□□

if (choice &gt;= 1 &amp;&amp; ...)

□□□□□□



□□□□□□□□□□□□□□□□





NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

## Phase 2 — □□□□□□□□□□□□

```
1  int totalAmount = 0; // □□□
2  int orderCount = 0;  // □□□□
3  while (true) {
4      System.out.println("□□□□□");
5      for (int i = 0; i < products.length; i++) {
6          System.out.println((i + 1) + ". " + products[i] + " → " + prices[i] + " □");
7      }
8      System.out.println("0. □□");
9      System.out.print("□□□□□□□□");
10     int choice = scanner.nextInt();
11
12     if (choice == 0) {
13         break; // □□□□□□
14     }
15
16     if (choice >= 1 && choice <= products.length) {
17         System.out.print("□□□□");
18         int quantity = scanner.nextInt();
19         int subtotal = prices[choice - 1] * quantity;
20         totalAmount += subtotal;
21         orderCount += quantity;
22     }
23 }
```



NO GLYPH

NO GLYPH

NO GLYPH

NO GLYPH

NO GLYPH



while (true) ☐ ☐

■ • NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH

■ • NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH

■ • NO GLYPH NO GLYPH 0 NO GLYPH NO GLYPH NO GLYPH

→ NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH



NO GLYPH

NO GLYPH

NO GLYPH

NO GLYPH

■ • totalAmount += subtotal

■ • NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH

■ • NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH

→ NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH NO GLYPH



☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ break ☐ ☐ ☐ ☐ ☐



NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

NO GRAPH

Phase 3 — 0

```
1  int[] stock = {10, 5, 8, 12, 7}; // []
2
3  // []
4  if (stock[index] == 0) {
5      System.out.println("X " + products[index] + " []");
6      continue; // []
7  }
8  // []
9  if (quantity > stock[index]) {
10     System.out.println("X [] " + stock[index] + " ");
11     continue;
12 }
13 // []
14 stock[index] -= quantity;
```







□ □ □ □ □ □ □ □ □ □







LucasHsu.dev — 2026 年 1 月 1 日