

```
$ git log --oneline && git revert HEAD
```

Revert vs Reset

// 00000000000000000000000000000000

revert

0000

reset

0000

reflog

000

push -f

0000

\$ cat agenda.md



01 /      

02 / Revert

03 / Reset

  HEAD    

04 /    

    reflog  merge commit

PART 01



[illegible]

NO GPPH NO GPPH NO GPPH NO GPPH NO GPPH NO GPPH bug NO GPPH NO GPPH NO GPPH NO GPPH NO GPPH .. NO GPPH NO GPPH NO GPPH

□ □ □ □ □ □ □ □ □ □ □ □

□□□□□□□□ — □□□□□□□□

```
Git 0.0.0 — 0.0.0
```

PART 02

Revert  



□ □ □ □

main



□ □ □ □

main
main
main
main
main

B □ □ □ □

□ □ □ □

A → B → C → Revert B  B □ □ □

□ □ □ □ □ □ □ □ —  □ □ □ □ □ □ □ □ □ □ □ □ □ □



```
1 # 000000
2 git revert <commit-id>
3
4 # 00000000
5 git revert HEAD
6
7 # 00000000
8 git revert --no-commit <commit-id>
```



```
1 # A → B → C → D → E
2 # 000 C D E
3
4 git revert --no-commit b2c3d4e..e5f6g7h
5 git commit -m "Revert changes C to E"
6 git push origin main
```

--no-commit

`git revert <old>..<new> old`

PART 03

Reset

NO GLYPH



□ □ □ □



HEAD □□
□□□□□□□□

A → B
C □□□□□□□□

□□□□□□□□□□

□□	□□□□	□□□□
--soft	 HEAD	□□□□□□□□□□□□□□
--mixed □□□□	HEAD + □□□	□□□□□□□□  add
--hard	HEAD +  + 	□□□□□□□□□□□□

DANGER - □□□□

--hard □□□□□□□□□□□□□□

1. □□□□□ 2. □□□□□□ 3. □□□□□□□□□□

PART 04




□□□□□□□□

□□□□

□□	Revert	Reset
□□□□	□□□□□□□□□□	□□□□□□□□
□□□	□□□□□□□□	□□□□□□□□
□□□□□□□	✓ NOT DEPLOY NOT DEPLOY	✗ NOT DEPLOY NOT DEPLOY
□□□□	□□	□□
□□□	□□□	□□□□

□□□□□□□ revert□□□□□ reset□



CHECKPOINT_01

???????? main????????

A `git reset --hard HEAD~1` push -f

B `git revert <commit-id>` push

C ?????????

[illegible]

```
1 # 00000 reset 000000
2 git fetch origin
3 git reset --hard origin/main
4 # 000000000000
```

RULE

```
reset ██████████ push -f — ██████████
```



Revert

□□□□□□□□□□□□□□□□

□□□□

revert --no-commit <old>..<new>

Reset

□□□□□□□□□□□□□□

reflog

--hard □□□□□□□□□□

□□□□□□□□ revert□□□□□□□□ reset□

History preserved.

git branch & commit

```
$ git log --oneline --graph
```

```
revert → push | reset → reflog →
```