RIVERWORLD BEINGS

Characterisation of the population of beings of **Riverworld**.

Riverworld is a fictional planet and the setting for a series of sci-fi books written by **Philip José Farmer**.
Riverworld is an artificial environment where all humans (and pre-humans) ever born who died after reaching 5 years old are reconstructed.
Most of the resurrected awaken in a body equivalent to that of their 25 year old selves, in perfect health and free of any previous genetic or acquired defects.

A friend of mine made fun of the book concept and claimed half of the beings ressucitated would be prehistorical.

This project is proving him wrong.

Definitions

- Begining of mankind : Homo Erectus, -700K, assuming all beings on Riverworld can walk
- End of mankind : 2016. In the book, all people die in 1983 after interacting with an alien civilisation.
- Child Mortality CM : death of infants and children under the age of 5
- Infant Mortality IM : death of infants and children under the age of 1
- Life Expectancy LE : average time a being is expected to live
- Life Adult Expectancy LAE : average time a being is expected to live if he reachs 5 years old

Datas

- Dataset compiled amongst considered sources :
    - until now, conservative estimations for pre modern times : `./data/population-min.csv`
    - until now, optimistic estimations for pre modern times : `./data/population-max.csv`
    - including 2070 projections `./data/population-future.csv`
- The dataset consists of Point In Times (PIT)
- For each PIT, these metrics are available : year, beings count in millions, LE, LAE, CM and continental proportions
- Depending on sources, CM, IM, LE and/or LAE are provided or not. Some datas have been extrapolated. Underlying model : $LE = CM * 5/2 + LAE * (1 - CM)$
- Case of beings count in prehistorical times :
    - Beings counts estimation flucuates a lot. They can go as low as 1K individuals up to 100K
    - We have 3 milestones in our dataset : -700K (lower paleolithic), -50K (higher paleolithic) and -10K (begining of history)
    - For -10K, the poulation count is within the magnitude of the millions according to most of the sources. We kept the McEvedy estimation of 4 millions.
    - For -50K, we kept the higher estimation of Jean-Pierre Bocquet-Appel from his study of upper paleolithical meta populations in Europe. He found 15K individuals in the Aurignacien (-30K). Wordlwide, we estimated, as a minimum, we timed this result by 5. As a maximum by 10.
    - For -700K, we've assumed the population could not be higher than in -50K. We assumed the population at that time would be the population of -50K / 2.
- Case of LE et CM for prehistorical times :
    - As for beings counts, the LE estimations vary greatly
    - The Kaplan study suggest hunter gatherer modern societies tell us how prehistoric men lived and died. The study suggests the ALE is around 50 years and the CM around 0.5
    - For reference, the CM of 1900 is 0.4 and the Scheidel estimation of Classic Rome CM is 0.5
    - We cowardly derived the CM of pre Roman times to 0.6

Calculus

- Linearity in between *PIT*s :
  - The underlying assumption is that the *PIT* metrics evolve linearly in between two *PIT*s
  - This assumption can be considered true from -700K to 1700, from 1700 to 1900, from 1900 to 1950 and from 1950 to today
  - The *PIT* resolution in the dataset is consistent with this observation
  - We then assume numerical midpoint integration is a reasonable estimation
- For the period *PIT 1 => PIT 2*
- *AB yx = Amount of Beings for year x*
- Elapsed Time *ET = y2 - y1*
- Average Amount of Beings for Period *AABP = (AB y2 + AB y1) / 2*
- LAE for Period *LAEP = (LAE y1 + LAE y2) / 2*
- Proportion of Adult Beings To Be for Period *PABTBP = 1 - ((CM y1 + CM y2) / 2)*
- Thus Amount of Beings who were Born for Period *ABP = ET * AABP / LAEP*
- Thus Amount of Adult Beings who were Born for Period *AABP = ET * AABP * PABTBP / LEP*
- Another calculus method is to use a simpe model of population growth :
  - *AB y1 = Ce^(r * y1)* and *AB y2 = Ce^(r * y2)*
  - By integration, *ABP = ET * (AB y2 - AB y1) / (ln(AB y2) - ln(AB y1)) / LEP*
  - This method proved to be very similar to the naïve numerical integration we selected (cf Report - Figure 6)

Results

- The last report : `./output/(min|max|future)/report.pdf`
- The last plots : `./output`

Sources

- https://en.wikipedia.org/wiki/Human_evolution
- https://ourworldindata.org/child-mortality
- https://ourworldindata.org/infant-mortality
- https://en.wikipedia.org/wiki/Life_expectancy#Variation_over_time
- https://en.wikipedia.org/wiki/World_population#Past_population
- https://ourworldindata.org/world-population-growth
- http://www.unm.edu/~hkaplan/KaplanHillLancasterHurtado_2000_LHEvolution.pdf
- https://en.wikipedia.org/wiki/Prehistoric_demography
- https://en.wikipedia.org/wiki/World_population_estimates
- http://www.evolhum.cnrs.fr/bocquet/jas2005.pdf
- https://www.princeton.edu/~pswpc/pdfs/scheidel/040901.pdf
- https://scholarspace.manoa.hawaii.edu/bitstream/handle/10125/17288/AP-v47n2-190-209.pdf
- https://ourworldindata.org/world-population-growth
- http://www.math.hawaii.edu/~ramsey/People.html

Install

- `pip install --upgrade pip`
- `pip install -r requirements.txt --user`
- Fonts used in this project : `./resources/fonts`
- PDF dependencies :
  - mac : `brew cask install wkhtmltopdf`
  - linux : `apt-get install wkhtmltopdf`

Run

- Configuration is loaded from `config.ini`
- `python riverworld.py min|max|future`
- all at once : `python riverworld.py min;python riverworld.py max;python riverworld.py future`

Credits

- Author : Lucas Mouilleron, http://lucasmouilleron.com
- Thanks to : Jean-Benoît Bourron, Romain Charlassier

RESULTS

Dataset used : `population-future.csv`

Main Results

Metric	Value
Total beigns ever born	68.8 billions
Total adult beigns ever born	24.4 billions
Proportion of alive beings amongst all beings ever born	14.5%
Median year of adult beings ever born	1800
Median year of beings ever born	0

Proportion Of Adult Beings Amongst All Adults Ever Born

| Sub Population	Value
Me	1.45329222853e-09% (1)
Asians	54% (1.34e+10)
Paloelithical era	2.0% (4.9e+08)
Neolithical era	6.4% (1.6e+09)
-10K until the birh of Jesus Christ	15.5% (3.8e+09)
Classical Athens (508 BC - 322 BC) (with civil rights)	0.0% (1.5e+05)
Classical Athens (508 BC - 322 BC)	0.0% (1.2e+06)
Roman Republic (509 BC - 27 BC)	0.0% (3.9e+06)
Western Roman Empire (27 BC - 476 AD)	2.4% (5.9e+08)
After WWII	49% (1.2e+10)

Adult Beings Results

Riverworld Distribution Of Adult Beings Eras Amongst All Adult Beings Ever Born

figure 1

Riverworld Distribution Of Adult Beings Continents Amongst All Adult Beings Ever Born


figure 2

Riverworld Cumulated Amount Of Adult Beings Ever Born

figure 3

All Beings Results

Riverworld Distribution Of Beings Eras Amongst All Beings Ever Born

figure 4

Riverworld Cumulated Amount Of Beings Ever Born

figure 5

Riverworld Cumulated Amount Of Beings Ever Born - Calculs Comparaison

figure 6