


Graph Theory

Part One


Graph Theory


For those of you who
have already
completed
CS106B/X:






Chemical Bonds








facebook®




What's in Common

- Each of these structures consists of
 - a collection of objects and
 - links between those objects.
- **Goal:** find a general framework for describing these objects and their properties.

A ***graph*** is a mathematical structure for representing relationships.




A **graph** is a mathematical structure for representing relationships.




A graph consists of a set of **nodes** (or **vertices**) connected by **edges** (or **arcs**)

A **graph** is a mathematical structure for representing relationships.




A graph consists of a set of **nodes** (or **vertices**) connected by **edges** (or **arcs**)

A **graph** is a mathematical structure for representing relationships.




A graph consists of a set of **nodes** (or **vertices**) connected by **edges** (or **arcs**)

Some graphs are *directed*.



Some graphs are *undirected*.



Going forward, we're primarily going to focus on undirected graphs.

The term “graph” generally refers to undirected graphs with a finite number of nodes, unless specified otherwise.






Formalizing Graphs

- How might we define a graph mathematically?
- We need to specify
 - what the nodes in the graph are, and
 - which edges are in the graph.
- The nodes can be pretty much anything.
- What about the edges?

Formalizing Graphs

- An **unordered pair** is a set $\{a, b\}$ of two elements $a \neq b$. (Remember that sets are unordered).
 - $\{0, 1\} = \{1, 0\}$
- An **undirected graph** is an ordered pair $G = (V, E)$, where
 - V is a set of nodes, which can be anything, and
 - E is a set of edges, which are unordered pairs of nodes drawn from V .
- *[For your reference, but remember we won't be focusing on them in this class]* A **directed graph** is an ordered pair $G = (V, E)$, where
 - V is a set of nodes, which can be anything, and
 - E is a set of edges, which are *ordered* pairs of nodes drawn from V .

- An **unordered pair** is a set $\{a, b\}$ of two elements $a \neq b$.
- An **undirected graph** is an ordered pair $G = (V, E)$, where
 - V is a set of nodes, which can be anything, and
 - E is a set of edges, which are unordered pairs of nodes drawn from V .





How many of these drawings are of valid undirected graphs?


Answer at **PollEv.com/cs103** or
text **CS103** to **22333** once to join, then a number.

Self-Loops


- An edge from a node to itself is called a ***self-loop***.
- In undirected graphs, self-loops are generally not allowed.
 - Can you see how this follows from the definition?
- In directed graphs, self-loops are generally allowed unless specified otherwise.




Standard Graph Terminology




Two nodes are called ***adjacent*** if there is an edge between them.



Two nodes are called ***adjacent*** if there is an edge between them.




Two nodes are called *adjacent* if there is an edge between them.





Two nodes are called *adjacent* if there is an edge between them.


Using our Formalisms


- Let $G = (V, E)$ be a graph.
- Intuitively, two nodes are adjacent if they're linked by an edge.
- Formally speaking, we say that two nodes $u, v \in V$ are **adjacent** if $\{u, v\} \in E$.



















SF, Sac, LA, Phoe, Flag, Bar, LV, Mon, SLC, But, Sea

A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.




SF, Sac, LA, Phoe, Flag, Bar, LV, Mon, SLC, But, Sea



A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

SF, Sac, LA, Phoe, Flag, Bar, LV, Mon, SLC, But, Sea




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

(This path has length 10, but visits 11 cities.)


SF, Sac, LA, Phoe, Flag, Bar, LV, Mon, SLC, But, Sea



A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

From/To




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.


The **length** of the path v_1, \dots, v_n is $n - 1$.

A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.



Sac, Port, Sea, But, SLC, Mon, LV, Bar, LA, Sac




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

Sac, Port, Sea, But, SLC, Mon, LV, Bar, LA, Sac




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

(This cycle has length nine and visits nine different cities.)

Sac, Port, Sea, But, SLC, Mon, LV, Bar, LA, Sac




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

Answer at **PollEv.com/cs103** or text **CS103** to **22333** once to join, then **A**, ..., or **E**.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

How many paths in this graph are there from SF to LA?


- A. 1
- B. 4
- C. 10
- D. 20
- E. None of these.



A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

SF




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

SF, Sac




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

SF, Sac, LA




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

SF, Sac, LA, Phoe




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

SF, Sac, LA, Phoe, Flag




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

SF, Sac, LA, Phoe, Flag, Bar




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

SF, Sac, LA, Phoe, Flag, Bar, LA




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

SF, Sac, LA, Phoe, Flag, Bar, LA




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

A **simple path** in a graph is path that does not repeat any nodes or edges.

SF, Sac, LA, Phoe, Flag, Bar, LA



(A path, not a simple path.)


A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

A **simple path** in a graph is path that does not repeat any nodes or edges.

SF, Sac, LA, Phoe, Flag, Bar, LA



(This path has length six.)


SF, Sac, LA, Phoe, Flag, Bar, LA

A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

A **simple path** in a graph is path that does not repeat any nodes or edges.




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

A **simple path** in a graph is path that does not repeat any nodes or edges.




Sac

A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

A **simple path** in a graph is path that does not repeat any nodes or edges.




Sac, SLC

A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

A **simple path** in a graph is path that does not repeat any nodes or edges.




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

A **simple path** in a graph is path that does not repeat any nodes or edges.




Sac, SLC, Port, Sac

A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

A **simple path** in a graph is path that does not repeat any nodes or edges.




Sac, SLC, Port, Sac, SLC

A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

A **simple path** in a graph is path that does not repeat any nodes or edges.




Sac, SLC, Port, Sac, SLC, Port

A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

A **simple path** in a graph is path that does not repeat any nodes or edges.




Sac, SLC, Port, Sac, SLC, Port, Sac

A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

A **simple path** in a graph is path that does not repeat any nodes or edges.



Sac, SLC, Port, Sac, SLC, Port, Sac


A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

A **simple path** in a graph is path that does not repeat any nodes or edges.

A **simple cycle** in a graph is cycle that does not repeat any nodes or edges except the first/last node.



Sac, SLC, Port, Sac, SLC, Port, Sac


A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.

A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

A **simple path** in a graph is path that does not repeat any nodes or edges.

A **simple cycle** in a graph is cycle that does not repeat any nodes or edges except the first/last node.



(This cycle has length 6.)

Sac, SLC, Port, Sac, SLC, Port, Sac


A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

The **length** of the path v_1, \dots, v_n is $n - 1$.


A **cycle** in a graph is a path from a node back to itself. (By convention, a cycle cannot have length zero.)

A **simple path** in a graph is path that does not repeat any nodes or edges.


A **simple cycle** in a graph is cycle that does not repeat any nodes or edges except the first/last node.




A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.



A ***path*** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.





A ***path*** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.



A ***path*** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.







A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.


Two nodes in a graph are called **connected** if there is a path between them.

A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

Two nodes in a graph are called **connected** if there is a path between them.

(These nodes are not connected. No Grand Canyon for you.)






A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

Two nodes in a graph are called **connected** if there is a path between them.

A graph G as a whole is called **connected** if all pairs of nodes in G are connected.



A **path** in a graph $G = (V, E)$ is a sequence of one or more nodes $v_1, v_2, v_3, \dots, v_n$ such that any two consecutive nodes in the sequence are adjacent.

Two nodes in a graph are called **connected** if there is a path between them.

A graph G as a whole is called **connected** if all pairs of nodes in G are connected.

(This graph is not connected.)