

```

(export (version "E")
  (design
    (source "C:\\Users\\lucas\\Documents\\sae radar\\sae radar.kicad_sch")
    (date "21/05/2026 16:59:22")
    (tool "Eeschema (7.0.0)")
    (sheet (number "1") (name "/") (tstamps "/")
      (title_block
        (title "Radar de recul de PICHAUD Lucas")
        (company)
        (rev)
        (date)
        (source "sae radar.kicad_sch")
        (comment (number "1") (value ""))
        (comment (number "2") (value ""))
        (comment (number "3") (value ""))
        (comment (number "4") (value ""))
        (comment (number "5") (value ""))
        (comment (number "6") (value ""))
        (comment (number "7") (value ""))
        (comment (number "8") (value ""))
        (comment (number "9") (value ""))))))
    (components
      (comp (ref "C1")
        (value "10n")
        (footprint "radar_de_recul:Capacitor")
        (libsource (lib "Device") (part "C") (description "Unpolarized
capacitor")))
        (property (name "Sheetname") (value ""))
        (property (name "Sheetfile") (value "sae radar.kicad_sch"))
        (property (name "ki_description") (value "Unpolarized capacitor"))
        (property (name "ki_keywords") (value "cap capacitor"))
        (sheetpath (names "/") (tstamps "/"))
        (tstamps "78a1e759-e587-46c7-9751-d53927a9a206"))
      (comp (ref "C2")
        (value "470n")
        (footprint "radar_de_recul:Capacitor")
        (libsource (lib "Device") (part "C") (description "Unpolarized
capacitor")))
        (property (name "Sheetname") (value ""))
        (property (name "Sheetfile") (value "sae radar.kicad_sch"))
        (property (name "ki_description") (value "Unpolarized capacitor"))
        (property (name "ki_keywords") (value "cap capacitor"))
        (sheetpath (names "/") (tstamps "/"))
        (tstamps "b2692d88-a42c-4f77-8c81-593544a2e453"))
      (comp (ref "D1")
        (value "D")
        (footprint "Diode_THT:D_DO-15_P12.70mm_Horizontal")
        (fields
          (field (name "Sim.Device") "D")
          (field (name "Sim.Pins") "1=K 2=A"))
        (libsource (lib "Device") (part "D") (description "Diode"))
        (property (name "Sim.Device") (value "D"))
        (property (name "Sim.Pins") (value "1=K 2=A"))
        (property (name "Sheetname") (value "")))
    )
  )
)

```

```

(property (name "Sheetfile") (value "sae radar.kicad_sch"))
(property (name "ki_description") (value "Diode"))
(property (name "ki_keywords") (value "diode"))
(sheetpath (names "/" ) (tstamps "/" ))
(tstamps "ff48dc8d-df4e-44d5-a9c4-0813f153f49b"))
(comp (ref "J1")
  (value "Alimentation")
  (footprint "radar_de_recul:Alimentation")
  (libsource (lib "Connector") (part "Conn_01x03_Socket") (description
"Generic connector, single row, 01x03, script generated"))
  (property (name "Sheetname") (value ""))
  (property (name "Sheetfile") (value "sae radar.kicad_sch"))
  (property (name "ki_description") (value "Generic connector, single row,
01x03, script generated"))
  (property (name "ki_keywords") (value "connector"))
  (sheetpath (names "/" ) (tstamps "/" ))
  (tstamps "2c45f322-c61a-483a-9573-8873a89cda15"))
(comp (ref "LED1")
  (value "~")
  (footprint "LED_THT:LED_D5.0mm")
  (libsource (lib "Device") (part "LED") (description "Light emitting
diode")))
  (property (name "Sheetname") (value ""))
  (property (name "Sheetfile") (value "sae radar.kicad_sch"))
  (property (name "ki_description") (value "Light emitting diode"))
  (property (name "ki_keywords") (value "LED diode"))
  (sheetpath (names "/" ) (tstamps "/" ))
  (tstamps "584926c6-ae05-46c6-8876-15d738d150ab"))
(comp (ref "LED2")
  (value "~")
  (footprint "LED_THT:LED_D5.0mm")
  (libsource (lib "Device") (part "LED") (description "Light emitting
diode")))
  (property (name "Sheetname") (value ""))
  (property (name "Sheetfile") (value "sae radar.kicad_sch"))
  (property (name "ki_description") (value "Light emitting diode"))
  (property (name "ki_keywords") (value "LED diode"))
  (sheetpath (names "/" ) (tstamps "/" ))
  (tstamps "81211f86-4ff2-453f-b4e9-2f7345904510"))
(comp (ref "LED3")
  (value "~")
  (footprint "LED_THT:LED_D5.0mm")
  (libsource (lib "Device") (part "LED") (description "Light emitting
diode")))
  (property (name "Sheetname") (value ""))
  (property (name "Sheetfile") (value "sae radar.kicad_sch"))
  (property (name "ki_description") (value "Light emitting diode"))
  (property (name "ki_keywords") (value "LED diode"))
  (sheetpath (names "/" ) (tstamps "/" ))
  (tstamps "8d582354-8c2c-4744-92e5-cb0a485d548d"))
(comp (ref "R1")
  (value "1k")
  (footprint
"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal"))

```

```

        (libsource (lib "Device") (part "R") (description "Resistor"))
        (property (name "Sheetname") (value ""))
        (property (name "Sheetfile") (value "sae radar.kicad_sch"))
        (property (name "ki_description") (value "Resistor"))
        (property (name "ki_keywords") (value "R res resistor"))
        (sheetpath (names "/") (tstamps "/"))
        (tstamps "3a47a0f5-eea2-4e2d-8a3f-588cc11e258f"))
    (comp (ref "R2")
        (value "1.5k")
        (footprint
"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal")
        (libsource (lib "Device") (part "R") (description "Resistor"))
        (property (name "Sheetname") (value ""))
        (property (name "Sheetfile") (value "sae radar.kicad_sch"))
        (property (name "ki_description") (value "Resistor"))
        (property (name "ki_keywords") (value "R res resistor"))
        (sheetpath (names "/") (tstamps "/"))
        (tstamps "25f0aa0b-387f-4b53-a566-0b89c3bf3f3e"))
    (comp (ref "R3")
        (value "1k")
        (footprint
"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal")
        (libsource (lib "Device") (part "R") (description "Resistor"))
        (property (name "Sheetname") (value ""))
        (property (name "Sheetfile") (value "sae radar.kicad_sch"))
        (property (name "ki_description") (value "Resistor"))
        (property (name "ki_keywords") (value "R res resistor"))
        (sheetpath (names "/") (tstamps "/"))
        (tstamps "b9e60297-95e9-446e-a137-6584dc06fd40"))
    (comp (ref "R4")
        (value "1k")
        (footprint
"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal")
        (libsource (lib "Device") (part "R") (description "Resistor"))
        (property (name "Sheetname") (value ""))
        (property (name "Sheetfile") (value "sae radar.kicad_sch"))
        (property (name "ki_description") (value "Resistor"))
        (property (name "ki_keywords") (value "R res resistor"))
        (sheetpath (names "/") (tstamps "/"))
        (tstamps "d481902f-04c6-4ec5-8ed4-45d7a563cc34"))
    (comp (ref "R5")
        (value "1k")
        (footprint
"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal")
        (libsource (lib "Device") (part "R") (description "Resistor"))
        (property (name "Sheetname") (value ""))
        (property (name "Sheetfile") (value "sae radar.kicad_sch"))
        (property (name "ki_description") (value "Resistor"))
        (property (name "ki_keywords") (value "R res resistor"))
        (sheetpath (names "/") (tstamps "/"))
        (tstamps "bac37d2c-6574-4b9e-8683-81f66f9c2e04"))
    (comp (ref "R6")
        (value "100k")
        (footprint

```

```

"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal")
  (libsource (lib "Device") (part "R") (description "Resistor"))
  (property (name "Sheetname") (value ""))
  (property (name "Sheetfile") (value "sae radar.kicad_sch"))
  (property (name "ki_description") (value "Resistor"))
  (property (name "ki_keywords") (value "R res resistor"))
  (sheetpath (names "/") (tstamps "/"))
  (tstamps "89d48a3b-5452-44db-9d7e-05c33a5bd8fb"))
(comp (ref "R7")
  (value "1k")
  (footprint
"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal")
  (libsource (lib "Device") (part "R") (description "Resistor"))
  (property (name "Sheetname") (value ""))
  (property (name "Sheetfile") (value "sae radar.kicad_sch"))
  (property (name "ki_description") (value "Resistor"))
  (property (name "ki_keywords") (value "R res resistor"))
  (sheetpath (names "/") (tstamps "/"))
  (tstamps "0aa1475c-31a8-4a47-8891-18e63e90944c"))
(comp (ref "R8")
  (value "100k")
  (footprint
"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal")
  (libsource (lib "Device") (part "R") (description "Resistor"))
  (property (name "Sheetname") (value ""))
  (property (name "Sheetfile") (value "sae radar.kicad_sch"))
  (property (name "ki_description") (value "Resistor"))
  (property (name "ki_keywords") (value "R res resistor"))
  (sheetpath (names "/") (tstamps "/"))
  (tstamps "8526b87d-71c8-4c31-a1bc-d2c615272c72"))
(comp (ref "R9")
  (value "1k")
  (footprint
"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal")
  (libsource (lib "Device") (part "R") (description "Resistor"))
  (property (name "Sheetname") (value ""))
  (property (name "Sheetfile") (value "sae radar.kicad_sch"))
  (property (name "ki_description") (value "Resistor"))
  (property (name "ki_keywords") (value "R res resistor"))
  (sheetpath (names "/") (tstamps "/"))
  (tstamps "3e8a2a2b-7623-4cbc-8977-fa5db382ae4d"))
(comp (ref "R10")
  (value "276")
  (footprint
"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal")
  (libsource (lib "Device") (part "R") (description "Resistor"))
  (property (name "Sheetname") (value ""))
  (property (name "Sheetfile") (value "sae radar.kicad_sch"))
  (property (name "ki_description") (value "Resistor"))
  (property (name "ki_keywords") (value "R res resistor"))
  (sheetpath (names "/") (tstamps "/"))
  (tstamps "7b2d9870-e95e-4657-ab06-1125779b1cd0"))
(comp (ref "R11")
  (value "1k")

```

```

        (footprint
"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal")
    (libsource (lib "Device") (part "R") (description "Resistor"))
    (property (name "Sheetname") (value ""))
    (property (name "Sheetfile") (value "sae radar.kicad_sch"))
    (property (name "ki_description") (value "Resistor"))
    (property (name "ki_keywords") (value "R res resistor"))
    (sheetpath (names "/") (tstamps "/"))
    (tstamps "981a71c8-f469-4990-9ed9-724820299a92"))
    (comp (ref "R12")
        (value "1k")
        (footprint
"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal")
    (libsource (lib "Device") (part "R") (description "Resistor"))
    (property (name "Sheetname") (value ""))
    (property (name "Sheetfile") (value "sae radar.kicad_sch"))
    (property (name "ki_description") (value "Resistor"))
    (property (name "ki_keywords") (value "R res resistor"))
    (sheetpath (names "/") (tstamps "/"))
    (tstamps "4412936f-24cc-420d-8cef-1097e23d77e9"))
    (comp (ref "R13")
        (value "1k")
        (footprint
"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal")
    (libsource (lib "Device") (part "R") (description "Resistor"))
    (property (name "Sheetname") (value ""))
    (property (name "Sheetfile") (value "sae radar.kicad_sch"))
    (property (name "ki_description") (value "Resistor"))
    (property (name "ki_keywords") (value "R res resistor"))
    (sheetpath (names "/") (tstamps "/"))
    (tstamps "74971bfd-1f01-4cae-9c79-948a15b36173"))
    (comp (ref "R14")
        (value "3k")
        (footprint
"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal")
    (libsource (lib "Device") (part "R") (description "Resistor"))
    (property (name "Sheetname") (value ""))
    (property (name "Sheetfile") (value "sae radar.kicad_sch"))
    (property (name "ki_description") (value "Resistor"))
    (property (name "ki_keywords") (value "R res resistor"))
    (sheetpath (names "/") (tstamps "/"))
    (tstamps "6363b970-d2f7-4ba5-b9c9-2d5c6c90bca2"))
    (comp (ref "R15")
        (value "1k")
        (footprint
"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal")
    (libsource (lib "Device") (part "R") (description "Resistor"))
    (property (name "Sheetname") (value ""))
    (property (name "Sheetfile") (value "sae radar.kicad_sch"))
    (property (name "ki_description") (value "Resistor"))
    (property (name "ki_keywords") (value "R res resistor"))
    (sheetpath (names "/") (tstamps "/"))
    (tstamps "326bf58c-d7db-470c-8955-3133594af1e0"))
    (comp (ref "R16")

```

```

        (value "1k")
        (footprint
"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal")
        (libsource (lib "Device") (part "R") (description "Resistor"))
        (property (name "Sheetname") (value ""))
        (property (name "Sheetfile") (value "sae radar.kicad_sch"))
        (property (name "ki_description") (value "Resistor"))
        (property (name "ki_keywords") (value "R res resistor"))
        (sheetpath (names "/") (tstamps "/"))
        (tstamps "cb90ff35-cce3-4d7d-b8fb-64f272753444"))
    (comp (ref "R17")
        (value "1k")
        (footprint
"Resistor_THT:R_Axial_DIN0309_L9.0mm_D3.2mm_P12.70mm_Horizontal")
        (libsource (lib "Device") (part "R") (description "Resistor"))
        (property (name "Sheetname") (value ""))
        (property (name "Sheetfile") (value "sae radar.kicad_sch"))
        (property (name "ki_description") (value "Resistor"))
        (property (name "ki_keywords") (value "R res resistor"))
        (sheetpath (names "/") (tstamps "/"))
        (tstamps "7800e053-3e08-4b84-94f1-aa74d9b5d773"))
    (comp (ref "RV1")
        (value "1k")
        (footprint "radar_de_recul:RV1")
        (libsource (lib "Device") (part "R_Potentiometer") (description
"Potentiometer"))
        (property (name "Sheetname") (value ""))
        (property (name "Sheetfile") (value "sae radar.kicad_sch"))
        (property (name "ki_description") (value "Potentiometer"))
        (property (name "ki_keywords") (value "resistor variable"))
        (sheetpath (names "/") (tstamps "/"))
        (tstamps "453c198e-e7a5-4364-8fa8-45806d9c75de"))
    (comp (ref "RV2")
        (value "47k")
        (footprint "radar_de_recul:RV2")
        (libsource (lib "Device") (part "R_Potentiometer") (description
"Potentiometer"))
        (property (name "Sheetname") (value ""))
        (property (name "Sheetfile") (value "sae radar.kicad_sch"))
        (property (name "ki_description") (value "Potentiometer"))
        (property (name "ki_keywords") (value "resistor variable"))
        (sheetpath (names "/") (tstamps "/"))
        (tstamps "6f575fc8-7d5b-424c-b8d1-531c47155ac4"))
    (comp (ref "U1")
        (value "TL082")
        (footprint "Package_DIP:DIP-8_W7.62mm_LongPads")
        (datasheet "http://www.ti.com/lit/ds/symlink/tl081.pdf")
        (libsource (lib "Amplifier_Operational") (part "TL082") (description "Dual
JFET-Input Operational Amplifiers, DIP-8/SOIC-8/SSOP-8"))
        (property (name "Sheetname") (value ""))
        (property (name "Sheetfile") (value "sae radar.kicad_sch"))
        (property (name "ki_description") (value "Dual JFET-Input Operational
Amplifiers, DIP-8/SOIC-8/SSOP-8"))
        (property (name "ki_keywords") (value "dual opamp"))

```

```

(sheetpath (names "/") (tstamps "/"))
(tstamps "cb1b22f9-075c-4b4e-8add-5d33e1fb1391"
"b691e6c6-29bf-47d6-af16-183d12793a1d" "4f5e1db0-0018-41fa-a613-92ee9af50e8e"))
(comp (ref "U2")
(value "TL082")
(footprint "Package_DIP:DIP-8_W7.62mm_LongPads")
(datasheet "http://www.ti.com/lit/ds/symlink/tl081.pdf")
(libsource (lib "Amplifier_Operational") (part "TL082") (description "Dual
JFET-Input Operational Amplifiers, DIP-8/SOIC-8/SSOP-8")))
(property (name "Sheetname") (value ""))
(property (name "Sheetfile") (value "sae radar.kicad_sch"))
(property (name "ki_description") (value "Dual JFET-Input Operational
Amplifiers, DIP-8/SOIC-8/SSOP-8")))
(property (name "ki_keywords") (value "dual opamp"))
(sheetpath (names "/") (tstamps "/"))
(tstamps "a5be3f52-3f9a-475a-870a-4a5d1bd06f01"
"8f92b764-dde8-4d8d-a21e-a69de400e1f5" "692e9186-0e1a-4d17-8921-8e404d65d660"))
(comp (ref "U3")
(value "TL082")
(footprint "Package_DIP:DIP-8_W7.62mm_LongPads")
(datasheet "http://www.ti.com/lit/ds/symlink/tl081.pdf")
(libsource (lib "Amplifier_Operational") (part "TL082") (description "Dual
JFET-Input Operational Amplifiers, DIP-8/SOIC-8/SSOP-8")))
(property (name "Sheetname") (value ""))
(property (name "Sheetfile") (value "sae radar.kicad_sch"))
(property (name "ki_description") (value "Dual JFET-Input Operational
Amplifiers, DIP-8/SOIC-8/SSOP-8")))
(property (name "ki_keywords") (value "dual opamp"))
(sheetpath (names "/") (tstamps "/"))
(tstamps "f18bf5b5-d8a9-4879-b0c1-9347302a3e25"
"8b475d1b-5c53-42ca-96e9-72509b807736" "2d99bc86-ec7a-4c21-905b-5d884bd27189"))
(comp (ref "U4")
(value "TL082")
(footprint "Package_DIP:DIP-8_W7.62mm_LongPads")
(datasheet "http://www.ti.com/lit/ds/symlink/tl081.pdf")
(libsource (lib "Amplifier_Operational") (part "TL082") (description "Dual
JFET-Input Operational Amplifiers, DIP-8/SOIC-8/SSOP-8")))
(property (name "Sheetname") (value ""))
(property (name "Sheetfile") (value "sae radar.kicad_sch"))
(property (name "ki_description") (value "Dual JFET-Input Operational
Amplifiers, DIP-8/SOIC-8/SSOP-8")))
(property (name "ki_keywords") (value "dual opamp"))
(sheetpath (names "/") (tstamps "/"))
(tstamps "a8ad60b3-cdcc-412d-b735-ee8a3aff800b"
"3c1772ea-5b50-4183-b15c-7b9ab521a9c6" "224ece29-a4c8-439c-b003-4f3047928278"))
(comp (ref "US1")
(value "~")
(footprint "radar_de_recul:Capteur Emetteur et Recepteur")
(libsource (lib "radar_de_recul") (part "Capteur Emetteur") (description
""))
(property (name "Sheetname") (value ""))
(property (name "Sheetfile") (value "sae radar.kicad_sch"))
(sheetpath (names "/") (tstamps "/"))
(tstamps "ce9c6881-a676-463a-80d9-7aa95b66eb69"))

```

```

(comp (ref "US2")
  (value "~")
  (footprint "radar_de_recul:Capteur Emetteur et Recepteur")
  (libsource (lib "radar_de_recul") (part "Capteur_Récepteur") (description
""))
  (property (name "Sheetname") (value ""))
  (property (name "Sheetfile") (value "sae radar.kicad_sch"))
  (sheetpath (names "/" ) (tstamps "/" ))
  (tstamps "1c0c6206-a641-4915-be47-c74626fca1b1"))))
(libparts
  (libpart (lib "Amplifier_Operational") (part "TL082")
    (description "Dual JFET-Input Operational Amplifiers,
DIP-8/SOIC-8/SSOP-8")
    (docs "http://www.ti.com/lit/ds/symlink/tl081.pdf")
    (footprints
      (fp "SOIC*3.9x4.9mm*P1.27mm*")
      (fp "DIP*W7.62mm*")
      (fp "TO*99*")
      (fp "OnSemi*Micro8*")
      (fp "TSSOP*3x3mm*P0.65mm*")
      (fp "TSSOP*4.4x3mm*P0.65mm*")
      (fp "MSOP*3x3mm*P0.65mm*")
      (fp "SSOP*3.9x4.9mm*P0.635mm*")
      (fp "LFCSP*2x2mm*P0.5mm*")
      (fp "*SIP*")
      (fp "SOIC*5.3x6.2mm*P1.27mm*"))
    (fields
      (field (name "Reference") "U")
      (field (name "Value") "TL082")
      (field (name "Datasheet") "http://www.ti.com/lit/ds/symlink/tl081.pdf"))
    (pins
      (pin (num "1") (name "") (type "output"))
      (pin (num "2") (name "-") (type "input"))
      (pin (num "3") (name "+") (type "input"))
      (pin (num "4") (name "V-") (type "power_in"))
      (pin (num "5") (name "+") (type "input"))
      (pin (num "6") (name "-") (type "input"))
      (pin (num "7") (name "") (type "output"))
      (pin (num "8") (name "V+") (type "power_in")))))
  (libpart (lib "Connector") (part "Conn_01x03_Socket")
    (description "Generic connector, single row, 01x03, script generated")
    (docs "~")
    (footprints
      (fp "Connector*:*_1x??_*"))
    (fields
      (field (name "Reference") "J")
      (field (name "Value") "Conn_01x03_Socket")
      (field (name "Datasheet") "~"))
    (pins
      (pin (num "1") (name "Pin_1") (type "passive"))
      (pin (num "2") (name "Pin_2") (type "passive"))
      (pin (num "3") (name "Pin_3") (type "passive"))))
  (libpart (lib "Device") (part "C")
    (description "Unpolarized capacitor")

```



```

(docs "~")
(footprints
  (fp "C_*"))
(fields
  (field (name "Reference") "C")
  (field (name "Value") "C")
  (field (name "Datasheet") "~"))
(pins
  (pin (num "1") (name "") (type "passive"))
  (pin (num "2") (name "") (type "passive"))))
(libpart (lib "Device") (part "D")
  (description "Diode")
  (docs "~")
  (footprints
    (fp "TO-???*")
    (fp "*_Diode_*")
    (fp "*SingleDiode*")
    (fp "D_*"))
  (fields
    (field (name "Reference") "D")
    (field (name "Value") "D")
    (field (name "Datasheet") "~")
    (field (name "Sim.Device") "D")
    (field (name "Sim.Pins") "1=K 2=A"))
  (pins
    (pin (num "1") (name "K") (type "passive"))
    (pin (num "2") (name "A") (type "passive"))))
(libpart (lib "Device") (part "LED")
  (description "Light emitting diode")
  (docs "~")
  (footprints
    (fp "LED*")
    (fp "LED_SMD:*")
    (fp "LED_THT:*"))
  (fields
    (field (name "Reference") "D")
    (field (name "Value") "LED")
    (field (name "Datasheet") "~"))
  (pins
    (pin (num "1") (name "K") (type "passive"))
    (pin (num "2") (name "A") (type "passive"))))
(libpart (lib "Device") (part "R")
  (description "Resistor")
  (docs "~")
  (footprints
    (fp "R_*"))
  (fields
    (field (name "Reference") "R")
    (field (name "Value") "R")
    (field (name "Datasheet") "~"))
  (pins
    (pin (num "1") (name "") (type "passive"))
    (pin (num "2") (name "") (type "passive"))))
(libpart (lib "Device") (part "R_Potentiometer")

```

```

(description "Potentiometer")
(docs "~")
(footprints
  (fp "Potentiometer*"))
(fields
  (field (name "Reference") "RV")
  (field (name "Value") "R_Potentiometer")
  (field (name "Datasheet") "~"))
(pins
  (pin (num "1") (name "1") (type "passive"))
  (pin (num "2") (name "2") (type "passive"))
  (pin (num "3") (name "3") (type "passive"))))
(libpart (lib "radar_de_recul") (part "Capteur Emetteur")
  (fields
    (field (name "Reference") "US"))
  (pins
    (pin (num "1") (name "1") (type "input"))
    (pin (num "2") (name "2") (type "input"))))
(libpart (lib "radar_de_recul") (part "Capteur Récepteur")
  (fields
    (field (name "Reference") "US"))
  (pins
    (pin (num "1") (name "1") (type "power_out"))
    (pin (num "2") (name "2") (type "output"))))
(libraries
  (library (logical "Amplifier_Operational")
    (uri "C:\\Program
Files\\KiCad\\7.0\\share\\kicad\\symbols\\Amplifier_Operational.kicad_sym"))
  (library (logical "Connector")
    (uri "C:\\Program
Files\\KiCad\\7.0\\share\\kicad\\symbols\\Connector.kicad_sym"))
  (library (logical "Device")
    (uri "C:\\Program
Files\\KiCad\\7.0\\share\\kicad\\symbols\\Device.kicad_sym"))
  (library (logical "radar_de_recul")
    (uri "C:\\Users\\lucas\\Documents\\sae radar\\radar_de_recul.kicad_sym")))
(nets
  (net (code "1") (name "+15V")
    (node (ref "J1") (pin "1") (pinfunction "Pin_1") (pintype "passive"))
    (node (ref "R11") (pin "1") (pintype "passive"))
    (node (ref "R13") (pin "1") (pintype "passive"))
    (node (ref "R9") (pin "1") (pintype "passive"))
    (node (ref "U1") (pin "8") (pinfunction "V+") (pintype "power_in"))
    (node (ref "U2") (pin "8") (pinfunction "V+") (pintype "power_in"))
    (node (ref "U3") (pin "8") (pinfunction "V+") (pintype "power_in"))
    (node (ref "U4") (pin "8") (pinfunction "V+") (pintype "power_in")))
  (net (code "2") (name "-15V")
    (node (ref "J1") (pin "3") (pinfunction "Pin_3") (pintype "passive"))
    (node (ref "U1") (pin "4") (pinfunction "V-") (pintype "power_in"))
    (node (ref "U2") (pin "4") (pinfunction "V-") (pintype "power_in"))
    (node (ref "U3") (pin "4") (pinfunction "V-") (pintype "power_in"))
    (node (ref "U4") (pin "4") (pinfunction "V-") (pintype "power_in")))
  (net (code "3") (name "/COMP")
    (node (ref "C2") (pin "1") (pintype "passive")))

```

```

(node (ref "D1") (pin "1") (pinfunction "K") (pintype "passive"))
(node (ref "R8") (pin "1") (pintype "passive"))
(node (ref "U3") (pin "5") (pinfunction "+") (pintype "input"))
(node (ref "U4") (pin "3") (pinfunction "+") (pintype "input"))
(node (ref "U4") (pin "5") (pinfunction "+") (pintype "input")))
(net (code "4") (name "GND")
  (node (ref "C2") (pin "2") (pintype "passive"))
  (node (ref "J1") (pin "2") (pinfunction "Pin_2") (pintype "passive"))
  (node (ref "LED1") (pin "1") (pinfunction "K") (pintype "passive"))
  (node (ref "LED2") (pin "1") (pinfunction "K") (pintype "passive"))
  (node (ref "LED3") (pin "1") (pinfunction "K") (pintype "passive"))
  (node (ref "R10") (pin "2") (pintype "passive"))
  (node (ref "R12") (pin "2") (pintype "passive"))
  (node (ref "R14") (pin "2") (pintype "passive"))
  (node (ref "R6") (pin "2") (pintype "passive"))
  (node (ref "R7") (pin "2") (pintype "passive"))
  (node (ref "R8") (pin "2") (pintype "passive"))
  (node (ref "U1") (pin "2") (pinfunction "-") (pintype "input"))
  (node (ref "U1") (pin "5") (pinfunction "+") (pintype "input"))
  (node (ref "U2") (pin "5") (pinfunction "+") (pintype "input"))
  (node (ref "US2") (pin "1") (pinfunction "1") (pintype "power_out"))))
(net (code "5") (name "Net-(C1-Pad2)")
  (node (ref "C1") (pin "2") (pintype "passive"))
  (node (ref "R1") (pin "1") (pintype "passive"))
  (node (ref "U1") (pin "7") (pintype "output")))
(net (code "6") (name "Net-(D1-A)")
  (node (ref "D1") (pin "2") (pinfunction "A") (pintype "passive"))
  (node (ref "RV2") (pin "1") (pinfunction "1") (pintype "passive"))
  (node (ref "RV2") (pin "2") (pinfunction "2") (pintype "passive"))
  (node (ref "U3") (pin "1") (pintype "output")))
(net (code "7") (name "Net-(LED1-A)")
  (node (ref "LED1") (pin "2") (pinfunction "A") (pintype "passive"))
  (node (ref "R15") (pin "2") (pintype "passive")))
(net (code "8") (name "Net-(LED2-A)")
  (node (ref "LED2") (pin "2") (pinfunction "A") (pintype "passive"))
  (node (ref "R16") (pin "2") (pintype "passive")))
(net (code "9") (name "Net-(LED3-A)")
  (node (ref "LED3") (pin "2") (pinfunction "A") (pintype "passive"))
  (node (ref "R17") (pin "2") (pintype "passive")))
(net (code "10") (name "Net-(R2-Pad1)")
  (node (ref "R2") (pin "1") (pintype "passive"))
  (node (ref "RV1") (pin "3") (pinfunction "3") (pintype "passive")))
(net (code "11") (name "Net-(R5-Pad2)")
  (node (ref "R5") (pin "2") (pintype "passive"))
  (node (ref "U2") (pin "7") (pintype "output"))
  (node (ref "US1") (pin "1") (pinfunction "1") (pintype "input")))
(net (code "12") (name "Net-(R15-Pad1)")
  (node (ref "R15") (pin "1") (pintype "passive"))
  (node (ref "U3") (pin "7") (pintype "output")))
(net (code "13") (name "Net-(R16-Pad1)")
  (node (ref "R16") (pin "1") (pintype "passive"))
  (node (ref "U4") (pin "1") (pintype "output")))
(net (code "14") (name "Net-(R17-Pad1)")
  (node (ref "R17") (pin "1") (pintype "passive")))

```

```

    (node (ref "U4") (pin "7") (pintype "output")))
(net (code "15") (name "Net-(U1A-+)")
    (node (ref "R1") (pin "2") (pintype "passive"))
    (node (ref "RV1") (pin "1") (pinfunction "1") (pintype "passive"))
    (node (ref "RV1") (pin "2") (pinfunction "2") (pintype "passive"))
    (node (ref "U1") (pin "3") (pinfunction "+") (pintype "input")))
(net (code "16") (name "Net-(U1B--)")
    (node (ref "C1") (pin "1") (pintype "passive"))
    (node (ref "R3") (pin "2") (pintype "passive"))
    (node (ref "U1") (pin "6") (pinfunction "-") (pintype "input")))
(net (code "17") (name "Net-(U2A-+)")
    (node (ref "R2") (pin "2") (pintype "passive"))
    (node (ref "R3") (pin "1") (pintype "passive"))
    (node (ref "U1") (pin "1") (pintype "output"))
    (node (ref "U2") (pin "3") (pinfunction "+") (pintype "input")))
(net (code "18") (name "Net-(U2A--)")
    (node (ref "R4") (pin "1") (pintype "passive"))
    (node (ref "U2") (pin "1") (pintype "output"))
    (node (ref "U2") (pin "2") (pinfunction "-") (pintype "input"))
    (node (ref "US1") (pin "2") (pinfunction "2") (pintype "input")))
(net (code "19") (name "Net-(U2B--)")
    (node (ref "R4") (pin "2") (pintype "passive"))
    (node (ref "R5") (pin "1") (pintype "passive"))
    (node (ref "U2") (pin "6") (pinfunction "-") (pintype "input")))
(net (code "20") (name "Net-(U3A-+)")
    (node (ref "R6") (pin "1") (pintype "passive"))
    (node (ref "U3") (pin "3") (pinfunction "+") (pintype "input"))
    (node (ref "US2") (pin "2") (pinfunction "2") (pintype "output")))
(net (code "21") (name "Net-(U3A--)")
    (node (ref "R7") (pin "1") (pintype "passive"))
    (node (ref "RV2") (pin "3") (pinfunction "3") (pintype "passive"))
    (node (ref "U3") (pin "2") (pinfunction "-") (pintype "input")))
(net (code "22") (name "Net-(U3B--)")
    (node (ref "R10") (pin "1") (pintype "passive"))
    (node (ref "R9") (pin "2") (pintype "passive"))
    (node (ref "U3") (pin "6") (pinfunction "-") (pintype "input")))
(net (code "23") (name "Net-(U4A--)")
    (node (ref "R11") (pin "2") (pintype "passive"))
    (node (ref "R12") (pin "1") (pintype "passive"))
    (node (ref "U4") (pin "2") (pinfunction "-") (pintype "input")))
(net (code "24") (name "Net-(U4B--)")
    (node (ref "R13") (pin "2") (pintype "passive"))
    (node (ref "R14") (pin "1") (pintype "passive"))
    (node (ref "U4") (pin "6") (pinfunction "-") (pintype "input"))))

```