

WeFosterCare Foster Matching System

Better placements. Fewer Disruptions. A system built around a child's voice.

Kyle Hatch, Ethan Neu, Valerie Calva, Jason Do, Lucas Richmond

Group 5

March 2026

Cover Letter to Client / Investors

Dear Client and Investors,

The current foster placement process is largely driven by availability and caseworker judgment, often without structured data or direct input from the child. As a result, many placements fail due to mismatched environments, leading to repeated transitions that negatively impact a child's stability and well-being.

The WeFosterCare system addresses this gap by introducing a structured, data-driven approach to matching foster children with families. Instead of relying solely on availability, the system evaluates compatibility using weighted placement factors such as household environment, age preferences, support capabilities, behavioral needs, communication preferences, and placement restrictions. Critical safety and placement constraints are treated as mandatory filters, while secondary preferences are weighted and scored to rank families by overall alignment. Children are only presented with families that meet the required compatibility threshold.

A key differentiator of this system is the inclusion of a child comfort response before any placement progresses. Children are given the opportunity to review potential matches and indicate whether they feel comfortable moving forward. Only after a positive response does the system notify families and indicate the pre-placement process.

This approach reduces failed placements, improves decision transparency, and supports caseworkers by organizing and prioritizing relevant data. It does not replace human judgment, but enhances it with structured information and clearer workflows.

From an operational standpoint, the system reduces administrative workload, minimizes repeated placement cycles, and improves long-term placement stability. These outcomes directly align with agency goals and performance metrics.

WeFosterCare provides a more consistent and accountable placement process by shifting the focus from availability to compatibility, while ensuring that the child's perspective is considered early in the decision-making process.

Executive Summary

The WeFosterCare Foster Matching System is designed to improve placement stability by addressing a key flaw in the current foster care process. Placements are often made based on availability rather than compatibility.

In the existing system, caseworkers manually review limited and inconsistent data to identify potential placements. Children typically have little to no input before being placed, which increases the likelihood of mismatched environments and placement failure.

This system introduces a structured workflow that begins with standardized child and family profiles. Using this data, the system generates compatibility-based match recommendations through a weighted scoring model. Required constraints such as placement capacity, safety restrictions, and age eligibility are evaluated first to eliminate invalid matches. Remaining families are then ranked using weighted compatibility factors including household environment, support capabilities, child preferences, communication style, and placement needs. The system prioritizes strong overall alignment while allowing lower-priority trade-offs when no ideal match exists.

A critical feature of the system is the child comfort response. Before any placement progresses, the child is given the opportunity to review potential matches and indicate whether they feel comfortable. Only matches that receive a positive response move forward to the pre-placement stage, where families are notified, and meetings are coordinated.

The system improves placement outcomes by reducing mismatches, increasing transparency in decision-making, and providing caseworkers with organized, data-driven support. It also reduces administrative inefficiencies by automating parts of the matching and coordination process.

Key performance improvements include reduced placement disruption rates, improved match quality, and decreased caseworker workload. The system remains aligned with existing agency workflows, ensuring that final placement decisions remain under caseworker control.

Table of Contents

<i>Cover Letter to Client / Investors</i>	2
<i>Executive Summary</i>	3
<i>Table of Contents</i>	4
<i>Table of Exhibits</i>	7
1 Introduction & Planning	8
1.1 Background	8
1.1.1 Context	8
1.1.2 Problem Statement and Evidence	8
1.1.3 Objectives and Expected Outcomes	8
1.2 Project Scope and Objectives	8
1.2.1 Scope Boundaries and Constraints	8
1.3 Solution Description	8
1.3.1 System Type and Technologies	9
1.3.2 Key Functionalities	9
1.3.3 Stakeholders	9
1.4 Solution Rationales	9
1.4.1 Business Case and KPIs	9
1.4.2 Strategic Alignment	10
2 Analysis	10
2.1 Current System Overview	10
2.1.1 Process Description (Inputs, Tasks, Outputs)	10
2.1.2 Inefficiencies and Limitations	10
2.2 Requirement Analysis	10
2.2.1 Requirements Determination Methods	10
2.2.2 Functional Requirements	10
2.2.3 Non-Functional Requirements	12
2.3 Feasibility Analysis	13
2.3.1 Market Feasibility	13
2.3.2 Economic Feasibility (Cost-Benefit Analysis)	13
2.3.3 Technical Feasibility	13
2.3.4 Operational / Legal / Resource Feasibility	13
2.4 Risk Analysis	13
2.4.1 Development Risks	13
2.4.2 Deployment Risks	14
2.4.3 Operational & Governance Risks	14
3 Logical Design	14

3.1	Data Flow Diagrams (DFDs)	14
3.1.1	Context Diagram	14
3.1.2	Level-0 Diagram	15
3.1.3	Level-1 Diagrams	16
3.2	Use Cases and Process Models	26
3.2.1	Use Case Diagrams and Narratives	26
3.2.2	Activity Diagrams	38
4	<i>System Architecture</i>	43
4.1	Database Requirements	43
4.2	Cloud Architecture	44
4.2.1	Network & Web Tier	44
4.2.2	Application Server Tier	44
4.2.3	Database Tier	44
4.2.4	Authentication & Security Tier	44
5	<i>User Interface and User Experience</i>	45
5.1	Dialogue Diagram	45
5.1.1	User Journey Description	45
5.2	UI Prototypes	47
5.2.1	Homepage and Main Navigation	47
5.2.2	Primary Functional Screens	49
5.2.3	Forms and Reports	56
6	<i>Implementation Plan and Budget</i>	56
6.1	Development Plan	56
6.1.1	Milestones and Timeline	56
6.1.2	Task Ownership and Dependencies	58
6.2	Test Plan	58
6.2.1	Functional Testing	58
6.2.2	User Acceptance Testing (UAT)	58
6.2.3	Pilot Testing	59
6.2.4	Volume / Stress Testing	59
6.3	Deployment Plan	59
6.4	Training, Support, and Maintenance Plan	60
6.5	Implementation Cost (5-Year TCO)	60
6.5.1	Budget Table	60
6.5.2	Budget Narrative	61
7	<i>Conclusion</i>	63
	<i>Appendix A: Project Management Documentation</i>	64
	A.1 Governance Structure	64

A.2 Roles and Responsibilities	64
A.3 Team Contribution Summary	65
<i>Appendix B: Technical Documents</i>	<i>67</i>

Table of Exhibits

Exhibit 2.2.2: Functional Requirements Table

Exhibit 2.2.3: Non-Functional Requirements Table

Exhibit 3.1.2: Data Dictionary – Processes, Data Flows, External Entities, and Data Stores

Exhibit 6.1.1: Milestone-driven Development Plan Table

Exhibit 6.5.1: Five Year Total Cost of Ownership (TCO) Budget Table

1 Introduction & Planning

1.1 Background

1.1.1 Context

The system operates within the foster care and child welfare environment, where agencies are responsible for managing placements and overseeing children in care. These agencies act as the primary users and decision-makers, while foster children are the most impacted stakeholders. The system focuses on improving how placement decisions are made by introducing structured data and incorporating child input earlier in the process.

1.1.2 Problem Statement and Evidence

Current foster placement decisions are primarily based on availability and caseworker judgment, rather than compatibility or child comfort. This often results in mismatched placements, leading to placement failure and children being returned to the system. Placement instability has been shown to cause negative outcomes such as mental health issues, behavioral problems, and decreased academic performance. With approximately 400,000 children in foster care and many experiencing multiple placements, the scale of the problem is significant.

1.1.3 Objectives and Expected Outcomes

The primary objective of the system is to introduce a structured process where children can indicate their comfort level with potential foster families before placement decisions are made. Expected outcomes include fewer failed placements, improved compatibility between children and families, and increased placement stability. The system also aims to support caseworkers by organizing data and improving decision quality without replacing their authority.

1.2 Project Scope and Objectives

The system focuses on the pre-placement phase of the foster care process. It includes collecting child and family profile data, generating compatibility-based matches, capturing child comfort responses, and supporting pre-placement coordination. The system does not make final placement decisions or replace caseworkers, but instead supports them with structured and filtered information. The system supports caseworker decision-making by presenting explainable match rankings that show which compatibility factors most influenced each recommendation.

1.2.1 Scope Boundaries and Constraints

The system is limited to pre-placement activities and does not extend into long-term case management or post-placement monitoring. It avoids subjective or appearance-based filtering and focuses only on structured household and preference data. Constraints include data privacy requirements, integration with existing agency systems, and ensuring usability for caseworkers with minimal training.

1.3 Solution Description

The system is a compatibility-based matching platform where both foster families and children provide structured input. Families submit household information and preferences, while children

provide preferences and comfort feedback. The system filters matches so that children only see families that meet both sets of criteria.

The system evaluates compatibility using a two-stage matching process. First, mandatory placement requirements are validated, including age range compatibility, household capacity, placement restrictions, and required support services. Any family failing mandatory criteria is excluded from recommendations. Second, remaining matches are ranked using weighted compatibility scoring across factors such as household environment, communication preferences, activity interests, emotional support capabilities, and behavioral or educational needs.

When multiple families satisfy the same requirements, the system prioritizes the highest overall alignment score while preserving caseworker oversight. If no strong match exists, the system expands recommendations using lower-weight preference trade-offs while still enforcing all safety and placement constraints.

Children can then indicate whether they feel comfortable, unsure, or not comfortable before any further steps occur.

1.3.1 System Type and Technologies

The system is a cloud-based platform that uses structured databases, compatibility filtering logic, and agentic AI for scheduling. It integrates secure data storage, user role access control, and workflow automation to support the placement process.

1.3.2 Key Functionalities

Key functionalities include child and family profile management, compatibility scoring, weighted ranking and filtering of matches, explainable recommendation summaries, capturing child comfort responses, scheduling pre-placement meetings, and recording placement outcomes. The system also maintains a history of recommendations, comfort responses, and placement decisions to support accountability and future matching improvements.

1.3.3 Stakeholders

Primary stakeholders include foster care agencies and caseworkers who manage placements and use the system. Secondary stakeholders include foster children, who provide comfort feedback, and prospective foster families, who provide profile data and participate in the matching process.

1.4 Solution Rationales

The system addresses placement instability by shifting decision-making earlier in the process. Instead of identifying mismatches after placement, the system prevents them by incorporating compatibility filtering and child input before placement occurs.

1.4.1 Business Case and KPIs

The system improves key performance indicators such as placement stability rates, reduction in failed placements, and decreased caseworker workload. It also reduces administrative costs by minimizing repeated placements and improving decision efficiency.

1.4.2 Strategic Alignment

The system aligns with foster care agency goals of improving placement outcomes, reducing long-term system involvement, and supporting child well-being. It enhances existing processes without replacing caseworker decision-making.

2 Analysis

2.1 Current System Overview

The current foster placement process relies on caseworker judgment, inconsistent data, and manual coordination. Information is often scattered across systems, making it difficult to compare family options or justify placement decisions. This leads to inefficiencies and placements that do not fully consider compatibility or child comfort.

2.1.1 Process Description (Inputs, Tasks, Outputs)

Inputs include child requirements, family availability, and basic constraints. Tasks involve manually searching for potential placements, contacting families, and coordinating logistics. Outputs include placement decisions and case records, often lacking structured reasoning or transparency.

2.1.2 Inefficiencies and Limitations

The current system has inconsistent data collection, repeated data entry, and slow coordination between stakeholders. There is limited transparency in how matches are selected, and placements are often based on availability rather than compatibility. This increases the likelihood of placement failure because placement decisions often rely on implicit reasoning that is difficult to standardize, explain, or compare across cases.

2.2 Requirement Analysis

2.2.1 Requirements Determination Methods

Requirements were identified by analyzing current system limitations, stakeholder needs, and patterns of placement failure. The focus was on improving compatibility matching, decision transparency, and workflow efficiency.

2.2.2 Functional Requirements

The system must support creating and managing child and family profiles, capturing structured compatibility factors, generating weighted compatibility scores, filtering invalid matches using mandatory placement constraints, ranking remaining matches by alignment strength, supporting scheduling workflows, providing reporting dashboards, and maintaining a history of recommendations and placement decisions. Compatibility scores are generated using weighted factors such as household environment, communication preferences, emotional support capabilities, behavioral or educational needs, and child preferences. Mandatory safety and placement restrictions are treated as non-negotiable filters, while lower priority lifestyle preferences may allow trade offs when no ideal match exists.

ID	Requirement statement	Rationale/notes	Priority
FR-01	The system must allow caseworkers to create and update child profiles including needs, and placement priorities.	Structuring preferences makes placement decisions consistent and easy to compare.	High
FR-02	The system must allow prospective foster family profiles to be created and updated with household details, capacity, restrictions, and preferences.	Standardized household data allows caseworkers to compare options instead of relying on incomplete and outdated information.	High
FR-03	The system must calculate compatibility scores using weighted matching factors and mandatory placement constraints.	Weighted scoring allows the system to rank families consistently while ensuring that critical placement requirements are always enforced.	High
FR-04	The system must capture compatibility factors such as routines, lifestyle fit, and expectations.	Failed placements come from mismatched expectations. Capturing this improves the quality of matches.	High
FR-05	The system must generate compatibility scores between children and foster homes using the defined criteria.	A scoring system introduces consistency and helps justify decisions.	High
FR-06	The system must allow caseworkers to filter available foster homes based on compatibility and constraints (location, and family size).	Filtering reduces time and improves chances of creating better matches.	High
FR-07	The system must provide a clear explanation of match results (why a placement scored higher or lower).	Transparency helps caseworkers trust the system and understand the reasoning behind system recommendations.	High
FR-08	The system must support a structured pre-placement workflow that includes tasks, checklists, and guided questions.	A pre-placement function aligns expectations early, reducing failed placements.	High
FR-09	The system must support scheduling and coordination (availability tracking, reminders, confirmations).	Current coordination requires repeated outreach and follow-ups.	Medium
FR-10	The system must provide reporting and dashboards (placement stability, matching time, workloads).	Agencies need measurable outcomes to improve decisions and track performances.	Medium

FR-11	The system must log actions and maintain a history of decisions and communications.	Keeping records improves accountability and allows review of unsuccessful placements.	High
-------	---	---	------

Exhibit 2.2.2. Functional Requirements Table

2.2.3 Non-Functional Requirements

The system must ensure security through encryption, role-based access control, system reliability, fast performance, scalability, usability, and data integrity through structured inputs and monitoring.

ID	Requirement statement	Rationale/notes (1–2 sentences)	Priority
NFR-01	Sensitive data must be protected through encryption (both in transit and when stored).	The system deals with child and foster family information. Strong protection is needed to prevent misuse or breaches.	High
NFR-02	Access to the system will be limited based on user roles (caseworkers, supervisors, foster families).	Limiting access keeps information relevant and reduces the chance of mistakes or misuse.	High
NFR-03	The system should remain consistently available during normal agency use.	Placement decisions can't be delayed, so the system needs to be reliable when caseworkers actively make decisions.	High
NFR-04	Searches and filters should return results quickly.	If the system takes too long to search compatible households, caseworker workloads will grow.	Medium
NFR-05	The system should be able to support more users and agencies over time.	The system should be able to expand without needing to be rebuilt from scratch.	High
NFR-06	The system should be easily navigable without requiring much training.	If the system is confusing, it won't get used consistently.	Medium
NFR-07	The system should require complete and consistent data entries (required fields to move forward).	Quality data will lead to better compatibility decisions.	High

NFR-08	The system must track activity and system performances (logging/monitoring).	Tracking actions helps with accountability and makes it easier to identify issues if placements go wrong.	High
NFR-09	The system must minimize unnecessary data collection and respect privacy requirements.	Only collecting required data keeps the system focused and builds trust with users.	High
NFR-10	The system should be able to connect with existing agency systems when possible.	Helps avoid re-entering the same information and keeps records consistent.	Medium

Exhibit 2.2.3. Non-Functional Requirements Table

2.3 Feasibility Analysis

2.3.1 Market Feasibility

The system fits within the foster care technology space but differentiates itself by focusing on compatibility and child input rather than basic case tracking.

2.3.2 Economic Feasibility

Costs include system development, infrastructure, onboarding, and ongoing maintenance. Benefits include reduced administrative workload, improved placement outcomes, and lower costs associated with failed placements.

2.3.3 Technical Feasibility

The system can be developed using existing cloud technologies, structured databases, and weighted compatibility algorithms. The matching process relies on deterministic filtering combined with rule-based scoring rather than fully autonomous placement decisions, reducing technical complexity and improving explainability. Implementation can be phased to reduce development risk while validating match quality and workflow performance incrementally.

2.3.4 Operational / Legal / Resource Feasibility

The system aligns with current workflows, can be adopted with minimal training, and complies with privacy and data protection requirements relevant to foster care systems.

2.4 Risk Analysis

2.4.1 Development Risks

Risks include unclear requirements, underestimated development effort, and integration challenges. These are mitigated through iterative development, early testing, and continuous stakeholder feedback.

2.4.2 Deployment Risks

Risks include data migration issues, system performance problems, and low user adoption. These are addressed through phased rollout, system monitoring, and simple training processes.


2.4.3 Operational & Governance Risks

Risks include lack of trust in system recommendations, privacy concerns, biased recommendations, and potential misuse of sensitive data. These risks are mitigated through explainable match scoring, role-based access controls, encryption of sensitive records, limited data exposure, mandatory caseworker oversight, and monitoring of all recommendation and placement activity through audit logs.

3 Logical Design


3.1 Data Flow Diagrams (DFDs)

3.1.1 Context Diagram



3.1.1. Data Flow Diagram: Context Diagram

3.1.2 Level-0 Diagram



3.1.2. Data Flow Diagram: Level-0 Diagram

3.1.3 Level-1 Diagrams

3.1.3.1 Process 1, Level-1 Diagrams (Jason Do)

The Level-1 DFD Diagram breaks Process 1.0 Manage Child Profile into four sub-processes: create, enter, update, and retrieve child information. The Agency/Caseworker initiates the process by providing Child Profile Input to 1.1 Create Child Profile, which then generates a new record. This would flow into 1.2 Enter Child Details, where key information such as preferences and needs is recorded. The data is then refined in 1.3 Update Child Profile and stored in the D1: Child Profiles Database. When needed, a Profile Request is sent to 1.4 Retrieve Child Profile, which returns the stored information. This process ensures accurate and accessible child data for decision-making.




Figure 3.1.3.1. Level 1- DFD for Process 1.0: Manage Child Profile

Type:	Name:	Description:
Process	1.1 Create Child Profile	Initial process where the caseworker/agency creates a new child profile by entering basic identifying information in the system, creating a new unique record
Process	1.2 Enter Child Profile	Process where detailed child information is inputted, validated, and structured for storage
Process	1.3 Update Child Profile	Allows the caseworker to

		modify or update existing child profile information to reflect changes like placement status
Process	1.4 Retrieve Child Profile	Enables the user to request and access stored child profile data for review, decision making, or matching purposes
Data Store	D1 Child Profile Databases	A storehouse that securely stores all child profile records, including personal details, history, updates
Data Flow	Child Profile Data	Information related to the child that flows from the caseworker into the system and between processes for creation and storage
Data Flow	Updated Child Information	Revised or newly added data reflecting changes to an existing child profile, sent to update records in database
Data Flow	Profile Request	A request initiated by the caseworker to retrieve specific child profile information from the system

Figure 3.1.3.1. Level-1 DFD Data Dictionary for Process 1.0: Manage Child Profile

3.1.3.2 Process 2, Level-1 Diagrams (Valerie Calva)

This Level-1 Data Flow Diagram (DFD) for Process 2, which manages the foster family profile, shows how data is processed, validated, and saved. This DFD decomposed the Level-0 process into smaller subsystems, which showed the flow of data from the prospective foster family, through the internal systems processes, and to the Family Profiles Database (D2). The family profile information is processed by the system as it flows from a prospective foster family into validation, approval/rejection, and ultimately to be stored in the Family Profiles Database (D2). It also shows how the system will ensure that no incomplete family profiles are accepted and stored prior to being used in a future match.

Level 1 DFD: Process 2 - Manage Foster Family Profile




Figure 3.1.3.2. Level-1 DFD for Process 2.0: Manage Foster Family Profile

<u>Type:</u>	<u>Name:</u>	<u>Description:</u>
Process	2.1 Enter Family Information	Obtains an initial set of data regarding the prospective foster family personal information, household data, etc., and submits those to be processed to generate a family profile.
Process	2.2 Validate Family	Ensures that all necessary

	Information	fields of the submitted family profile have been completed and accurately filled out and are compliant with either system requirements, agency requirements, or both.
Process	2.3 Reject Family Profile / Request Info	The submitted family profile contains errors by either rejecting the profile or by contacting the family requesting additional/corrected information.
Process	2.4 Family Profile Approved	Verifies that the family profile has successfully passed the validation process and has met ALL requirements before approving the profile.
Process	2.5 Store Family Profile	Saves the approved family profile to the system database so that the family profile may be retrieved at a later time.
Data Store	D2 Family Profiles Database	Stores foster family information used for communicating and placement decisions.
Data Flow	Family Profile Data	The prospective foster families input data that is reviewed for the purpose of validation.
Data Flow	Review Approved Profile	The validated and approved family profile has been validated and now enters the review phase to confirm whether or not they will become an approved foster family.
Data Flow	Add Family Profile to System	The approved family profile data that was created during the validation and review phases is added to the storage process in order to record it as a finalized family profile in the system.

Data Flow	Family Data	The finalized and stored family profile data is in the database.
-----------	-------------	--

Figure 3.1.3.2. Level-1 DFD Data Dictionary for Process 2.0: Manage Foster Family Profile

3.1.3.3 Process 3, Level-1 Diagrams (Ethan Neu)

The Level-1 DFD breaks Process 3.0: Generate Matched Families for Child Review into detailed subprocesses (3.1–3.7), illustrating how data is collected, validated, scored, and transformed into ranked match recommendations. The process begins with receiving child preferences (3.1) and family profiles (3.2), which are validated and standardized for matching (3.3). The system then evaluates compatibility by enforcing mandatory placement constraints and calculating weighted alignment scores across household environments, support capabilities, communication preferences, and child-specific needs (3.4). Potential matches are ranked and filtered based on compatibility strength (3.5), generating explainable recommendations that are presented to the child (3.6). Finally, match history is recorded (3.7) to support auditing, comfort response tracking, and future matching improvements.




Figure 3.1.3.3. Level-1 DFD for Process 3.0: Generate Matched Families for Child Review

Type	Name	Description
Process	3.1 Receive Child Preferences	Retrieves foster child preferences from D1 to be used for matching with a prospective foster family. It extracts relevant attributes to be used for defining the types of living arrangements that determine compatibility.
Process	3.2 Receive Family Data	Retrieves prospective foster family profiles from D2 to be used for matching with a foster child. It extracts relevant attributes to be used for defining the type of child they are willing to foster.
Process	3.3 Validate and Prepare Data	This process ensures that both child and family profile data are complete, consistent, and usable for matching. It checks for missing or invalid fields and prepares the information for compatibility evaluation.
Process	3.4 Review Matches	This process compares child preferences with family preferences to determine alignment. Mandatory placement constraints such as placement capacity, age compatibility, and required support services are evaluated first. Remaining matches are scored using weighted compatibility factors including household environment, communication preferences, emotional support capabilities, and behavioral or educational needs.
Process	3.5 Rank and Filter Potential Matches	This process refines the reviewed matches by removing families that fail mandatory compatibility thresholds and ranking remaining families by weighted alignment score. Higher-priority placement needs receive greater weighting than lower-priority lifestyle preferences. When no high-scoring match exists, the system allows limited lower-priority trade-offs while maintaining all required placement constraints.
Process	3.6 Generate Match Recommendations	This process creates a final list of recommended foster families to be presented to the foster child. The recommendations are structured, ordered, and limited to only those families that meet the child preference criteria.
Process	3.7 Generate Match History	This process records the generated match recommendations and stores them in the system database D3 for tracking, auditing, and future matching improvements. It maintains a history of generated match lists.

Data Flow	Approved Data	Validated and standardized data that has passed completeness and consistency checks, making it suitable for compatibility evaluation.
Data Flow	Reviewed Matches	An initial set of match results produced after evaluating mandatory placement constraints and calculating weighted compatibility scores between child and family profiles.
Data Flow	Filtered Matches	A refined and ranked list of families that satisfy required placement constraints and achieve the highest compatibility scores based on weighted alignment criteria.
Data Flow	Match History	Stored record of generated match recommendations, including past results and updates, used for tracking and improving future matching processes.

Figure 3.1.3.3. Level-1 DFD Data Dictionary for Process 3.0: Generate Matched Families for Child Review

3.1.3.4 Process 4, Level-1 Diagrams (Lucas Richmond)

The Level-1 DFD Diagram observes Process 4.0 Record Child Comfort Response, including three sub-processes: display, review, and record. The Child user reviews Prospective Foster Families via Match Recommendations Input, 4.1 Display Match Options. This flows into 4.2 Child Reviews Family Profiles, where the Child user reviews match recommendations and selects “Comfortable”, “Unsure”, or “Uncomfortable”. The response is then recorded in 4.3 Record Child Comfort Response and stored in the D3: Match Lists and Comfort Responses.

Level-1 DFD Process 4: Record Child Comfort Response




Figure 3.1.3.4. Level-1 DFD for Process 4.0: Record Child Comfort Response

Type	Name	Description
Process	4.1 Display Match Options	Retrieves match recommendations from Process 3:Generate Matched Families for Child Review and match history from D3: Match lists and comfort responses. It extracts relevant attributes for desirable matches, backed by match lists and prior comfort responses to output ideal match options for child users to choose from.
Process	4.2 Child Reviews Family Profiles	Child user chooses from displayed options of prospective family profiles that have been identified as a match.
Process	4.3 Record Comfort Response:	The child inputs their feedback via a Comfort Response in reaction to the outputted match options. This is in the form of “Comfortable”, “Unsure”, or

		“Uncomfortable”. This option is recorded and saved to D3: Match lists and comfort responses.
--	--	--

Figure 3.1.3.4. Level-1 DFD Data Dictionary for Process 4.0: Record Child Comfort Response

3.1.3.5 Process 5, Level-1 Diagrams (Kyle Hatch)

This Level-1 DFD decomposes Process 5.0, Manage Pre-Placement Meeting and Placement Outcome, into the internal subprocesses required to move from an approved match to a recorded placement outcome. The diagram shows how the system receives an approved match, retrieves the child profile, sends the pre-placement meeting notification, records the meeting outcome, and updates placement records. It also shows the related external entity, data stores, and labeled data flows that must remain balanced with the team’s Level-0 DFD.




Figure 3.1.3.5. Level-1 DFD for Process 5.0: Manage Pre-Placement Meeting and Placement Outcome

Type	Name	Description
Process	5.1 Share Child Profile	The agency/caseworker shares the child profile with the prospective foster family after the child expresses comfort.
Process	5.2 Receive Family Decision	The system receives the prospective foster family's decision on whether to proceed with the pre-placement process.
Process	5.3 Schedule Pre-Placement Meeting	The system schedules a pre-placement meeting between the child and the prospective foster family.
Process	5.4 Conduct Pre-Placement Meeting	The agency/caseworker records the outcome of the child and the prospective foster family.
Process	Record Placement Outcome	The agency/caseworker records the outcome of the meeting and determines whether the match is approved or rejected.
External Entity	Agency/Caseworker	The agency/caseworker representative who initiates the process, shares the child profile, and records the placement outcome.
External Entity	Prospective Foster Family	The prospective foster family that reviews the child profile, decides to proceed, and participates in the meeting.
Data Store	D1 Child Profiles Database	Stores child profile information used when sharing details with prospective foster families.
Data Store	D2 Family Profiles Database	Stores foster family information used for communicating and placement decisions.
Data Store	D4 Meeting and Placement Records	Stores records of pre-placement meetings and final placement outcomes.
Data Flow	Child Profile	Child profile information shared with prospective foster families for review.
Data Flow	Family Decision	The prospective foster family's response indicating whether they want to proceed with the process.
Data Flow	Meeting Request	A request generated to schedule the pre-placement meeting.

Data Flow	Meeting Details	Information about the scheduled meeting shared between the system and participants.
Data Flow	Placement Outcome	The result of the meeting entered by the agency/caseworker (approved or rejected).
Data Flow	Placement Outcome Record	The final recorded outcome stored in the system.

Figure 3.1.3.5. Level-1 DFD Data Dictionary for Process 5.0: Manage Pre-Placement Meeting and Placement Outcome

3.2 Use Cases and Process Models

3.2.1 Use Case Diagrams and Narratives

3.2.1.1 Use Case 1 (Jason Do)

This Use Case Diagram shows how the Agency/Caseworker interacts with the WeFosterCare System to manage child profiles. The main use case, Manage Child Profile, represents the overall process. It includes Create Child Profile and Enter Child Details as required steps, while Update Child Profile and Retrieve Child Profile act as extensions when needed.. The diagram highlights how these actions work together to ensure accurate creation, updating, and retrieval of child profile information.




Figure 3.2.1.1. Use Case Diagram for Process 1.0: Manage Child Profile

USE CASE NARRATIVE / SPECIFICATIONS

Project Name: WeFosterCare Foster Matching System Author: Jason Do

Use Case ID:	1.0	Version:	1.0
Use Case Name:	Manage Child Profile	Date:	3/18/26
Use Case Objective:	To capture, maintain, and manage foster child profile information, including preferences and updates, for use in the matching process.		
Primary User/Actor:	Agency/Caseworker		
Trigger:	A caseworker needs to create, update, or retrieve a child's profile in the system.		
Use case associations	Includes: Create Child Profile, Enter Child Details Extends: Update Child Profile, Retrieve Child Profile		
Preconditions:	The caseworker is authenticated and has access to the system. The system is operational and ready to process child profile data.		
Post-conditions	The child profile is successfully created, updated, or retrieved and stored in the Child Profiles Database for future matching use.		

Basic Flow

Step	User Actions (Inputs)	System Response (Outputs)
1	Caseworker selects "Manage Child Profile"	The system displays options to create, update, or retrieve a profile
2	Caseworker chooses new or existing profile	The system routes to appropriate workflow
3	Caseworker enters new child details or requests existing profile	The system captures or retrieves child profile data
4	Caseworker reviews and submits information	The system validates data for completeness and accuracy
5	Caseworker confirms and saves profile	The system stores or updates data in the Child Profiles Database
6	Caseworker requests to view profile	The system retrieves and displays updated child profile information
7	Caseworker reviews displayed information	The system confirms successful completion of the process

Alternate Flow

Alt	User Actions	System Actions
1	Caseworker enters incomplete or invalid data	System detects errors and prompts user to correct fields

Alt	User Actions	System Actions
2	Caseworker corrects and resubmits data	System re-validates and proceeds with saving
3	Caseworker attempts to retrieve a non-existent profile	System displays an error message and prompts retry
4	Caseworker lacks proper authorization	System denies access and notifies user
5	System experiences technical issue	System displays failure message and prevents action
6	Caseworker cancels the process midway	System discards unsaved changes and returns to main menu

3.2.1.2 Use Case 2 (Valerie Calva)

This Use-Case Diagram provides a visual of the interaction between the prospective foster family and the foster placement matching system. From the user's point of view, it displays the primary actor (the prospective foster family), the main use cases (submitting and managing the family's profile), and the include and extend relationships that describe the behavior of the system. The interaction between the prospective foster family and the system includes required actions such as submitting and validating profile information, as well as conditional actions like updating a profile or requesting additional information.

Use-Case Diagram - Manage Foster Family Profile




Figure 3.2.1.2. Use Case Diagram for Process 2.0: Manage Foster Family Profile

USE CASE NARRATIVE / SPECIFICATIONS

Project Name: WeFosterCare Foster Matching System Author: Valerie Calva

Use Case ID:	2.0	Version:	1.0
Use Case Name:	Manage Foster Family Profile	Date:	03/18/26
Use Case Objective:	To allow prospective foster families to submit, validate, update, and store the data of their family profile in the system for future matching		
Primary User/Actor:	Prospective foster family: Allows to submit and manage a foster family profile so the system can validate and store the information for future matching		
Trigger:	A prospective family wanting to create a new profile or update any information on their profile in the system		
Use case associations	- Include: Submit Family Profile, validate family information - Extend: Update existing profile, request additional information		
Preconditions:	- The system is available - The prospective foster family has access to the system - The user is ready to submit or update profile information		
Post-conditions	- The foster family profile is validated and stored in the 'D2: Family Profiles Database' - The profile is available for use in the 'Process 3.0: Generate Matched Families for Child Review' - If incomplete or invalid, the system requests additional information		

Basic Flow

Step	User Actions (Inputs)	System Response (Outputs)
1	User enters family profile information	System receives the submitted family profile
2	User submits the family profile	System validates family information
3	-	System determines that the submitted information is
4	-	System accepts and manages the foster family profile
5	-	System stores the approved family profile in the database
6	-	System confirms successful profile processing

Alternate Flow

Alt	User Actions	System Actions
1	User submits incomplete or incorrect profile information	System detects invalid or missing info
2	-	System rejects the family profile
3	-	System requests additional info from the user
4	User provides corrected or additional information	System re-validates the family profile
5	User chooses to update an existing profile	System retrieves the existing profile
6	User edits profile information	System validates updated information
7	User resubmits the updated profile	System stores the updated profile data

Use Case Notes

Special Requirements	- The system must ensure data privacy and security of foster family information - Should validate required fields (contact information, household details, preferences, etc.) before submission
----------------------	--

	- System displays clear messages (errors, blank spaces, invalid, etc.) when additional information is needed - Store approved family profiles accurately and securely
Business Rules	- A foster family profile must be validated and approved before it is stored - Incomplete profiles cannot be used for matching - Only completed and approved profiles are passed forward to 'Process 3.0' for matching prospective foster families and foster children

3.2.1.3 Use Case 3 (Ethan Neu)

The Use Case Diagram for Process 3.0: Generate Matched Families for Child Review represents how different actors interact with the system during the matching process. The system includes core functionality such as Generate Matched Families, which depends on processes like Input Child Profile Data, Input Family Profile Data, and View Recommendations. The diagram also shows extended behavior, where users can optionally evaluate or refine matches after recommendations are generated. This reflects the system's purpose of filtering and presenting only compatible families to the child while maintaining structured data inputs and updates to the system.




Figure 3.2.1.3. Use Case Diagram for Process 3.0: Generate Matched Families for Child Review

USE CASE NARRATIVE / SPECIFICATIONS

Project Name: WeFosterCare Foster Matching System Author: Ethan Neu

Use Case ID:	3.0	Version:	1.0
Use Case Name:	Generate Matched Families for Child Review	Date:	3/18/26
Use Case Objective:	To generate a filtered and ranked list of compatible families by evaluating mandatory placement constraints and weighted compatibility factors, allowing the foster child to review <u>only high-alignment match recommendations</u> .		
Primary User/Actor:	Foster Child - The foster child interacts with the system to view and evaluate matched family recommendations based on their preferences.		
Trigger:	A caseworker inputs or updates child profile data, and a prospective foster family inputs or updates their profile, prompting the system to generate or refresh match recommendations.		
Use case associations	Include: Input Child Profile Data, Input Family Profile Data, Evaluate Match Recommendations Extend: Evaluate Match List, Update Match Recommendations, Store Match Recommendations		
Preconditions:	Prior to this Use Case, the Input Child Profile Data and Input Family Profile Data use cases must be successfully completed so that the system has the necessary child and family preferences data to generate match recommendations.		
Post-conditions	Upon completion of this Use Case, the system will have generated and stored a list of compatible match recommendations in the Match Lists and Comfort Responses database, and these recommendations will be available for the foster child to review.		

Basic Flow

Step	User Actions (Inputs)	System Response (Outputs)
1	Caseworker inputs/updates child profile data	System stores child profile data in D1
2	Prospective foster family inputs/updates family profile data	System stores family profile data in D2
3	Caseworker initiates match generation	System prepares and validates input data, generating potential matches
4	-	System validates mandatory placement constraints including age range, placement capacity, restrictions, and required support services
5	-	System calculates weighted compatibility scores using child preferences, family environment, communication style, support capabilities, and behavioral or educational needs
6	-	System ranks and filters potential matches based on compatibility score thresholds and alignment strength
7	Foster child views match recommendations	System displays only compatible family profiles

Step	User Actions (Inputs)	System Response (Outputs)
8	-	System stores match recommendations and updates match history in D3

Alternate Flow

Alt	User Actions	System Actions
1	Child or family profile data is incomplete	System rejects processing and prompts for missing data
2	No compatible matches found	System returns empty or limited match recommendations
3	Family data is incompatible	System dismisses family data and excludes from match list
4	System detects invalid or inconsistent data	System flags errors and prevents recommendation generation
5	Foster child does not proceed with review	System retains match recommendations for later access

Use Case Notes

Special Requirements	This Use Case requires that all sensitive child and family data be securely protected through encryption, both in transit and at rest, while also ensuring rule-based access control limits who can view or modify information. The system must maintain high availability and fast response times when generating match recommendations, and it must comply with legal and privacy regulations related to handling foster care and child welfare data.
Business Rules	The system will only display foster families that meet both the child's preferences and the family's stated preferences, ensuring mutual compatibility. Additionally, any incompatible family data will be excluded from results, but will be retained for future use. All generated match recommendations must be stored in the system for tracking and future updates, and the system supports decision-making but does not make final placement decisions for the child, as child feedback upon match recommendations is considered later.

3.2.1.4 Use Case 4 (Lucas Richmond)

This Use Case Diagram shows how the Child user interacts with the WeFosterCare System to validate prospective foster family matches and how the system's process of recording the Comfort Response. The system includes retrieved Match Lists and sent comfort responses from D3: Match Lists and Comfort Responses. It extends Match Lists and Comfort Responses and Validates the match.

Use-Case Diagram




Figure 3.2.1.4. Use Case Diagram for Process 4.0: Record Child Comfort Response

USE CASE NARRATIVE / SPECIFICATIONS

Project Name: WeFosterCare Foster Matching System

Author: Lucas Richmond

Use Case ID:	4.0	Version:	1.0
Use Case Name:	Record Child Comfort Response	Date:	3/18/2026
Use Case Objective:	The use case objective is to Record the Comfort Response of the Child user. This is accomplished by displaying prospective families via Match Recommendations, giving options for the Child user to input a comfort response, recording that comfort response, and saving it to the “Match lists and Comfort Response” database.		
Primary User/Actor:	Child		

Trigger:	Generate Matched Families for Child Review (from process 3.0) allows the child to observe prospective foster families through process 4.0
Use case associations	Include: Match Lists and Comfort Responses, Include: Validate Match, Extend: Retrieve Match Lists, Extend: Send Comfort Response
Preconditions:	The Matched Families for Child Review have been generated in process 3.0.
Post-conditions	The Comfort Response of the Child user is recorded and saved to Match Lists and Comfort Responses (D3).

Basic Flow

Step	User Actions (Inputs)	System Response (Outputs)
1	Child selects “View Match Options”	The system displays match options from match recommendations
2	Child reviews family profiles	The system displays the ability to select “comfortable”, “unsure”, or “uncomfortable” for displayed matches
3	-	The system records “Comfort Response”
4		The system saves “Comfort Response” to Match Lists and Comfort Responses (D3)

Alternate Flow

Alt	User Actions	System Actions
1	Child selects “unsure” on a family profile	Family remains in child’s available match list for future review
2	Child exits session or does not respond	System saves progress (viewed profiles + no response)

Use Case Notes

Special Requirements	- The system must securely store child and family information - The system must accurately record comfort responses - Only authorized agency/caseworker users may view comfort responses to be matched with prospective families
-----------------------------	--

Business Rules	-Families cannot view child profiles unless the child selects “comfortable” -A “not comfortable” response results in permanent removal of that match

3.2.1.5 Use Case 5 (Kyle Hatch)

This Use Case Diagram presents Process 5.0 from the user’s perspective. It shows how the Agency/Caseworker interacts with the system to manage the pre-placement meeting and placement outcome after a child’s comfort response has already been recorded. The diagram emphasizes the major user-facing interactions and related included or extended use cases that support the overall process.




Figure 3.2.1.5 Use Case Diagram for Process 5.0: Manage Pre-Placement Meeting and Placement Outcome

USE CASE NARRATIVE / SPECIFICATIONS

Project Name: WeFosterCare Foster Matching System Author: Kyle Hatch

Use Case ID:	5.0	Version:	1.0
Use Case Name:	Manage Pre-Placement Meeting and Placement Outcome	Date:	3/18/2026
Use Case Objective:	To manage the pre-placement process after a child expresses comfortability by sharing the child profile data with matched prospective families, sending a pre-placement meeting notification if		

	family approves child profile, recording the placement meeting outcome, and supporting the agency/caseworker's final match approval decision.
Primary User/Actor:	Agency/Caseworker.
Trigger:	The child's comfort response (from Process 4.0) allows the agency/caseworker to proceed with a prospective foster family through Process 5.0.
Use case associations	Include: Share Child Profile, Include: Send Pre-Placement Meeting Notification, Include: Record Placement Meeting Outcome, Include: Update Placement Records.
Preconditions:	The child's comfort response has been recorded in Process 4.0. Child profile data exists in the Child Profiles Database (D1). Family profile data exists in the Family Profiles Database (D2). A prospective foster family has been identified to move forward with.
Post-conditions	The placement meeting outcome is recorded in Meeting and Placement Records (D4). If the meeting outcome is positive, placement records are updated in Family Profiles Database (D2). If the meeting outcome is not positive, a non-placement outcome is stored.

Basic Flow

Step	User Actions (Inputs)	System Response (Outputs)
1	Agency/Caseworker proceeds with a prospective foster family after reviewing the child's comfort response.	The system initiates Process 5.0
2	Agency/Caseworker requests child profile information for the selected match.	The system retrieves Child Profile Data from Child Profiles Database (D1).
3	Agency/Caseworker initiates sharing of the child profile.	The system sends the Child Profile to the Prospective Foster Family for review.
4	Agency/Caseworker initiates the pre-placement meeting Process.	The system sends a Pre-Placement Meeting Notification to the Prospective Foster Family.
5	Agency/Caseworker conducts the pre-placement meeting with the prospective foster family.	The system prepares to capture the placement meeting outcome.
6	Agency/Caseworker enters the Placement Meeting Outcome.	The system evaluates whether the placement outcome is approved or rejected.
7	Agency/Caseworker rejects the match after a negative meeting outcome.	The system records a non-placement outcome in Meeting and Placement Records (D4).
8	Agency/Caseworker approves the match after a positive meeting outcome.	The system updates placement records in Family Profiles Database (D4).

Alternate Flow

Alt	User Actions	System Actions
1	The prospective foster family chooses not to proceed after reviewing the child profile data.	The system does not send a pre-placement meeting notification. The process ends.
2	The placement meeting outcome is not positive.	The system saves a Non-Placement Outcome in Meeting and Placement Records (D4). The match is not approved.
3	Child Profile data is unavailable.	The system cannot share the child profile or proceed with the process.

Alt	User Actions	System Actions
4	Family Profile data is unavailable.	The system cannot update placement records.

Use Case Notes


Special Requirements	- The system must securely store child and family information - The system must accurately record placement meeting outcomes - Only authorized agency/caseworker users may approve matches
Business Rules	Process 5.0 can only begin after the child's comfort response allows progression. The child profile must be retrieved before it can be shared. A pre-placement meeting notification must be sent before the meeting can occur. The placement meeting outcome must be recorded before a match can be approved. Only the agency/caseworker can approve a match after a positive outcome. If the meeting outcome is not positive, the system must store a non-placement outcome instead of updating placement records.

3.2.2 Activity Diagrams

3.2.2.1 Activity 1 per Process 1 (Jason Do)

This Activity Diagram illustrates the workflow for managing child profiles within the system. The process begins when the user selects the managed child profile option and determines whether the profile is new or existing. If new, the user creates a profile, enters details, and validates the data. Invalid data is corrected before being saved to the database. If the profile already exists, it is retrieved and updated as needed. In both cases, the system retrieves and displays the child profile information. The process ends once the information is successfully saved or displayed, ensuring accurate and complete profile management.

Activity Diagram Process 1 - Manage Child Profile Jason Do



3.2.2.1. Activity Diagram for Process 1: Manage Child Profile

3.2.2.2 Activity 2 per Process 2 (Valerie Calva)

This activity diagram is used to show all of the steps that an organization takes to go from submitting the foster family's profile to the final determination on the profile (like if it's complete or incomplete). An activity diagram like this can show the number of individual steps there are, which individual steps are sequential, which individual steps include decisions/forks, and which individual steps are done at the same time. In this example, there is a decision step to determine if the submission contained enough information and was correct. There are three possible paths for the completed submission, a path for rejected submissions, a path for the request for additional information, and a path for accepted submissions.

Activity Diagram (AD) - Manage Foster Family Profile




Figure 3.2.2.2. Activity Diagram for Process 2.0: Manage Foster Family Profile

3.2.2.3 Activity 3 per Process 3 (Ethan Neu)

The Activity Diagram for Process 3.0: Generate Matched Families for Child Review outlines the dynamic workflow across multiple actors, including the agency/caseworker, the system, and the prospective foster family. It begins with data input from the child and family, followed by system-driven steps that receive the profile data, determine compatibility, and generate matches to be received by the agency/caseworker for child review.

Activity Diagram: Process 3 - Generate Matched Families for Child Review




Figure 3.2.2.3. Activity Diagram for Process 3.0: Generate Matched Families for Child Review

3.2.2.4 Activity 4 per Process 4 (Lucas Richmond)

The Activity diagram illustrates the workflow of submitting, generating, displaying, reviewing, and recording a comfort response for a foster family profile. It follows the aftermath of a “comfortable” rating. This rating leads to preplacement meeting, meeting placement and records, and requests feedback and comfort response outcome prior to a physical meeting.




Figure 3.2.2.4. Activity Diagram for Process 4.0: Record Child Comfort Response

3.2.2.5 Activity 5 per Process 5 (Kyle Hatch)

This Activity Diagram models the workflow of Process 5.0 in sequence from the system's receipt of an approved match through the decision point on placement approval. It shows the activities performed by the system, the Agency/Caseworker, and the Prospective Foster Family, including sharing the child profile, sending the meeting notification, reviewing meeting details, recording the meeting outcome, and either updating placement records or saving a non-placement outcome. The diagram reflects the same process logic represented in the Use Case Diagram and Level-1 DFD.




Figure 3.2.2.5. Activity Diagram for Process 5.0: Manage Pre-Placement Meeting and Placement Outcome

4 System Architecture




Figure 4. System Architecture Diagram

4.1 Database Requirements

The system stores child profiles, family profiles, and agency user information. It records comfort responses from children, match selections, scheduled meetings, and final placement outcomes. It stores videos, photos, and documents used during the matching and placement process.

This data is updated as users interact with the system and is used to support matching, scheduling, and tracking decisions.

4.2 Cloud Architecture

4.2.1 Network & Web Tier

Users access the system through Amazon API Gateway. Agency workers and prospective families submit profiles, comfort responses of children, and match requests through the interface. API Gateway routes these requests into the system and returns match results, meeting confirmations, and placement updates.

4.2.2 Application Server Tier

AWS Lambda executes compatibility scoring, match filtering, comfort response workflows, and meeting coordination triggers. API Gateway triggers Lambda for real-time placement matching requests, while S3 uploads of intake documents trigger preprocessing and feature extraction. Each Lambda function is stateless and handles a single step such as data retrieval, processing, or response formatting. Amazon SageMaker supports compatibility scoring analysis by evaluating weighted alignment patterns across child and family profile attributes. Amazon EventBridge coordinates workflow by triggering meeting scheduling and follow-up actions after match decisions.

4.2.3 Database Tier

Amazon RDS stores structured system data including user profiles, comfort responses, scheduled meeting details, match histories, and placement outcomes. Amazon S3 stores and secures unstructured data such as child videos, images, and uploaded documents used during the matching process. The system uses a structured process to represent both child profiles and placement attributes in a consistent format. This includes encoded behavioral features, support requirements, placement characteristics, and historical stability indicators. These inputs are normalized into feature parameters before being passed into SageMaker for inference. This unified structure ensures that data from RDS and S3 can be consistently used for compatibility scoring across all cases.

4.2.4 Authentication & Security Tier

Amazon Cognito Manages user authentication by verifying logins, assigning roles, and restricting access for agency workers and prospective foster families. AWS KMS secures the system by encrypting sensitive data stored in S3 and RDS.

The system follows a clear flow from user request to response. Users submit data through API Gateway, which sends requests to Lambda for processing. Lambda interacts with Sagemaker to generate match recommendations and stores results in RDS and S3. Eventbridge triggers meeting scheduling after matches are made and SNS sends notifications to users about match results, meeting updates, and placement outcomes.

All components are securely connected within AWS. Cognito controls user identity and access, ensuring only authorized users interact with the system. KMS encrypts sensitive child and family data stored in both S3 and RDS. API Gateway provides a secure entry point for all requests, ensuring controlled and protected communication between users and the backend services.

5 User Interface and User Experience

5.1 Dialogue Diagram




Figure 5.1. Dialogue Diagram - Foster Care Matching System

5.1.1 User Journey Description

Caseworker User: The caseworker begins by logging into their profile using their username and password. Once authenticated, the “Manage Foster Child Profile” page is displayed, where the caseworker can view and manage the child’s preferences, attributes, and relevant profile information. While one profile is shown on the screen at a time, the caseworker has access to all available child profiles within the system. Next, the system transitions to the placement outcome screen, which presents the strongest matches between the child and potential foster families based on predefined criteria. After reviewing these recommendations, the caseworker evaluates the matches and decides whether to approve or disapprove each suggested family. If a match is approved, the process proceeds to the pre-placement coordination page. Here, the caseworker sends the child’s profile to the selected family’s account and saves the recommendation within the system for tracking purposes. Finally, the system directs the caseworker to the report page, which provides a comprehensive history of all placement outcomes. This includes records of approved matches involving both children and families, allowing for ongoing tracking and evaluation of placement decisions. The system displays the primary compatibility factors influencing each recommendation so caseworkers can understand why certain families ranked higher than others.

Foster Child User: If the foster child is a new user of WeFosterCare, they will first be directed to the profile creation page. After expressing their desires and expectations, a caseworker will create their account by entering their preferences and personal attributes. If the child already has an existing profile, they will simply log in using their username and password. All of this is within conjunction and monitored with a caseworker, as a child is never left alone with their account. Once logged in or after completing the profile setup, the child can manage their account in collaboration with their caseworker, as both users have access to the profile management page. The child will then be taken to the match recommendation screen, where they can view potential family matches along with detailed information tailored to their preferences and needs. After reviewing the recommended family matches based on comparable preferences, the child will either select “comfortable”, “unsure”, or “not comfortable”. These recommended family matches are dependent on the presence of overlapping preferences within both the child and prospective foster family profiles. If comfortable is selected, the child’s profile will be shared with the chosen family(s), under the supervision of the caseworker. If unsure is selected, the recommended match will be saved for future consideration. If uncomfortable is selected, the recommended match will be removed from the child’s recommendations.

Prospective Foster Families User: If a prospective family is new to WeFosterCare, they are directed to the family profile creation page, where they can set up an account by entering their preferences and household details. Returning users are taken to the login screen to enter their username and password. After creating an account or logging in, families can manage their profile by reviewing and updating key information such as parental guardians, home type, and placement preferences. Once their profile is complete, they are shown a list of shared child profiles highlighting children who have expressed interest in their family based on comparable preferences. These profiles are ranked by match scores from highest to lowest. If the family is satisfied with a recommended match, they will submit their own response indicating if they would like to proceed with the meeting process. If the recommendation is approved, the pre-placement meeting coordination will be initiated. This is where agentic AI will be used to schedule a pre-placement meeting for further consideration.

5.2 UI Prototypes

5.2.1 Homepage and Main Navigation



Sign in

Select your designated portal access to continue securely.



Caseworker

Full access to agency dashboard



Family Portal

Resource library & communication



Child Space

Interactive comfort environment



Child access requires caseworker login first.

[Forgot your password?](#)

[Contact IT Support](#)




Figure 5.2.1. Homepage and Main Navigation - Main portal dashboard providing access to case management tools, scheduling functions, and navigation for caseworkers, children, and families.

5.2.2 Primary Functional Screens




Figure 5.2.2. Primary Functional Screen 1 - Child profile interface displaying compatibility factors, personal interests, family preferences, support needs, and caseworker notes.




Figure 5.2.2. Primary Functional Screen 2 - Foster family profile displaying household environment, family members, verification status, lifestyle information, and compatibility indicators.



Hi Cody!

How are you feeling about the Miller
Family?



I feel comfortable



I'm not sure



I'm not comfortable

Your choice is private and will only be shared
with your caseworker. It's okay to feel
however you feel!

Figure 5.2.2. Primary Functional Screen 3 - The comfort-response interface allowing children to express comfort responses before placement decisions progress to the pre-placement stage.




Figure 5.2.2. Primary Functional Screen 4 - Family notification and placement review interface allowing families to review child background information, interests, and preferences before confirming participation in the pre-placement process.



Schedule your meeting with Cody

Select a date and time for your pre-placement consultation.

October 2023

S	M	T	W	T	F	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21					

Available times for Oct 15

09:00 AM

10:30 AM

01:00 PM

02:30 PM

04:00 PM

Any questions for the caseworker?

Add any notes, concerns, or questions you'd like to discuss...

Confirm Schedule

[I've changed my mind](#)

Figure 5.2.2. Primary Functional Screen 5 - Pre-placement meeting scheduler coordinating meeting availability, and scheduling confirmation between foster families children and caseworkers before placement decisions occur.

WisFosterCare

Placement Review



CHILD
Cody, 9



FAMILY
The Millers

Cody's Feedback

Post-meeting survey

Cody, how did you feel about meeting the Miller family today?

COMFORTABLE

NOT SURE

UNCOMFORTABLE

Caseworker Decision

MEETING NOTES & OBSERVATIONS

Enter objective observations...

APPROVE

DENY

Digital Signature

FINALIZE

I confirm that I have reviewed the outcomes and authorize this decision.

SIGN HERE X

Dashboard

Children

Families

Settings

Figure 5.2.2. Primary Functional Screen 6 - Post meeting feedback and decision interface capturing child comfort response, caseworker observations, approval outcomes, and digital authorization to finalize placement decisions.

 Outcome Summary



✓ Placement Approved

Cody & The Miller Family

♥ Why it was successful

🧩 Shared interest in LEGOs and space

🐾 Family dogs provide comfort to Cody

😊 Consistent emotional response during pre-placement meeting

☑ Follow-up steps

☐ Schedule transition visit

☐ Submit final legal paperwork

☐ Coordinate initial school transfer logistics

Figure 5.2.2. Primary Functional Screen 7 - Placement outcome and coordination dashboard summarizing compatibility factors, follow-up actions, and transitioning planning tasks.

The UI design is intentionally structured to reduce placement failure by improving decision quality at each step of the user journey. The ranking visibility on family and case worker screens is included to make the decision-making process transparent, allowing users to understand why certain placements are recommended and to reduce reliance on subjective judgment alone. The comfort and compatibility indicators are designed to surface non-obvious fit factors—such as behavioral alignment and support needs compatibility—so decisions are guided by long-term stability rather than immediate availability. By linking each screen element to underlying matching logic, the interface ensures that users are not only selecting placements, but also understanding the reasoning behind recommendations, which reduces mismatches and improves placement outcomes over time.

5.2.3 Forms and Reports

The system supports the creation of forms and reports used throughout the foster care placement process. These include child profiles, family verification and background check forms, case documentation and final placement records. Each form is used to assess family suitability, track the child's needs and preferences, and document decisions to ensure safe, appropriate and long lasting placements.

6 Implementation Plan and Budget

6.1 Development Plan

6.1.1 Milestones and Timeline

Task ID	Task Category	Task Name	Task Owner	Start	End	Dependency
T1	UI/UX	Design and finalize UI prototypes (caseworker, child, family dashboards)	Frontend Team	Week 1	Week 2	None
T2	Database	Build database schema (D1, D2, D3, D4)	Backend Team	Week 1	Week 2	None
T3	Backend	Develop child and family profile management logic	Backend Team	Week 2	Week 4	T2
T4	API	Create API endpoints (profile input,	Backend Team	Week 3	Week 5	T3

		retrieval, updates)				
T5	Matching Engine	Build compatibility filtering and ranking logic (Process 3.0)	Data/Backend Team	Week 4	Week 6	T3
T6	UI/UX	Implement frontend scenes and workflows	Frontend Team	Week 3	Week 6	T1, T4
T7	Backend	Develop child comfort response module (Process 4.0)	Backend Team	Week 5	Week 7	T5
T8	Backend/API	Build scheduling and placement workflow (Process 5.0)	Backend Team	Week 6	Week 8	T7
T9	Authentication	Implement AWS Cognito (user roles and access control)	DevOps/Security	Week 5	Week 7	T2
T10	Cloud/DevOps	Deploy infrastructure (AWS Lambda, RDS, S3, API Gateway)	DevOps Team	Week 6	Week 8	T4
T11	Security	Implement encryption, data protection, compliance checks	Security Team	Week 7	Week 9	T9, T10
T12	Integration	End-to-end system	Full Team	Week 8	Week 10	T6-T11

		integration and debugging				
--	--	---------------------------------	--	--	--	--

Exhibit 6.1.1. Milestone-driven Development Plan Table

6.1.2 Task Ownership and Dependencies

Task ownership is divided across specialized teams to align with system components and ensure efficient development. The frontend team handles UI design and implementation, while the backend team develops core functionality, including profile management, matching logic, and workflows. DevOps and security teams manage cloud infrastructure, authentication, and data protection. Final system integration is completed collaboratively to ensure all components function together.

Dependencies follow a structured progression from foundational elements to full system functionality. Database design and UI prototype establish the base for backend development and API creation, which in turn support the matching engine and frontend workflows. Features such as child comfort responses and scheduling build on the matching process. Infrastructure and security tasks run in parallel but depend on core system readiness. All components converge in the final integration phase, ensuring a stable and fully connected system before deployment.

6.2 Test Plan

6.2.1 Functional Testing

Functional Testing validates that all core system processes operate correctly according to system requirements and data flow logic. This testing is conducted during the development phase after each major module (Process 1.0-5.0) is completed and before integration. It is performed by the development team and quality assurance (QA) testers, approved by the project manager and system architect. Quality control checkpoints occur after each major module, where functionality is validated before progressing to reduce compounding errors. Success is determined by 95-100% test case pass rate, accurate validation of required profile fields, correct filtering of incompatible families, correct ranking of matches, zero critical defects, proper storage/retrieval in D1-D4 databases, successful recording of comfort responses, and correct triggering of pre-placement workflows.

6.2.2 User Acceptance Testing (UAT)

User Acceptance Testing ensures the system meets real-world needs for agency/caseworkers, foster children, and prospective foster families by validating usability, workflow clarity, and decision-support effectiveness. This testing is conducted after full system integration, but before deployment. It is performed by selected agency/caseworkers and supervised test users (children or families in a controlled setting). Success is determined by 90%+ user task completion rate, positive usability feedback, correct interpretation of match recommendations, successful navigation of profile and matching workflows, accurate capture of child comfort responses, and no major workflow conflicts or errors.

6.2.3 Pilot Testing

Pilot Testing deploys the system in a controlled, real-world environment within a limited agency setting to evaluate system performance, data accuracy, and operational fit before full rollout. This validates how well the system integrates into existing foster care workflows. This testing is conducted immediately before full deployment over a 2-4 week period within a single agency or department. It is performed by live caseworkers using real, but monitored, cases; approved by agency leadership and the implementation team. Success is determined by stable system uptime, successful generation of match recommendations for all active cases, accurate reflection of child preferences in matches, no data loss or corruption, successful scheduling of pre-placement meetings, and no critical system failures.

6.2.4 Volume / Stress Testing

Volume/Stress Testing evaluates the system's ability to handle high volumes of data and concurrent users, ensuring scalability of matching algorithms, database performance, and cloud-based infrastructure (AWS Lambda, RDS, S3). This testing is conducted prior to pilot testing after system integration is complete. It is performed by QA engineers and cloud infrastructure specialists. Success is determined by the system's ability to support peak concurrent users without failure, maintain response time <2-3 seconds for match generation, no system crashes under high load, stable database performance under large datasets, consistent API response rates, successful handling of simultaneous profile submission, and no degradation in matching accuracy.

6.3 Deployment Plan

The deployment of the system follows three phases – before launch, during launch, and after launch – to ensure a smooth transition from development to real-world deployment while mitigating risk. The system is deployed as a web-based application and does not require app store distribution, ensuring easier access across devices.

Before launch, a structured readiness review ensures both the system and agency environment are prepared. A pre-installation checklist confirms all core processes are operational, including validated child and family profile workflows (Process 1.0 and 2.0), accurate match generation logic (Process 3.0), proper recording of child comfort responses (Process 4.0), and functioning pre-placement coordination (Process 5.0). A data readiness review verifies that child and family data is complete, standardized, and compliant, as system performance depends on structure inputs. Caseworkers are also trained on how to input preferences correctly, interpret match recommendations, and manage child profiles. Technically, the AWS cloud environment is configured with API Gateway, Lambda, RDS, and S3. Cognito manages authentication, and KMS ensures encryption. External services like EventBridge and SNS are integrated to support meeting workflows and alerts.

During launch, the system is deployed using a phased rollout approach, beginning with a limited agency or department to reduce risk and allow real-time validation. Access is granted to a controlled group of caseworkers, who begin using the system with real cases under supervision. Deployment includes migrating validated data into RDS, activating APIs, and enabling Lambda processing. Close coordination ensures all functions work properly, including matching, comfort responses, and scheduling. Support teams actively resolve usability issues, data inconsistencies, and workflow disruptions to maintain consistent operation.

After launch, the focus shifts to ensuring system stability, performance, and long-term effectiveness in improving placement outcomes. Post-installation testing validates that all workflows function correctly in real conditions. Monitoring tracks uptime, response times, database performance, and error rates, with alerts for failures. Operational monitoring evaluates system impact using metrics like match quality, reduced failed placements, system usage, and caseworker workload. User feedback loops allow agencies to report issues and suggest improvements, supporting continuous updates and improvements.

6.4 Training, Support, and Maintenance Plan

The long-term success of the system depends on effective user adoption, reliable support, and continuous system improvement. Training is role-based and directly tied to system functions. Caseworkers complete a 30-45 minute session covering foster child profile management, interpreting match recommendations, recording child comfort responses, and managing pre-placement coordination. Prospective foster families are onboarded through a web based walkthrough for profile completion and match response, while foster children interact through a simplified interface supported by caseworkers to review matches and select comfort responses. All users are supported with a one-page quick-start guide and embedded FAQs exploring core system actions.

A help center and chatbot handle common issues (login, navigation, profile errors), while a tiered system manages more complex problems. Tier 1 (help desk) resolves basic issues within ~24 hours; Tier 2 (IT/development) addresses bugs, data, and integration issues with critical fixes in 4-12 hours; Tier 3 (senior developers/vendors) handles system failures or security incidents with immediate response and patching. Agency administrators serve as primary contacts of user-level concerns, with escalation paths ensuring rapid resolution to technical issues.

Maintenance follows a proactive, system-focused approach to ensure reliability and performance. Bug fixes are deployed as needed, especially for matching accuracy, data integrity, and system performance. Quarterly updates enhance matching logic, user interface, and workflow efficiency based on user feedback and system data. All updates are version-controlled and tested in a staging environment before release to avoid disruptions or challenges. Continuous monitoring of uptime, response times, and error rates ensures early detection and resolution of issues, maintaining system effectiveness over time.

6.5 Implementation Cost (5-Year TCO)

6.5.1 Budget Table

Cost Category	Year 1	Year 2	Year 3	Year 4	Year 5
Development	\$120,000	—	—	—	—
Cloud/Hosting	\$12,000	\$15,000	\$18,000	\$20,000	\$26,000
Maintenance	\$24,000	\$24,000	\$24,000	\$24,000	\$24,000
Support Staff	\$30,000	\$35,000	\$40,000	\$45,000	\$50,000

Security/Compliance	\$8,000	\$5,000	\$5,000	\$6,000	\$6,000
Miscellaneous (training, updates)	\$6,000	\$6,000	\$7,000	\$8,000	\$9,000
Total	\$200,000	\$85,000	\$94,000	\$105,000	\$115,000

Exhibit 6.5.1. Five Year Total Cost of Ownership (TCO) Budget Table

6.5.2 Budget Narrative

The total cost of ownership (TCO) for the system covers development, deployment, scaling, and long-term operation across six categories. These categories reflect the system's core requirements, focusing on compatibility-based matching, child comfort input, multi-user workflows, and secure data handling.

Development (\$120,000 - Year 1) is a one-time cost based on a small team (~5 developers) building matching logic, child comfort response features, workflow automation, and AWS integration. Development costs are limited to Year 1 because the core system is completed upfront, with future improvements handled through maintenance. The cost is reasonable given the system's custom logic and integration requirements.

Cloud/Hosting (\$12,000 → \$26,000) scales with usage, starting around \$1,000/month and increasing as data and real-time processing needs expand. Year 1 assumes a modest workload covering database storage (RDS), object storage (S3), and compute (Lambda/SageMaker). Growth to \$26,000 by Year 5 reflects increasing users, larger datasets (profiles, match history, media), and higher compute demand for real-time recommendations. The main cost drivers are data storage, API requests, and processing for matching algorithms. The estimates align with typical AWS pricing for small-to-mid scale systems.

Maintenance (\$24,000/year) assumes part-time developer support. This covers bug fixes, performance tuning, updates to matching logic, and ensuring data consistency across workflows. Consistent maintenance is required as system accuracy directly affects placement quality and stability. The flat cost reflects stable ongoing effort rather than major system changes.

Support Staff (\$30,000 → \$50,000) costs represent user assistance for caseworkers, foster children, and prospective foster families navigating the system. Year 1 assumes part-time support, scaling to near full-time by Year 5 as adoption grows. Cost drivers include user onboarding, troubleshooting, and workflow guidance (e.g. profile setup, match review, scheduling). Increasing costs reflect higher system usage and the need to maintain trust and usability.

Security/Compliance (\$8,000 → \$6,000) costs are higher in Year 1 due to initial setup, including authentication, encryption, and access control using services like Cognito and KMS. Ongoing costs cover monitoring, updates, and compliance with data protection standards. The primary drivers are secure storage, identity management, and protection of sensitive child and family data. The decline after Year 1 reflects reduced setup costs and steady-state operation.

Miscellaneous (\$6,000 → \$9,000) costs include training, documentation, and minor system enhancements. Year 1 focuses on initial user onboarding and creation of training materials. As

adoption grows, costs increase to support updated documentation, additional training sessions, and small usability improvements based on user feedback. The gradual increase reflects scaling usage and continuous refinement rather than major development work.

Overall, the TCO covers the system's full development. Costs include developer labor, cloud services, and support staff, while non-financial resources include stakeholder training and adoption. Existing cloud infrastructure reduces complexity and costs, and contingency is built into maintenance, support, and cloud budgets to handle unexpected issues and growth.

The implementation, deployment, and budget planning assume a gradual adoption curve driven by phased rollout across pilot sites before full-scale deployment. Early usage is expected to be limited to a small number of placements per week during the pilot phase, with growth increasing as case workers and administrators become familiar with the system and trust in the recommendation engine develops. Data volume estimates are based on this staged adoption, scaling from initial historical datasets and low-frequency real-time requests to higher sustained usage as additional agencies and placement records are integrated. These assumptions are conservative to ensure infrastructure costs remain stable during early deployment while allowing for predictable scaling as system adoption increases.

7 Conclusion

This project presents a scalable, secure, and data-driven placement system designed to improve matching quality by shifting from availability-based assignment to predictive compatibility scoring. By integrating AWS services such as API Gateway, Lambda, SageMaker, RDS, S3, Cognito, and KMS, the system creates an end-to-end pipeline that supports real time compatibility scoring, match filtering, child comfort response workflows, structured profile storage, and machine learning based decision support. The UI reinforces this logic by making recommendations transparent and interpretable, helping users understand the reasoning behind placement rankings and improving trust in the system. Together, the architecture, implementation strategy, and interface design work toward a unified goal of reducing placement instability and improving long-term outcomes through more informed, consistent, and evidence-based decision-making.

Appendix A: Project Management Documentation

A.1 Governance Structure

The project is governed through a role-based team structure designed to align technical development with business requirements and ensure coordinated delivery across all system components. Valerie Calva, as Project Analyst, oversees overall project coordination, requirement alignment, and stakeholder communication to ensure the system remains consistent with defined objectives. Kyle Hatch, as Business Analyst, is responsible for translating operational needs into system requirements and validating that workflow design supports real-world placement decision processes. Lucas Richmond, serving as Backend Analyst, is responsible for designing server-side logic and data processing components that support core system functionality. Jason Do, as Frontend Analyst, is responsible for UI development and ensuring that interface design effectively communicates system recommendations and supports usability for case workers and families. Ethan Neu, as DevOps/Implementation Analyst, oversees deployment pipelines, infrastructure configuration, system scalability, and operational reliability across AWS services. Together, this governance structure ensures clear accountability across analysis, development, deployment, and user experience, enabling coordinated system delivery and continuous alignment between technical implementation and organizational needs.

A.2 Roles and Responsibilities

Valerie Calva (Project Analyst): Responsible for overall project coordination, requirements interpretation, and system analysis support. Ensures alignment between business needs and system design. Contributes to stakeholder communication, documentation consistency, and validation of profile processes. Supports requirement traceability across functional and non-functional specifications and assists in maintaining project structure across deliverables.

Kyle Hatch (Business Analyst): Responsible for defining business requirements, workflow logic, and process alignment with foster care agency operations. Focuses on pre-placement workflows, ensuring system outputs align with real-world caseworker decision-making. Supports validation of system value, performance indicators (KPIs), and ensures the system improves placement efficiency, transparency, and decision support.

Lucas Richmond (Backend Analyst): Responsible for designing the server-side architecture, including AWS-based data ingestion, transformation, and retrieval using RDS and S3. Builds the feature engineering pipeline for model inputs, integrates Amazon SageMaker for compatibility scoring, and develops API-driven services that connect Lambda orchestration, model outputs, and frontend requests. Ensures backend scalability, security, and consistent system performance.

Jason Do (Frontend Analyst): Responsible for developing the user interface, ensuring that screens clearly present placement recommendations, rankings, and decision-support information in a usable and interpretable format. Supports consistency between UI design and system logic.

Ethan Neu (DevOps/Implementation Analyst): Responsible for system deployment, cloud infrastructure, and operational reliability. Manages AWS services including Lambda, API

Gateway, RDS, S3, Cognito, and KMS. Oversees system monitoring, security enforcement, and scalability to ensure stable end-to-end system performance across all modules.

A.3 Team Contribution Summary

Valerie Calva (Project Analyst): Valerie was responsible for report one where she conducted system research and analysis in addition to helping coordinate team efforts throughout the completion of the project. One of the key areas she contributed to was the development of the background section of the report by researching the problems associated with placement instability within the U.S. foster care system. Through an online resource search, Valerie identified 3 reliable sources that provided statistical data on the number of times children are placed in new foster home settings, the reasons why children experience multiple placements throughout their lifetime, and the adverse effects these placements have on child development in both social-emotional and academic outcomes. This research provided evidence supporting the need to develop better methods for matching children with foster family units and enhanced the credibility of the group's final written report.

In addition to conducting research, Valerie also completed activities that assisted with coordinating multiple aspects of the project. These responsibilities included identifying user perceptions regarding what would be required of the proposed system, ensuring consistency within the project documentation, and validating that the proposed system aligned with the needs of those who would utilize it. Valerie also contributed to the technical phase of the project by completing the Level 1 Data Flow Diagram (DFD) for Process 1 and creating the Use Case Diagram for Process 1. Both diagrams helped illustrate how the identified processes would interact and flow throughout the proposed system.

Kyle Hatch (Business Analyst):

Lucas Richmond (Backend Analyst): Lucas contributed to the design of the system architecture and the selection of core AWS services that power the WeFosterCare matching system and its agentic AI scheduling feature. He helped translate the vision for these features into practical system components by influencing user experience design, documentation feedback, and implementation planning across both technical and user-focused areas of the WeFosterCare project. He reviewed and provided feedback on all sections of the project report to maintain consistency, clarity, and alignment throughout the deliverables. Additionally, he assisted in the development of the Context Diagram and Level-0 Data Flow Diagram, supporting the definition of the system's overall structure. Lucas developed the Level-1 Data Flow Diagram for Process 4 (Record Child Comfort Response) and created its accompanying data dictionary. He also produced the Use Case 4 diagram and narrative, along with the Activity Diagram for Process 4.

Jason Do (Frontend Analyst): Jason Do was responsible for UI development as developing the user interface that presents itself according to the model input for process 1.0. For Use Case Diagram 1 Jason was able to create the first diagram for managing a child profile. Jason also contributed to the design and documentation of the Manage Child Profile process for this system including creating the Level-1 Data Flow Diagram as well as the activity diagram and use case narrative for Process 1.0. Designing the level 1 Data flow diagram Jason had to break down the process into four key subprocesses which were Create Child Profile, Enter Child Details, Update Child Profile, and Retrieve Child Profile. By developing the workflow for creating, entering, updating, and retrieving foster child profile information to ensure accurate and organized data

management within the system. Jason also helped write out the data dictionary descriptions for child profile processes, data flows, and databases. This illustrates a more step by step workflow when looking at from the profile creation to validation and storage. Jason's contributions supported the system's goal of improving foster placement decisions through structured and accessible child profile information.

Ethan Neu (DevOps/Implementation Analyst): Ethan Neu was responsible for system integration, documentation refinement, and implementation planning across both technical and managerial components of the WeFosterCare project. He reviewed and edited all project report sections to ensure consistency, clarity, and alignment across deliverables. He assisted in developing the Context Diagram and Level-0 Data Flow Diagram, supporting overall system structure definition.

For system modeling, Ethan created the Level-1 Data Flow Diagram for Process 3 (Generate Matched Families for Child Review), along with its associated data dictionary. He also developed the Use Case 3 diagram and narrative, as well as the Activity Diagram for Process 3, ensuring consistency across all analytical representations of the matching workflow.

Ethan contributed to UI/UX design by assisting in the development of the dialogue diagram and reviewing and approving the final UI design for consistency with system logic and workflows.

For project implementation planning, Ethan created the milestone development plan table and full development plan section, defining task structure, dependencies, and ownership across teams. He also developed the test plan section, deployment plan section, and training, support, and maintenance plan, ensuring full lifecycle coverage from development to operational use. Additionally, Ethan created the budget table and budget narrative, outlining projected system costs and long-term implementation considerations.

Appendix B: Technical Documents

Data Dictionary

Type	Name	Description
Process	0 WeFosterCare Foster Matching System	The overall system that manages foster child and foster family information, generates match recommendations, schedules meetings, and records placement outcomes.
Process	1.0 Manage Child Profile	Receives and manages foster child information from the agency/caseworker, including child preferences, and stores the information in the Child Profiles Database for use in the matching process.
Process	2.0 Manage Foster Family Profile	Receives and manages prospective foster family information and family preferences and stores this information in the Family Profiles Database.
Process	3.0 Generate Matched Families for Child Review	Uses child profile information, child preferences, and family preferences stored in the databases to generate family recommendations for child responses.
Process	4.0 Record Child Comfort Response	Receives comfort feedback from the foster child about potential foster families and records the response in the system for future matching decisions.
Process	5.0 Notify Family and Share Child Profile	A caseworker shares the child profile details (after the child's "comfortable" comfort response is recorded) needed to move forward to the pre-placement meeting.
Process	6.0 Schedule Pre-Placement Meeting	Schedules a meeting between the foster child and the prospective foster family once a potential match has been approved by the caseworker.
Process	7.0 Record Placement Outcome	Records the final placement decision after the meeting and updates the system with the placement outcome.
External Entity	Agency/Caseworker	The agency or caseworker responsible for submitting foster child profile information and receiving placement outcome information from the system.
External Entity	Foster Child	The foster child who provides comfort feedback and preferences during the matching process.

External Entity	Prospective Foster Family	Families interested in fostering who provide family profile information and receive match recommendations and meeting notifications.
Data Flow	Child Profile	Information about the foster child provided by the agency/caseworker and used by the system to identify potential foster family matches.
Data Flow	Family Profile	Information submitted by prospective foster families describing their household and fostering capabilities.
Data Flow	Child Feedback	Feedback from the foster child about comfort or compatibility with a potential foster family.
Data Flow	Child Preferences	Preferences provided by the foster child regarding the type of foster family or placement environment they prefer.
Data Flow	Family Preferences	Preferences provided by prospective foster families describing the type of child they are willing or able to foster.
Data Flow	Match Recommendations	A list of potential foster family matches generated by the system based on child and family profile information.
Data Flow	Approved Match	Confirmation that a foster child and prospective foster family match has been approved for further steps.
Data Flow	Comfort Response	The recorded comfort rating or response provided by the foster child after interacting with a potential foster family.
Data Flow	Meeting Request	A request generated by the system to schedule a meeting between a foster child and a prospective foster family.
Data Flow	Placement Decision	The decision made after the meeting regarding whether the foster child will be placed with the prospective foster family.
Data Flow	Placement Outcome	The final placement result recorded by the system and communicated to the agency/caseworker.
Data Flow	Family Data	Foster family information retrieved from the Family Profiles Database for matching and review purposes.

Data Store	D1 Child Profiles Database	Stores all foster child profile information, including preferences, used by the system during the matching process.
Data Store	D2 Family Profiles Database	Stores information about prospective foster families and their preferences used to identify suitable matches.
Data Store	D3 Match Lists and Comfort Responses	Stores generated match lists and comfort responses from foster children about potential foster families.
Data Store	D4 Meeting and Placement Outcomes	Stores records of scheduled meetings and final placement outcomes for foster children.

Exhibit 3.1.2. Data Dictionary – Processes, Data Flows, External Entities, and Data Stores