

Passwords

- [create](#)

Registrations

- [create](#)

Sessions

- [create](#)
- [destroy](#)

Token validations

- [validate_token](#)

Wanderist API documentation

[Wanderist](#) / Passwords

Passwords

[Wanderist](#) / [Passwords](#) / create

POST /auth/password

Use this route to send a password reset confirmation email to users that registered by email.

Errors

Code	Description
404	Unable to find user with email {{email}}.

Params

Param name	Description
email required	Email Validations: <ul style="list-style-type: none">• Must be String
redirect_url required	Redirect URL Validations: <ul style="list-style-type: none">• Must be String

[Wanderist](#) / Registrations

Registrations

POST /auth

Email registration. A verification email will be sent to the email address provided.

Examples

```
POST /auth
{
  "email": "username@example.com",
  "password": "password",
  "password_confirmation": "password",
  "confirm_success_url": "http://localhost:3001/",
  "config_name": "default"
}
403
{
  "status": "error",
  "data": {
    "id": null,
    "provider": "email",
    "uid": "",
    "name": null,
    "nickname": null,
    "image": null,
    "email": "username@example.com",
    "created_at": null,
    "updated_at": null
  },
  "errors": {
    "email": [
      "already in use"
    ],
    "full_messages": [
      "Email already in use"
    ]
  }
}
```

Params

Param name	Description
email required	Email address Validations: <ul style="list-style-type: none">Must be String
password required	Password

Param name	Validations: Description
	<ul style="list-style-type: none">Must be String
password_confirmation required	Password confirmation Validations: <ul style="list-style-type: none">Must be String

[Wanderist](#) / Sessions

Sessions

[Wanderist](#) / [Sessions](#) / create

POST /auth/sign_in

Email authentication.

Examples

```
POST /auth/sign_in
{
  "email": "george@rubygarage.org",
  "password": "password"
}
200
{
  "data": {
    "id": 2,
    "provider": "email",
    "uid": "george@rubygarage.org",
    "name": null,
    "nickname": null,
    "image": null,
    "email": "george@rubygarage.org"
  }
}
```

```
POST /auth/sign_in
{
  "email": "george@rubygarage.org",
  "password": "password"
}
201
{
  "data": {
    "id": 2,
    "provider": "email",
    "uid": "george@rubygarage.org",
    "name": null,
```

```
"nickname": null,  
"image": null,  
"email": "george@rubygarage.org"  
}  
}
```

Errors

Code	Description
401	Invalid login credentials. Please try again.
401	A confirmation email was sent to your account at {{email}}. You must follow the instructions in the email before your account can be activated
403	Email already in use

Params

Param name	Description
email optional	Email address Validations: <ul style="list-style-type: none">• Must be String
password required	Password Validations: <ul style="list-style-type: none">• Must be String

[Wanderist](#) / [Sessions](#) / destroy

DELETE /auth/sign_out

Use this route to end the user's current session. This route will invalidate the user's authentication token.

[Wanderist](#) / Token validations

Token validations

[Wanderist](#) / [Token validations](#) / validate_token

GET /auth/validate_token

Use this route to validate tokens on return visits to the client.

Params

Param name	Description
uid optional	UID Validations: <ul style="list-style-type: none">• Must be Integer
client optional	Client Validations: <ul style="list-style-type: none">• Must be String
access-token optional	Access Token Validations: <ul style="list-style-type: none">• Must be String