Bibliographie de thèse

Liste des entrées dans le fichier .bib

Lucas TORTEROTOT 4 octobre 2019

Références

- [1] G. AAD & coll.: The ATLAS Collaboration. « Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC ». *Physics Letters* **B716.1** (2012), p. 1-29. DOI: https://doi.org/10.1016/j.physletb.2012.08.020. URL: http://www.sciencedirect.com/science/article/pii/S037026931200857X.
- [2] G. AAD & coll.: The ATLAS Collaboration. « Search for the neutral Higgs bosons of the Minimal Supersymmetric Standard Model in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector ». *Journal of High Energy Physics* **02** (2013), p. 095. DOI: 10.1007/JHEP02(2013)095. arXiv: 1211.6956 [hep-ex].
- [3] T. Aaltonen & coll.: The CDF Collaboration. « Search for Higgs bosons predicted in two-Higgs-doublet models via decays to tau lepton pairs in 1.96 TeV p anti-p collisions ». *Physical Review Letters* **103** (2009), p. 201801. DOI: 10.1103/PhysRevLett.103.201801. arXiv: 0906.1014 [hep-ex].
- [4] V. M. Abazov & coll.: The DØ Collaboration. « Search for Higgs bosons decaying to $\tau\tau$ pairs in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV ». *Physics Letters* **B707** (2012), p. 323-329. DOI: 10.1016/j. physletb.2011.12.050. arXiv:1106.4555 [hep-ex].
- [5] S. ALIOLI & coll. « A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX ». *Journal of High Energy Physics* **06** (2010), p. 043. DOI: 10.1007/jhep06(2010)043. arXiv: 1002.2581 [hep-ph].
- [6] J. Allison & coll. « Geant4 developments and applications ». *IEEE Transactions on Nuclear Science* **53**.1 (fév. 2006), p. 270-278. DOI: 10.1109/tns.2006.869826.
- [7] J. Alwall & coll. « MadGraph 5 : Going Beyond ». *Journal of High Energy Physics* **06** (2011), p. 128. doi: 10.1007/jhep06(2011)128. arXiv: 1106.0522 [hep-ph].
- [8] J. Andrejkovic & coll. « Data-driven background estimation of fake-tau backgrounds in di-tau final states with 2016 and 2017 data ». CMS analysis Note (oct. 2018).
- [9] R. BARATE & coll.: OPAL, DELPHI, LEP Working Group for Higgs boson searches, ALEPH, L3. « Search for the standard model Higgs boson at LEP ». *Physics Letters* **B565** (2003), p. 61-75. DOI: 10.1016/S0370-2693(03)00614-2. arXiv: hep-ex/0306033 [hep-ex].
- [10] C. Bernet. « Caractérisation des détecteurs Micromégas et mesure de la polarisation des gluons sur COMPASS ». Thèse de doct. Paris 7 Denis Diderot, mai 2004. URL: http://cds.cern.ch/record/1482660.
- [11] C. Bernet. « Reconstruction du flux de particules et mise en évidence de la désintégration du boson de Higgs en paire de τ avec CMS ». Thèse d'HDR (2017). URL : https://drive.google.com/open?id=0B3nnTYQibadjVkVvUi03cGRiYlk.
- [12] M. CACCIARI, G. P. SALAM & G. SOYEZ. « FastJet user manual ». European Physical Journal C72 (nov. 2012), p. 1896. DOI: 10.1140/epjc/s10052-012-1896-2. arXiv: 1111.6097 [hep-ph].
- [13] M. CACCIARI, G. P. SALAM & G. SOYEZ. « The Anti- k_T jet clustering algorithm ». *Journal of High Energy Physics* **04** (2008), p. 063. DOI: 10.1088/1126-6708/2008/04/063. arXiv: 0802.1189 [hep-ph].
- [14] CERN. The World Wide Web Project. 1989. URL: http://info.cern.ch/hypertext/WWW/TheProject.html.

- [15] S. Chatrchyan & coll.: The CMS Collaboration. « Evidence for the 125 GeV Higgs boson decaying to a pair of τ leptons ». *Journal of High Energy Physics* **05** (20 jan. 2014), p. 104. doi: 10.1007/JHEP05(2014)104. arXiv: 1401.5041v2 [hep-ex].
- [16] S. Chatrchyan & coll.: The CMS Collaboration. « Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC ». *Physics Letters* **B716**.1 (2012), p. 30-61. DOI: https://doi.org/10.1016/j.physletb.2012.08.021. URL: http://www.sciencedirect.com/science/article/pii/S0370269312008581.
- [17] S. CHATRCHYAN & coll.: The CMS Collaboration. « Search for a Higgs boson decaying into a b-quark pair and produced in association with b quarks in proton–proton collisions at 7 TeV ». *Physics Letters* **B722** (2013), p. 207-232. DOI: 10.1016/j.physletb.2013.04.017. arXiv: 1302.2892 [hep-ex].
- [18] S. Chatrchyan & coll.: The CMS Collaboration. « Search for neutral Higgs bosons decaying to tau pairs in pp collisions at $\sqrt{s} = 7$ TeV ». Physics Letters **B713** (2012), p. 68-90. Doi: 10.1016/j.physletb.2012.05.028. arXiv: 1202.4083 [hep-ex].
- [19] S. Chatrchyan & coll.: The CMS Collaboration. « The CMS experiment at the CERN LHC ». Journal of Instrumentation 3.08 (2008), S08004. DOI: 10.1088/1748-0221/3/08/S08004. URL: http://stacks.iop.org/1748-0221/3/i=08/a=S08004.
- [20] N. D. Christensen, T. Han & S. Su. « MSSM Higgs Bosons at The LHC ». *Physical Review* **D85** (2012), p. 115018. doi: 10.1103/PhysRevD.85.115018. arXiv: 1203.3207 [hep-ph].
- [21] A. DJOUADI & coll. « The post-Higgs MSSM scenario : Habemus MSSM? » The European Physical Journal C 73.12 (19 juil. 2013), p. 2650. DOI: 10.1140/epjc/s10052-013-2650-0. arXiv: 1307.5205v1 [hep-ph].
- [22] V. Khachatryan & coll.: The CMS Collaboration. « Event generator tunes obtained from underlying event and multiparton scattering measurements ». *European Physical Journal* C76.3 (2016), p. 155. DOI: 10.1140/epjc/s10052-016-3988-x. arXiv: 1512.00815 [hep-ex].
- [23] V. Khachatryan & coll.: The CMS Collaboration. « Reconstruction and identification of tau lepton decays to hadrons and tau neutrino at CMS ». *Journal of Instrumentation* **11**.1 (2016), P01019. DOI: 10.1088/1748-0221/11/01/P01019. arXiv: 1510.07488 [physics.ins-det].
- [24] V. Khachatryan & coll.: The CMS Collaboration. « Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks ». *Journal of High Energy Physics* **11** (2015), p. 071. doi: 10.1007/JHEP11(2015)071. arXiv: 1506.08329 [hep-ex].
- [25] V. Khachatryan & coll.: The CMS Collaboration. « Search for neutral MSSM Higgs bosons decaying to $\mu^+\mu^-$ in pp collisions at $\sqrt{s}=7$ and 8 TeV ». *Physics Letters* **B752** (2016), p. 221-246. DOI: 10.1016/j.physletb.2015.11.042. arXiv: 1508.01437 [hep-ex].
- [26] K. Olive & coll.: Particle Data Group. « Review of Particle Physics ». *Chinese Physics* C38 (2014). DOI: 10.1088/1674-1137/38/9/090001.
- [27] C. Patrignani & coll.: Particle Data Group. « Review of Particle Physics ». Chinese Physics C40 (2016). Doi: 10.1088/1674-1137/40/10/100001.
- [28] The ATLAS Collaboration, The CMS Collaboration, The LHC Higgs Combination Group. Procedure for the LHC Higgs boson search combination in Summer 2011. Rapp. tech. CMS-NOTE-2011-005. ATL-PHYS-PUB-2011-11. Geneva: CERN, août 2011. URL: https://cds.cern.ch/record/1379837.
- [29] S. SCHAEL & coll.: DELPHI, OPAL, ALEPH, LEP Working Group for Higgs Boson Searches, L3. « Search for neutral MSSM Higgs bosons at LEP ». European Physical Journal C47 (2006), p. 547-587. DOI: 10.1140/epjc/s2006-02569-7. arXiv: hep-ex/0602042 [hep-ex].
- [30] The CMS Collaboration. Search for additional neutral MSSM Higgs bosons in the di-tau final state in pp collisions at $\sqrt{s}=13$ TeV. Rapp. tech. CMS-PAS-HIG-17-020. Geneva: CERN, 2017. URL: https://cds.cern.ch/record/2296333.

- [31] A. Sirunyan & coll. « Particle-flow reconstruction and global event description with the CMS detector ». *Journal of Instrumentation* 12.10 (juin 2017), P10003. DOI: 10.1088/1748-0221/12/10/P10003. arXiv: 1706.04965v2 [physics.ins-det]. URL: http://stacks.iop.org/1748-0221/12/i=10/a=P10003.
- [32] A. Sirunyan & coll. : The CMS Collaboration. « Search for additional neutral MSSM Higgs bosons in the $\tau\tau$ final state in proton-proton collisions at $\sqrt{s}=13\,\text{TeV}$ ». *Journal of High Energy Physics* **9** (sept. 2018). Doi: 10.1007/JHEP09(2018)007.
- [33] T. SJÖSTRAND & coll. « An Introduction to PYTHIA 8.2 ». Computer Physics Communications 191 (2015), p. 159-177. DOI: 10.1016/j.cpc.2015.01.024. arXiv: 1410.3012 [hep-ph].
- [34] M. Tanabashi & coll.: Particle Data Group. « Review of Particle Physics ». *Phys. Rev.* **D98** (août 2018). doi: 10.1103/PhysRevD.98.030001.