Bibliographie de thèse

Liste des entrées dans le fichier `.bib`

Lucas TORTEROTOT

23 avril 2020

Références

[1] G. AAD & coll. « Combined measurement of the Higgs boson mass in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS Experiments ». *Physical Review Letters* **114**.19 (mai 2015). DOI : 10.1103/physrevlett.114.191803. URL : http://dx.doi.org/10.1103/PhysRevLett.114.191803.

[2] G. AAD & coll. « Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s} = 7$ and 8 TeV ». *Journal of High Energy Physics* **08** (août 2016). DOI : 10.1007/jhep08(2016)045. URL : http://dx.doi.org/10.1007/JHEP08(2016)045.

[3] M. ABADI & coll. TENSORFLOW *: Large-scale machine learning on heterogeneous distributed systems*. Software available from tensorflow.org. 2015. URL : https://www.tensorflow.org/.

[4] P. A. R. ADE & coll. « Planck 2013 results. I. Overview of products and scientific results ». *Astronomy & Astrophysics* **571** (oct. 2014). DOI : 10.1051/0004-6361/201321529. URL : http://dx.doi.org/10.1051/0004-6361/201321529.

[5] S. ALIOLI & coll. « A general framework for implementing NLO calculations in shower Monte Carlo programs : the POWHEG BOX ». *Journal of High Energy Physics* **06** (2010), p. 043. DOI : 10.1007/jhep06(2010)043. arXiv : 1002.2581 [hep-ph].

[6] J. ALLISON & coll. « Geant4 developments and applications ». *IEEE Transactions on Nuclear Science* **53**.1 (fév. 2006), p. 270-278. DOI : 10.1109/tns.2006.869826.

[7] J. ALWALL & coll. « MadGraph 5 : Going Beyond ». *Journal of High Energy Physics* **06** (2011), p. 128. DOI : 10.1007/jhep06(2011)128. arXiv : 1106.0522 [hep-ph].

[8] B. ANDERSSON & coll. « Parton fragmentation and string dynamics » (avr. 1983). URL : http://cds.cern.ch/record/143980.

[9] J. ANDREJKOVIC & coll. « Data-driven background estimation of fake-tau backgrounds in di-tau final states with 2016 and 2017 data ». *CMS analysis Note* (oct. 2018).

[10] G. ARNISON & coll. « Experimental observation of isolated large transverse energy electrons with associated missing energy at $\sqrt{s} = 540$ GeV ». *Physics Letters B* **122**.1 (1983), p. 103-116. DOI : https://doi.org/10.1016/0370-2693(83)91177-2. URL : http://www.sciencedirect.com/science/article/pii/0370269383911772.

[11] G. ARNISON & coll. « Experimental observation of lepton pairs of invariant mass around 95 GeV$\cdot c^{-2}$ at the CERN SPS collider ». *Physics Letters B* **126**.5 (1983), p. 398-410. DOI : https://doi.org/10.1016/0370-2693(83)90188-0. URL : http://www.sciencedirect.com/science/article/pii/0370269383901880.

[12] G. ARNISON & coll. « Further evidence for charged intermediate vector bosons at the SPS collider ». *Physics Letters B* **129**.3 (1983), p. 273-282. DOI : https://doi.org/10.1016/0370-2693(83)90860-2. URL : http://www.sciencedirect.com/science/article/pii/0370269383908602.

[13] P. BAGNAIA & coll. « Evidence for $Z^0 \to e^+e^-$ at the CERN pp collider ». *Physics Letters B* **129**.1 (1983), p. 130-140. DOI : https://doi.org/10.1016/0370-2693(83)90744-X. URL : http://www.sciencedirect.com/science/article/pii/037026938390744X.

[14] M. BANNER & coll. « Observation of single isolated electrons of high transverse momentum in events with missing transverse energy at the CERN pp collider ». *Physics Letters B* **122**.5 (1983), p. 476-485. DOI : https://doi.org/10.1016/0370-2693(83)91605-2. URL : http://www.sciencedirect.com/science/article/pii/0370269383916052.

[15] G. Bellini, I. Bigi & P. Dornan. « Lifetimes of charm and beauty hadrons ». *Physics Reports* **289**.1 (1997), p. 1-155. doi : https://doi.org/10.1016/S0370-1573(97)00005-7. url : http://www.sciencedirect.com/science/article/pii/S0370157397000057.

[16] C. Bernet. « Caractérisation des détecteurs Micromégas et mesure de la polarisation des gluons sur COMPASS ». Thèse de doct. Paris 7 - Denis Diderot, mai 2004. url : http://cds.cern.ch/record/1482660.

[17] C. Bernet. « Reconstruction du flux de particules et mise en évidence de la désintégration du boson de Higgs en paire de τ avec CMS ». Thèse d'HDR (2017). url : https://drive.google.com/open?id=0B3nnTYQibadjVkVvUi03cGRiYlk.

[18] L. Bianchini & coll. « Reconstruction of the Higgs mass in $H \to \tau\tau$ Events by Dynamical Likelihood techniques ». *Journal of Physics : Conference Series* **513**.2 (juin 2014), p. 022035. doi : 10.1088/1742-6596/513/2/022035. url : https://doi.org/10.1088%2F1742-6596%2F513%2F2%2F022035.

[19] N. Cabibbo. « Unitary Symmetry and Leptonic Decays ». *Physical Review Letters* **10** (12 juin 1963), p. 531-533. doi : 10.1103/PhysRevLett.10.531. url : https://link.aps.org/doi/10.1103/PhysRevLett.10.531.

[20] N. Cabibbo. « Unitary Symmetry and Nonleptonic Decays ». *Physical Review Letters* **12** (2 jan. 1964), p. 62-63. doi : 10.1103/PhysRevLett.12.62. url : https://link.aps.org/doi/10.1103/PhysRevLett.12.62.

[21] M. Cacciari & G. P. Salam. « Pileup subtraction using jet areas ». *Physics Letters B* **659** (jan. 2008), p. 119-126. doi : 10.1016/j.physletb.2007.09.077. url : http://dx.doi.org/10.1016/j.physletb.2007.09.077.

[22] M. Cacciari, G. P. Salam & G. Soyez. « FastJet user manual ». *European Physical Journal* **C72** (nov. 2012), p. 1896. doi : 10.1140/epjc/s10052-012-1896-2. arXiv : 1111.6097 [hep-ph].

[23] M. Cacciari, G. P. Salam & G. Soyez. « The Anti-k_T jet clustering algorithm ». *Journal of High Energy Physics* **04** (avr. 2008), p. 63. doi : 10.1088/1126-6708/2008/04/063. arXiv : 0802.1189 [hep-ph].

[24] CERN. *The World Wide Web Project*. 1989. url : http://info.cern.ch/hypertext/WWW/TheProject.html.

[25] F. Chollet & coll. Keras. https://keras.io. 2015.

[26] N. D. Christensen, T. Han & S. Su. « MSSM Higgs Bosons at The LHC ». *Physical Review* **D85** (2012), p. 115018. doi : 10.1103/PhysRevD.85.115018. arXiv : 1203.3207 [hep-ph].

[27] D. Clowe & coll. « A Direct Empirical Proof of the Existence of Dark Matter ». *The Astrophysical Journal* **648**.2 (août 2006). doi : 10.1086/508162. url : http://dx.doi.org/10.1086/508162.

[28] *Dask : Scalable analytics in Python*. url : https://dask.org/.

[29] A. Davidson & K. C. Wali. « Family mass hierarchy from universal seesaw mechanism ». *Physical Review Letters* **60** (18 mai 1988), p. 1813-1816. doi : 10.1103/PhysRevLett.60.1813. url : https://link.aps.org/doi/10.1103/PhysRevLett.60.1813.

[30] DELPHI, OPAL, ALEPH, LEP Working Group for Higgs Boson Searches, L3. « Search for neutral MSSM Higgs bosons at LEP ». *European Physical Journal* **C47** (2006), p. 547-587. doi : 10.1140/epjc/s2006-02569-7. arXiv : hep-ex/0602042 [hep-ex].

[31] A. Djouadi & coll. « The post-Higgs MSSM scenario : Habemus MSSM ? » *The European Physical Journal* **C 73**.12 (19 juil. 2013), p. 2650. doi : 10.1140/epjc/s10052-013-2650-0. arXiv : 1307.5205v1 [hep-ph].

[32] S. Dürr & coll. « Ab Initio Determination of Light Hadron Masses ». *Science* **322**.5905 (nov. 2008), p. 1224-1227. doi : 10.1126/science.1163233.

[33] F. Englert & R. Brout. « Broken symmetry and the mass of gauge vector mesons ». *Physical Review Letters* **13**.9 (9 août 1964), p. 321-323. doi : 10.1103/PhysRevLett.13.321. url : https://link.aps.org/doi/10.1103/PhysRevLett.13.321.

[34] J. de Favereau & coll. « Delphes 3 : a modular framework for fast simulation of a generic collider experiment ». *Journal of High Energy Physics* **2** (fév. 2014). doi : 10.1007/jhep02(2014)057. url : http://dx.doi.org/10.1007/JHEP02(2014)057.

[35] M. Gell-Mann, P. Ramond & R. Slansky. « Complex Spinors and Unified Theories » (1979). url : http://cds.cern.ch/record/133618.

[36] D. Guest & coll. « Jet flavor classification in high-energy physics with deep neural networks ». *Physical Review D* **94**.11 (déc. 2016). doi : 10.1103/physrevd.94.112002. url : http://dx.doi.org/10.1103/PhysRevD.94.112002.

[37] G. S. Guralnik, C. R. Hagen & T. W. B. Kibble. « Global Conservation Laws and Massless Particles ». *Physical Review Letters* **13**.20 (20 nov. 1964), p. 585-587. doi : 10.1103/PhysRevLett.13.585. url : https://link.aps.org/doi/10.1103/PhysRevLett.13.585.

[38] P. W. Higgs. « Broken symmetries and the masses of gauge bosons ». *Physics Letters* **13**.16 (oct. 1964), p. 132-133. doi : 10.1103/physrevlett.13.508.

[39] P. W. Higgs. « Broken symmetries, massless particles and gauge fields ». *Physics Letters* **12**.2 (sept. 1964), p. 132-133. doi : 10.1016/0031-9163(64)91136-9. url : https://cds.cern.ch/record/641590.

[40] M. Kobayashi & T. Maskawa. « CP-Violation in the Renormalizable Theory of Weak Interaction ». *Progress of Theoretical Physics* **49**.2 (fév. 1973), p. 652-657. doi : 10.1143/PTP.49.652. eprint : https://academic.oup.com/ptp/article-pdf/49/2/652/5257692/49-2-652.pdf. url : https://doi.org/10.1143/PTP.49.652.

[41] A. J. Larkoski. « An Unorthodox Introduction to QCD » (2017). arXiv : 1709.06195 [hep-ph].

[42] Z. Maki, M. Nakagawa & S. Sakata. « Remarks on the Unified Model· of Elementary Particles ». *Progress of Theoretical Physics* **28**.5 (nov. 1962), p. 870-880. doi : 10.1143/PTP.28.870. eprint : https://academic.oup.com/ptp/article-pdf/28/5/870/5258750/28-5-870.pdf. url : https://doi.org/10.1143/PTP.28.870.

[43] S. Mele. « The Measurement of the Number of Light Neutrino Species at LEP ». *Advanced Series on Directions in High Energy Physics* **23** (2015), p. 89-106. doi : 10.1142/9789814644150_0004. url : http://cds.cern.ch/record/2103251.

[44] R. N. Mohapatra & G. Senjanović. « Neutrino Mass and Spontaneous Parity Nonconservation ». *Physical Review Letters* **44** (14 avr. 1980), p. 912-915. doi : 10.1103/PhysRevLett.44.912. url : https://link.aps.org/doi/10.1103/PhysRevLett.44.912.

[45] R. N. Mohapatra & G. Senjanović. « Neutrino masses and mixings in gauge models with spontaneous parity violation ». *Physical Review D* **23** (1 jan. 1981), p. 165-180. doi : 10.1103/PhysRevD.23.165. url : https://link.aps.org/doi/10.1103/PhysRevD.23.165.

[46] OPAL, DELPHI, LEP Working Group for Higgs boson searches, ALEPH, L3. « Search for the standard model Higgs boson at LEP ». *Physics Letters* **B565** (2003), p. 61-75. doi : 10.1016/S0370-2693(03)00614-2. arXiv : hep-ex/0306033 [hep-ex].

[47] Particle Data Group. « Review of Particle Physics ». *Chinese Physics* **C38** (2014). doi : 10.1088/1674-1137/38/9/090001.

[48] Particle Data Group. « Review of Particle Physics ». *Chinese Physics* **C40** (2016). doi : 10.1088/1674-1137/40/10/100001.

[49] Particle Data Group. « Review of Particle Physics ». *Phys. Rev.* **D98** (août 2018). doi : 10.1103/PhysRevD.98.030001.

[50] G. P. Salam. *Elements of QCD for hadron colliders*. 2010. arXiv : 1011.5131 [hep-ph]. url : https://arxiv.org/pdf/1011.5131.pdf.

[51] G. P. Salam & G. Soyez. « A practical seedless infrared-safe cone jet algorithm ». *Journal of High Energy Physics* **05** (mai 2007), p. 86. doi : 10.1088/1126-6708/2007/05/086. url : http://dx.doi.org/10.1088/1126-6708/2007/05/086.

[52] W. Sarle. « Neural Networks and Statistical Models ». 1994.

[53] J. Schechter & J. W. F. Valle. « Neutrino masses in $SU(2) \times U(1)$ theories ». *Physical Review D* **22** (9 nov. 1980), p. 2227-2235. doi : 10.1103/PhysRevD.22.2227. url : https://link.aps.org/doi/10.1103/PhysRevD.22.2227.

[54] T. Sjöstrand & coll. « An Introduction to PYTHIA 8.2 ». *Computer Physics Communications* **191** (2015), p. 159-177. doi : 10.1016/j.cpc.2015.01.024. arXiv : 1410.3012 [hep-ph].

[55] The ALICE Collaboration. « The ALICE experiment at the CERN LHC. A Large Ion Collider Experiment ». *Journal of Instrumentation* **3**.S08002 (2008). doi : 10.1088/1748-0221/3/08/S08002. url : http://cds.cern.ch/record/1129812.

[56] The ATLAS Collaboration. « Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector ». *Journal of High Energy Physics* **2018**.1 (jan. 2018). doi : 10.1007/jhep01(2018)055. url : http://dx.doi.org/10.1007/JHEP01(2018)055.

[57] The ATLAS Collaboration. « Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC ». *Physics Letters* **B716**.1 (2012), p. 1-29. doi : https://doi.org/10.1016/j.physletb.2012.08.020. url : http://www.sciencedirect.com/science/article/pii/S037026931200857X.

[58] The ATLAS Collaboration. « Search for the neutral Higgs bosons of the Minimal Supersymmetric Standard Model in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector ». *Journal of High Energy Physics* **02** (2013), p. 095. doi : 10.1007/JHEP02(2013)095. arXiv : 1211.6956 [hep-ex].

[59] The ATLAS Collaboration. « Search for heavy Higgs bosons decaying into two tau leptons with the ATLAS detector using pp collisions at $\sqrt{s} = 13$ TeV » (2020). arXiv : 2002.12223 [hep-ex].

[60] The ATLAS Collaboration. « The ATLAS Experiment at the CERN Large Hadron Collider ». *Journal of Instrumentation* **3**.S08003 (2008). doi : 10.1088/1748-0221/3/08/S08003. url : http://cds.cern.ch/record/1129811.

[61] The ATLAS Collaboration, The CMS Collaboration, The LHC Higgs Combination Group. *Procedure for the LHC Higgs boson search combination in Summer 2011*. Rapp. tech. CMS-NOTE-2011-005. ATL-PHYS-PUB-2011-11. Geneva : CERN, août 2011. url : https://cds.cern.ch/record/1379837.

[62] The CDF Collaboration. « Search for Higgs bosons predicted in two-Higgs-doublet models via decays to tau lepton pairs in 1,96 TeV $p\bar{p}$ collisions ». *Physical Review Letters* **103** (2009), p. 201801. doi : 10.1103/PhysRevLett.103.201801. arXiv : 0906.1014 [hep-ex].

[63] The CDF Collaboration. « Observation of top quark production in $p\bar{p}$ collisions with the collider detector at Fermilab ». *Physical Review Letters* **74**.14 (avr. 1995), p. 2626-2631. doi : 10.1103/physrevlett.74.2626. url : http://dx.doi.org/10.1103/PhysRevLett.74.2626.

[64] The CMS Collaboration. « Evidence for the 125 GeV Higgs boson decaying to a pair of τ leptons ». *Journal of High Energy Physics* **05** (20 jan. 2014), p. 104. doi : 10.1007/JHEP05(2014)104. arXiv : 1401.5041v2 [hep-ex].

[65] The CMS Collaboration. « Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC ». *Physics Letters* **B716**.1 (2012), p. 30-61. doi : https://doi.org/10.1016/j.physletb.2012.08.021. url : http://www.sciencedirect.com/science/article/pii/S0370269312008581.

[66] The CMS Collaboration. « Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s} = 7$ and 8 TeV ». *Journal of High Energy Physics* **06** (juin 2013). doi : 10.1007/jhep06(2013)081.

[67] The CMS Collaboration. « Search for a Higgs boson decaying into a b-quark pair and produced in association with b quarks in proton-proton collisions at 7 TeV ». *Physics Letters* **B722** (2013), p. 207-232. doi : 10.1016/j.physletb.2013.04.017. arXiv : 1302.2892 [hep-ex].

[68] The CMS Collaboration. « Search for neutral Higgs bosons decaying to tau pairs in pp collisions at $\sqrt{s} = 7$ TeV ». *Physics Letters* **B713** (2012), p. 68-90. DOI : 10.1016/j.physletb.2012.05.028. arXiv : 1202.4083 [hep-ex].

[69] The CMS Collaboration. « Determination of jet energy calibration and transverse momentum resolution in CMS ». *Journal of Instrumentation* **6**.11 (nov. 2011). DOI : 10.1088/1748-0221/6/11/p11002. URL : http://dx.doi.org/10.1088/1748-0221/6/11/P11002.

[70] The CMS Collaboration. « Identification of b-quark jets with the CMS experiment ». *Journal of Instrumentation* **8**.04 (avr. 2013). DOI : 10.1088/1748-0221/8/04/p04013. URL : http://dx.doi.org/10.1088/1748-0221/8/04/P04013.

[71] The CMS Collaboration. « Jet energy scale and resolution performance with 13 TeV data collected by CMS in 2016 » (juin 2018). URL : http://cds.cern.ch/record/2622157.

[72] The CMS Collaboration. « Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions ». *Journal of High Energy Physics* **10** (oct. 2014). DOI : 10.1007/jhep10(2014)160. URL : http://dx.doi.org/10.1007/JHEP10(2014)160.

[73] The CMS Collaboration. « Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV ». *Journal of Instrumentation* **12**.02 (fév. 2017). DOI : 10.1088/1748-0221/12/02/p02014. URL : https://doi.org/10.1088%2F1748-0221%2F12%2F02%2Fp02014.

[74] The CMS Collaboration. « Event generator tunes obtained from underlying event and multiparton scattering measurements ». *European Physical Journal* **C76**.3 (2016), p. 155. DOI : 10.1140/epjc/s10052-016-3988-x. arXiv : 1512.00815 [hep-ex].

[75] The CMS Collaboration. « Reconstruction and identification of tau lepton decays to hadrons and tau neutrino at CMS ». *Journal of Instrumentation* **11**.1 (2016), P01019. DOI : 10.1088/1748-0221/11/01/P01019. arXiv : 1510.07488 [physics.ins-det].

[76] The CMS Collaboration. « Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks ». *Journal of High Energy Physics* **11** (2015), p. 071. DOI : 10.1007/JHEP11(2015)071. arXiv : 1506.08329 [hep-ex].

[77] The CMS Collaboration. « Search for neutral MSSM Higgs bosons decaying to $\mu^+\mu^-$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV ». *Physics Letters* **B752** (2016), p. 221-246. DOI : 10.1016/j.physletb.2015.11.042. arXiv : 1508.01437 [hep-ex].

[78] The CMS Collaboration. *Performance of quark/gluon discrimination in* 8 TeV *pp data*. Rapp. tech. CMS-PAS-JME-13-002. Geneva : CERN, 2013. URL : http://cds.cern.ch/record/1599732.

[79] The CMS Collaboration. « Particle-flow reconstruction and global event description with the CMS detector ». *Journal of Instrumentation* **12**.10 (juin 2017), P10003. DOI : 10.1088/1748-0221/12/10/P10003. arXiv : 1706.04965v2 [physics.ins-det]. URL : http://stacks.iop.org/1748-0221/12/i=10/a=P10003.

[80] The CMS Collaboration. « Search for additional neutral MSSM Higgs bosons in the di-tau final state in pp collisions at $\sqrt{s} = 13$ TeV ». *Journal of High Energy Physics* **09**.007 (sept. 2018). DOI : 10.1007/JHEP09(2018)007.

[81] The CMS Collaboration. « Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV ». *Journal of Instrumentation* **13**.05 (mai 2018), P05011-P05011. DOI : 10.1088/1748-0221/13/05/p05011. URL : http://dx.doi.org/10.1088/1748-0221/13/05/P05011.

[82] The CMS Collaboration. « An embedding technique to determine $\tau\tau$ backgrounds in proton-proton collision data ». *Journal of Instrumentation* **14**.06 (juin 2019). DOI : 10.1088/1748-0221/14/06/p06032.

[83] The CMS Collaboration. « The CMS experiment at the CERN LHC. The Compact Muon Solenoid experiment ». *Journal of Instrumentation* **3**.S08004 (2008). DOI : 10.1088/1748-0221/3/08/S08004. URL : http://cds.cern.ch/record/1129810.

[84] The DØ Collaboration. « Observation of the top quark ». *Physical Review Letters* **74**.14 (avr. 1995), p. 2632-2637. DOI : 10.1103/physrevlett.74.2632. URL : http://dx.doi.org/10.1103/PhysRevLett.74.2632.

[85] The DØ Collaboration. « Search for Higgs bosons decaying to $\tau\tau$ pairs in $p\bar{p}$ collisions at $\sqrt{s} = 1{,}96\,\text{TeV}$ ». *Physics Letters* **B707** (2012), p. 323-329. DOI : 10.1016/j.physletb.2011.12.050. arXiv : 1106.4555 [hep-ex].

[86] The DØ Collaboration. « Measurement of the ${B^0}_s$ lifetime in the exclusive decay channel ${B^0}_s \to J/\Psi\phi$ ». *Physical Review Letters* **94** (2005).

[87] The LHCb Collaboration. « The LHCb Detector at the LHC ». *Journal of Instrumentation* **3**.S08005 (2008). DOI : 10.1088/1748-0221/3/08/S08005. URL : http://cds.cern.ch/record/1129809.

[88] The SNO Collaboration. « Direct Evidence for Neutrino Flavor Transformation from Neutral-Current Interactions in the Sudbury Neutrino Observatory ». *Physical Review Letters* **89** (1 juin 2002). DOI : 10.1103/PhysRevLett.89.011301. URL : https://link.aps.org/doi/10.1103/PhysRevLett.89.011301.

[89] The Super-Kamiokande Collaboration. « Evidence for oscillation of atmospheric neutrinos ». *Physical Review Letters* **81** (8 août 1998), p. 1562-1567. DOI : 10.1103/PhysRevLett.81.1562. URL : https://link.aps.org/doi/10.1103/PhysRevLett.81.1562.

[90] S. Weinberg. « A model of leptons ». *Physical Review Letters* **19** (21 nov. 1967), p. 1264-1266. DOI : 10.1103/PhysRevLett.19.1264. URL : https://link.aps.org/doi/10.1103/PhysRevLett.19.1264.

[91] J.-C. Winter, F. Krauss & G. Soff. « A modified cluster-hadronisation model ». *The European Physical Journal C* **36**.3 (août 2004), p. 381-395. DOI : 10.1140/epjc/s2004-01960-8. URL : http://dx.doi.org/10.1140/epjc/s2004-01960-8.