Luca Straputicari Mateo Pepin Thomas Demeyere Hai Son Dang

# Rapport de tests

# Introduction

Les tests permettent de s'assurer du bon fonctionnement de l'application. Nous utilisons ici des features avec des scénarios.

Notre groupe s'est retrouvé au complet car un membre de notre groupe n'avait assisté à aucun TP de BDD, ce qui aurait empêché de séparer le groupe en binômes.

## **Des scenarios**

## 1. Test de login

Des scenarios utilisés dans ce cas sont "login avec succès" et "login échoué"

#### Features:

```
Feature: Symfony Functionality
 In order to use my dashboard
 As a user
 I want to test its functionality
   Given I am on the login page
   When I log in with username "admin" and password "TOAC*MUST_CHANGE!"
   Then I should be redirected to the dashboard
 Scenario: Invalid Login
   Given I am on the login page
   When I log in with username "anonymous" and password "wrong_answer"
   Then I should stay on the same site
 Scenario: Adding an event
   Given I am in the administration panel, in the event tab to add an event
   Then I can fill the fields and submit them
 Scenario: Adding a post
   Given I am in the post management panel
   Then I can give a title "Race of the day", the content "Best race ever held" and submit it
 Scenario: Log out
  Given I am in the administration panel
   When I log out
   Then I have to log in again
```

## Le StepDefinition:

```
class FeatureContext implements Context
{
    private $httpClient;
    private $response;
    private $em;
    public function __construct()
        $this->httpClient = HttpClient::create();
    }
    /**
     * @Given I am on the login page
    public function iAmOnTheLoginPage()
        $this->response = $this->httpClient->request('GET',
'http://localhost:3000/login');
    /**
     * @When I log in with username :arg1 and password :arg2
    public function iLogInWithUsernameAndPassword($arg1, $arg2)
        $this->response = $this->httpClient->request('POST',
'http://localhost:3000/login', [
            'body' => [
                '_username' => $arg1,
                '_password' => $arg2,
            ],
        ]);
    }
     * @Then I should be redirected to the dashboard
    public function iShouldBeRedirectedToTheDashboard()
    {
```

```
$this->response =
$this->httpClient->request('GET','http://localhost:3000/admin?crudAction=ind
ex&crudControllerFqcn=App%5CController%5CAdmin%5CPostCrudController');
        $statusCode = $this->response->getStatusCode();
        if ($statusCode >= 200 && $statusCode < 300) {</pre>
            echo "Login successful.";
        } else {
            echo "Login failed. Unexpected status code: $statusCode";
    }
    /**
     * @Then I should stay on the same site
    public function iShouldStayOnTheSameSite()
    {
        $expectedUrl = 'http://localhost:3000/login';
       $currentUrl = $this->response->getInfo('url');
        if ($currentUrl !== $expectedUrl) {
            throw new \Exception('Expected redirect to the login page not
found.');
    }
     * @Given I am in the administration panel, in the event tab to add an
event
    public function iAmInTheAdministrationPanelInTheEventTabToAddAnEvent()
    {
        $this->response = $this->httpClient->request('GET',
'http://localhost:3000/admin?crudAction=index&crudControllerFqcn=App%5CContr
oller%5CAdmin%5CEvenementCrudController');
        $this->response = $this->httpClient->request('GET',
'http://localhost:3000/admin?crudAction=new&crudControllerFqcn=App%5CControl
ler%5CAdmin%5CEvenementCrudController&referrer=http://localhost:3000/admin?c
rudAction%3Dindex%26crudControllerFqcn%3DApp%255CController%255CAdmin%255CEv
enementCrudController');
    }
```

```
/**
     * @Then I can fill the fields and submit them
    public function iCanFillTheFieldsAndSubmitThem()
        $this->response = $this->httpClient->request('POST',
'http://localhost:3000/admin?crudAction=new&crudControllerFqcn=App%5CControl
ler%5CAdmin%5CEvenementCrudController&referrer=http://localhost:3000/admin?c
rudAction%3Dindex%26crudControllerFqcn%3DApp%255CController%255CAdmin%255CEv
enementCrudController', [
            'body' => [
                'toDate' => '2023-12-31',
                'Title' => 'New Year Party',
                'Start' => '19:00',
            ],
        ]);
    }
    /**
     * @Given I am in the post management panel
    public function iAmInThePostManagementPanel()
    {
        $this->response = $this->httpClient->request('GET',
'http://localhost:3000/admin?crudAction=index&crudControllerFqcn=App%5CContr
oller%5CAdmin%5CPostCrudController');
        $this->response = $this->httpClient->request('GET',
'http://localhost:3000/admin?crudAction=new&crudControllerFqcn=App%5CControl
ler%5CAdmin%5CPostCrudController&referrer=http://localhost:3000/admin?crudAc
tion%3Dindex%26crudControllerFqcn%3DApp%255CController%255CAdmin%255CPostCru
dController');
    }
     * @Then I can give a title :arg1, the content :arg2 and submit it
    public function iCanGiveATitleTheContentAndSubmitIt($arg1, $arg2)
        $this->response = $this->httpClient->request('POST',
'http://localhost:3000/admin?crudAction=new&crudControllerFqcn=App%5CControl
ler%5CAdmin%5CPostCrudController&referrer=http://localhost:3000/admin?crudAc
tion%3Dindex%26crudControllerFqcn%3DApp%255CController%255CAdmin%255CPostCru
```

```
dController', [
            'body' => [
                'title' => $arg1,
                'content' => $arg2,
            ],
        ]);
    }
    /**
    * @Given I am in the administration panel
    public function iAmInTheAdministrationPanel()
    {
        $this->response = $this->httpClient->request('POST',
'http://localhost:3000/login', [
            'body' => [
                'title' => "admin",
                'content' => "TOAC*MUST_CHANGE!",
            ],
        ]);
        $this->response = $this->httpClient->request('GET',
'http://localhost:3000/admin?crudAction=index&crudControllerFqcn=App%5CContr
oller%5CAdmin%5CPostCrudController');
    }
    * @When I log out
    */
   public function iLogOut()
   {
        $this->response = $this->httpClient->request('GET',
'http://localhost:3000/logout');
    }
    * @Then I have to log in again
   public function iHaveToLogInAgain()
        // On ne peux pas se acceder au dashboard sans
        $this->response =
$this->httpClient->request('GET','http://localhost:3000/admin');
        $statusCode = $this->response->getStatusCode();
        $url = $this->response->getInfo('url');
```

```
$expectedUrl = 'http://localhost:3000/login';
if ($url === $expectedUrl) {
        echo "Logout successfully.";
} else {
        throw new \RuntimeException("Logout function failed. ExpectedURL: $expectedUrl, Actual URL: $url");
     }
}
```

#### Résultat :

```
S C:\Users\forev\Documents\toac\S5-SAE-TOAC-grp2\symfony>                    <mark>vendor/bin/behat</mark>
Feature: Login Functionality
 In order to access my account
 As a user
 I want to log in with valid or invalid credentials
 Scenario: Successful Login
                                                                          # FeatureContext::iAmOnTheLoginPage()
   When I log in with username "admin" and password "TOAC*MUST_CHANGE!" # FeatureContext::iLogInWithUsernameAndPassword
   Then I should be redirected to the dashboard
                                                                          # FeatureContext::iShouldBeRedirectedToTheDashb
     Login successful.
 Scenario: Invalid Login
                                                                         # features\exemple.feature:12
                                                                         # FeatureContext::iAmOnTheLoginPage()
   When I log in with username "anonymous" and password "wrong_answer" # FeatureContext::iLogInWithUsernameAndPassword(
   Then I should stay on the same site
                                                                         # FeatureContext::iShouldStayOnTheSameSite()
 Scenario: Adding an event
                                                                              # features\exemple.feature:17
   Given I am in the administration panel, in the event tab to add an event # FeatureContext::iAmInTheAdministrationPan
                                                                              # FeatureContext::iCanFillTheFieldsAndSubmi
 Scenario: Adding a post
                                                                                                 # features\exemple.featur
PostManagementPanel()
   Then I can give a title "Race of the day", the content "Best race ever held" and submit it # FeatureContext::iCanGiv
 Scenario: Log out
   Given I am in the administration panel # FeatureContext::iAmInTheAdministrationPanel()
    Then I have to log in again
                                           # FeatureContext::iHaveToLogInAgain()
      Logout successfully.
 scenarios (5 passed)
13 steps (13 passed)
```

#### 2. Tests sur le back et la base de données

Des tests ont été effectués pour vérifier que le panneau administrateur fonctionne correctement et entre bel et bien les données nécessaire dans la base de données.

```
Feature: Testing the website
 Scenario: Adding a race
   Given I am in the administration panel, in the "races" tab to add a "race"
   And I filled the fields correctly
   When I click on the add button
   Then the "race" should be added to the database in the "races" table
 Scenario: Adding a race category
   Given I am in the administration panel, in the "races" tab to add a "category"
   And I filled the fields correctly
   When I click on the add button
   Then the "category" should be added to the database in the "categories" table
 Scenario: Adding a result
   Given I am in the administration panel, in the "results" tab to add a "result"
   And I filled the fields correctly
   When I click on the add button
   Then the "result" should be added to the database in the "results" table
 Scenario: Modifying a race
   Given I am in the administration panel, in the "races" tab to modify a "race" I selected
   And I filled the fields of the parts I want to change correctly
   When I click on the modify button
   Then the corresponding "race" should be modified in the database in the "races" table
 Scenario: Modifying a race category
   Given I am in the administration panel, in the "races" tab to modify a "category" I selected
   And I filled the fields of the parts I want to change correctly
   When I click on the modify button
   Then the corresponding "category" should be modified in the database in the "categories" table
 Scenario: Modifying a result
   Given I am in the administration panel, in the "results" tab to modify a "result" I selected
   And I filled the fields of the parts I want to change correctly
   When I click on the modify button
   Then the corresponding "result" should be modified in the database in the "results" table
Scenario Outline: Deleting a <target>
   Given I am in the administration panel, in the "<tab>" tab to delete a "<target>" I selected
  When I click on the delete button
  Then the corresponding "<target>" should be deleted in the database in the "<tab>" table
     | tab | target |
    | categories | category |
    | results | result |
```

Pour ces tests, nous avons eu des problèmes dans les testDefinition. Nous n'avons pas réussi à interagir avec la base de données, donc nous n'avons que le fichier feature.