



Product 545391:Spec 001, MSC RTW Drapey V with hor:543391

Created Date	11/28/2017 10:55 CST	Source	001 : Sae-A Trading Company Ltd.
Product Name	545391, MSC RTW Drapey V with horizontal lattice	Specification	001 : 543391
Packet Type			

Specification Summary

Specification Stage	Pre-Production	ABO Style	No
----------------------------	----------------	------------------	----

Additional Specification Attributes

Vendor Style #	#18TG-PS005	Product Shrinkage	6%x6%
-----------------------	-------------	--------------------------	-------

Product General Attributes

Division	READY-TO-WEAR	Adjacency	RTW-READY TO WEAR
Department	017-MOSS SUPPLY CO	Brand	Mossimo Supply Co
Program Name		Collection Designator	
Material Category	Knit	Design Strategy	Design assist
Product Claims		Number of styles in PID	1
		Comments	

Product Season Attributes

Set Date	03/01/2018	Fabric/Product Calendar	
Design Cycle	2018 C1 Spring		

Specification Internal Comments :

User	Entered On	Comments
------	------------	----------

Specification External Comments :

User	Entered On	Comments
------	------------	----------

BOM Materials




BOM Name: 001 : 543391

BOM Status: In Progress

Section: Vendor Sourced Fabric

	Component or Location	Material	Impression Intents	Merchandise Vendor Fabric Wash?	Fabric Subtype	Fiber Content	Construction	Fabric Finish	Ex-Mill Weight	Supplier	Supplier Article #	Comments
	BODY & NECK TRIM	95/5 RAYON/SP ANDEX,JE RSEY			Jersey	95% Rayon, 5% Spandex			180gsm	SAMIL VINA		FR121/FS1 354

Section: Trim

	Component or Location	Material	Trim Type	TGT Code	Trim Finish	Trim Coating	Trim Color	Supplier	Supplier Article #	Qty	UOM	Trim Size	Trim Size UOM	Comments
	HTL label	T1537, MSC11_08B01, MSC Brand Size & COO TA00000 0625608-, Heat Transfer	Label	MSC11_08B01				Merchand ise Vendors		1.000	Piece			
	Care Label	T5484, TA05_05 A1, TNB Satin Generic Care TA00000 0018628, Printed, White	Label	TA05_05 A1				Merchand ise Vendors		1.000	Piece		mm	
	Uncoated DCPI	T5495,TA12_03F02,Uncoated DPCITracking - SoftQualityTA00000 0433861, Printed,White								1.000	Piece			Trim Type: Label TGT Code: TA12_03 F02 Supplier: Merchandise Vendors Trim Size UOM: mm
	Shoulder seams	T151,STANDARDIZED TD Clear Polyurethane Tape Elastic TA00000 0385465 Clear6	Elastic					Merchand ise Vendors		2.000	Piece			

Section: Vendor Sourced Trim

	Component or Location	Material	Trim Type	Trim Finish	Trim Coating	Trim Color	Supplier	Supplier Article #	Qty	UOM	Trim Size	Trim Size UOM	Comments
	HT-HANGING PRODUCT	T10009, HANGTAG , PACKAGING - Hangtag, Printed,							1.000	Piece			NO VARIABLE COPY
	Thread	T6333,Spun Polyester T-27 TA000000 190724,Spun polyester	Thread										Trim Size UOM: Tex

BOM Colorways					
BOM Name:		001 : 543391		BOM Status:	In Progress
Section: Vendor Sourced Fabric					
Component or Location		Material	EBONY	SMOKY TAUPE	
BODY & NECK TRIM		95/5 RAYON/SPANDEX,JERSEY			
Section: Trim					
Component or Location		Material	Trim Color	EBONY	SMOKY TAUPE
HTL label		T1537, MSC11_08B01, MSC Brand Size & COO TA000000625608-, Heat Transfer		Persian Cat Gray	Black
Care Label		T5484, TA05_05A1, TNB Satin Generic Care TA000000018628, Printed, White		TA05_05A1	TA05_05A1
Uncoated DCPI		T5495,TA12_03F02,UncoatedDPCITracking - SoftQualityTA000000433861,Printed,White		TA12_03F02	TA12_03F02
Shoulder seams		T151,STANDARDIZED TD Clear Polyurethane Tape Elastic TA000000385465Clear6		Clear	Clear
Section: Vendor Sourced Trim					
Component or Location		Material	Trim Color	EBONY	SMOKY TAUPE
HT- HANGING PRODUCT		T10009, HANGTAG, PACKAGING - Hangtag, Printed,		MSC16_50A01	MSC16_50A01
Thread		T6333,Spun Polyester T-27 TA000000190724,Spun polyester		BODY DTM	BODY DTM

Technical Overview

Name 002all colorways-Active
Size Definition Missy Knit Alpha-Active
Base Size M


Size Definition Template Missy Knit Alpha-Active
Grade Rule Template Missy Knit Grade Template-Active
Last Updated 11/22/2017 2:03 CST


Note: Shaded areas are critical**Measurement Set:** 002all colorways-Active **Sample Size:** M **UOM:** in

POM #(-)POM Name	POM Special Instructions	Tol (+)	Tol (-)	XXS	XS	S	M	L	XL	XXL
A15E.R-NK WIDTH EDGE		0.500	0.500	6.250	6.500	6.750	7.000	7.250	7.375	7.500
A25FE.R-FRT NK DROP EDGE	Use for neck drop above mid armhole	0.250	0.250	6.500	6.750	7.000	7.250	7.500	7.625	7.750
A55.R-MIN NK STRTCH		0.000	0.000	24.000	24.000	24.000	24.000	24.000	24.000	24.000
B15.R-BUST/CHEST BLW A/H		1.000	1.000	32.000	34.000	36.000	38.000	41.000	43.000	45.000
E01.R-SWEEP		1.000	1.000	44.000	46.000	48.000	50.000	53.000	55.000	57.000
F02.R-ACRS BK SHLDR		0.500	0.500	13.000	13.500	14.000	14.500	15.250	15.625	16.000
H15.R-A/H DROP FRM HPS		0.375	0.375	7.750	8.250	8.625	9.000	9.375	9.625	9.750
G01.SS-CB TO SLV EDGE-Short Sleeve		0.375	0.375	12.500	13.000	13.500	14.000	14.625	15.000	15.250
L02.SS-SLV OPNG HEM-Short Sleeve		0.500	0.500	12.000	12.500	13.000	13.500	14.250	14.625	15.250
M25.R-HPS FRT LNGTH		0.500	0.500	22.500	23.000	23.500	24.000	24.750	25.125	25.500

Construction Overview**Name:** 001all colorways-Active**Note: Shaded areas are critical**

Construction Detail - 001all colorways-Active			
Section	Detail	Placement	Update
Other Details	Vendor is responsible to ensure all label placements meet FTC and custom requirements.		
Other Details	Review Garment Standards and A&A Construction Guides from POL specific to division, fabrication and silhouette. For all children's garments, contact 3rd party lab for latest version of requirements.		
Garment Standards	For Ultimate / Performance Claims, review Target Ultimate / Performance claim garment standards on POL.		
Care	Machine Wash-Tumble Dry. VENDOR provides settings per FTC Reg + Bleach/Iron. See http://www.ftc.gov/bcp/edu/pubs/business/textile/bus50.shtm or www.ftc.gov/bcp/edu/pubs/business/textile/bus21.shtm		
Interior Construction Requirements	Interlining - If requested interlining fails testing or is unacceptable, vendor should submit a passing report with 2 interlining options for TD to choose.		
Cutting Requirements	Please refer to POL for Visual Technical guide		
Cutting Requirements	Review Plaid/Stripe Cutting Requirements Definitions on POL		
Other Details	Measurements are for core size only.		
Pressing Requirements	Do not Hard Press		
Seams/Topstitch	401 Chainstitch, all topstitching unless otherwise specified	Binding , Decoration Strap(3 lines)	
Seams/Topstitch	406 2 needle coverstitch, 1/8" at sweep, sleeve opening		
Seams/Topstitch	512 Mock Safety/514, Double Needle Overlock 2 needle, 4 thread overlock		



	Adult Top/Dress Label Placement
	Screen or Heat Transfer
	<p>*Center Screen/Transfer label left to right at back neck. Top of screen/transfer to be 1" below neck seam</p> <p>*Fiber and Care label placed 3" up from sweep at wearer's left side seam</p> <p>*DPCI under Fiber and Care label</p>
	<p>*See Sketch Comments for placement overrides</p>

*This generic image is for interior label placement only. Follow the style specific image for all details.

Care Label Responsibility

IMPORTANT: Target may furnish, specify or adopt product specifications, performance standards, drawings, product claims, instructions, descriptions and/or other information related to the goods you sell to Target (the "Specifications"). Regardless of the Specifications, **VENDOR IS RESPONSIBLE** for: (1) product and packaging safety; (2) compliance with all applicable laws, rules, regulations, standards, codes, orders, directives, judicial and administrative decisions, and ordinances, of the country of origin, the country of transit, the United States and Canada, any state, province, or other subdivision thereof, and any agency or entity of the foregoing, including all laws relating to packaging and labeling (the "Laws"); (3) accuracy and substantiation of all product and packaging claims; (4) evaluating the necessity for, and creation of, product warnings; (5) providing products and packaging to Target that do not infringe the proprietary rights of any third party; and (6) compliance with all terms set forth on Target's Partners Online system and/or any other system used by Target. In addition, each vendor's products and packaging must comply with any specifications furnished, specified or adopted by Target. If a vendor believes there to be a conflict between Target's specifications and product safety, Laws, or the intellectual property rights of others, the vendor must contact Target promptly to discuss Target's specifications and ensure product safety and compliance with Laws. Vendors are **NOT** relieved from any obligations or liability for any reason or because of any action by Target or any third party including, but not limited to, any of the following: (a) the vendor has received a satisfactory lab test result, (b) Target has conducted testing, (c) Target has accepted or approved the vendor's product, designs, claims, materials or packaging, (d) Target has reviewed claim substantiation, and/or (e) Target has authorized an override of testing protocol or testing results. Target reserves the right to amend its testing protocols and packaging production guides at any time. No subsequent or prior communication between Target and a vendor may operate to modify the obligations set forth in this paragraph, unless specifically agreed to in a writing signed by a Target Vice President or Senior Vice President.