


EXCLUSIVE MATERIAL • VIP WAITLIST ENTRANCE KIT

APPLIED QUANTITATIVE RESEARCH

Official 30-Hour Syllabus, Technical Leveling Guide in Python & 10-Question Diagnostic Assessment



- PART 1: Official Program Curriculum (30h • 6 Institutional Modules)
- PART 2: Technical Leveling Guide (Return Math, Risk Metrics & Python Code)
- PART 3: Diagnostic Assessment (10 Institutional Questions & Solutions)
- BONUS: Self-Evaluation Scorecard & Career Acceleration Roadmap

Lucca Simeoni Pavan, Ph.D.

Former Head of Quantitative Strategies & Portfolio Allocation Manager

Ph.D. in Economics • Specialist in Factor Investing, Time Series, Risk & Asset Allocation

Institutional Entrance Kit Overview

Welcome! This document has been structured to serve as a pivotal bridge in your journey into institutional quantitative finance and systematic asset management. It compiles, within a single auditable reference, the complete curriculum and the foundational concepts required for the upcoming formation:

💡 3-Part Modular Structure

1. **Part 1 (Official Syllabus):** Review the complete 30-hour curriculum across 6 specialized modules covering everything from point-in-time data hygiene to FWL partial factor regressions and Hierarchical Risk Parity (HRP).
2. **Part 2 (Technical Leveling Guide):** Refresh essential time-series foundations: arithmetic vs. logarithmic returns, institutional annualization conventions, and run the attached production-grade Python scorecard script.
3. **Part 3 (Diagnostic Assessment):** Solve 10 practical multiple-choice questions reflecting standard buy-side technical screens, review full solutions, and diagnose your quantitative readiness.

Table of Contents

Part 1: Official Course Syllabus (Program Overview & Modules 1 to 6)	Page 3
Part 2: Technical Leveling Guide in Python & Financial Time Series	Page 5
Part 3: Diagnostic Assessment (10 Multiple-Choice Institutional Questions)	Page 7
Solutions & Diagnostics: Detailed Answer Explanations & Scoring Rubric	Page 9

1. Official Course Curriculum (30 Hours)

Course Title: Applied Quantitative Research: Systematic Modeling, Factor Investing & Risk Allocation in Python

Estimated Workload: 30 hours (Live workshops + Full HD Recordings + Hands-On Python Code Laboratories)

Technology Stack: Python 3.10+, Pandas, NumPy, Statsmodels, SciPy, Matplotlib, Seaborn, yfinance

Core Objective: Empower quantitative researchers, analysts, economists, and data scientists to construct end-to-end institutional pipelines, from point-in-time data cleaning to bias-free backtesting and robust Ledoit-Wolf / HRP risk parity allocation.

Module 1: Institutional Financial Data Pipelines & Data Hygiene (5 Hours)

- **Lecture 1.1:** Quantitative pipeline architecture: multidimensional time-series data structures (multi-index DataFrames and panels).
- **Lecture 1.2:** Institutional data ingestion: connecting to central bank APIs, regulatory filings, and market exchange feeds.
- **Lecture 1.3:** Critical data treatment: cash dividend adjustments, splits, reverse splits, spin-offs, and trading calendar conventions.
- **Lecture 1.4:** The invisible hazard: identifying and eradicating survivorship bias and look-ahead bias with Point-in-Time (PIT) lags.
- **Hands-On Lab:** Constructing a clean, bias-free historical dataset covering 10+ years of equity trading with timestamp integrity.

Module 2: Return Statistics & Institutional Risk Metrics (5 Hours)

- **Lecture 2.1:** Simple arithmetic vs. logarithmic returns: mathematical properties and exact modeling applications.
- **Lecture 2.2:** Empirical return distributions: non-normality, fat tails, negative skewness, and excess kurtosis.
- **Lecture 2.3:** Performance metrics beyond Sharpe: Sortino Ratio (downside semi-variance), Calmar Ratio, and Information Ratio.
- **Lecture 2.4:** Drawdown dynamics: analytical computation of Maximum Drawdown (MDD), drawdown duration, and time to recovery.
- **Lecture 2.5:** Coherent Tail Risk: Parametric and Historical Value at Risk (VaR 95%) and Conditional VaR (Expected Shortfall / CVaR).
- **Hands-On Lab:** Developing an automated module ingesting price feeds and spitting out institutional Risk Tear Sheets.

Module 3: Factor Investing & Multi-Factor Research (5 Hours)

- **Lecture 3.1:** Evolution of asset pricing theories: From Single-Index CAPM to Fama-French 5 Factors and Carhart.
- **Lecture 3.2:** Momentum anomalies: Cross-Sectional Momentum (winners vs losers relative ranking) vs. Time-Series Momentum (trend following).
- **Lecture 3.3:** Fundamental factors: Value (Earnings Yield E/P, Book-to-Market) and Quality (ROE, ROIC, Net Margin, Accruals).
- **Lecture 3.4:** Risk factors: Low Beta / Low Volatility anomaly and Size (Small-Cap premium).
- **Lecture 3.5:** Surviving the "Factor Zoo": t-statistic significance thresholds ($t > 2.5$), Bonferroni corrections, and out-of-sample testing.
- **Hands-On Lab:** Multi-factor ranking engine with cross-sectional Z-Scores generating isolated alpha spreads.

Module 4: Realistic Institutional Backtesting Framework (5 Hours)

- **Lecture 4.1:** Backtesting paradigms: Vectorized (fast hypothesis exploration) vs. Event-Driven (precise execution fidelity).
- **Lecture 4.2:** Modeling market frictions: exchange fees, clearing fees, borrow rates on short legs, and dividend taxes.
- **Lecture 4.3:** Slippage & Market Impact: Average Daily Trading Volume (ADTV) participation limits and Almgren-Chriss square-root impact.
- **Lecture 4.4:** Periodic rebalancing: optimal frequencies (weekly, monthly), turnover tolerance bands, and transaction fee drag.
- **Lecture 4.5:** Walk-Forward Analysis and Purged & Embargoed Cross-Validation for financial time series without leakage.
- **Hands-On Lab:** Running a multi-year backtest of a quantitative factor strategy with complete friction accounting and auditable equity curves.

Module 5: Portfolio Optimization & Risk Allocation (5 Hours)

- **Lecture 5.1:** Markowitz Mean-Variance Optimization: extreme sensitivity to estimation noise and sample instability.
- **Lecture 5.2:** Covariance matrix regularization: Ledoit-Wolf analytical shrinkage and Random Matrix Theory (RMT) eigenvalue cleaning.
- **Lecture 5.3:** Risk Parity & Marginal Risk Contributions: ensuring volatile assets do not dominate total portfolio risk budgets.
- **Lecture 5.4:** Hierarchical Risk Parity (HRP): unsupervised machine learning tree clustering bypassing matrix inversion entirely.
- **Hands-On Lab:** Empirical horse-race benchmark: 1/N vs. Mean-Variance vs. Ledoit-Wolf vs. HRP under practical turnover bounds.

Module 6: Final Capstone & Production Deployment (5 Hours)

- **Lecture 6.1:** Structuring quantitative Python codebases: modularity, typing, testing, reproducibility, and CI/CD pipelines.
- **Lecture 6.2:** Automated executive reporting: generating interactive HTML/PDF risk dashboards for investment committees.
- **Capstone Challenge:** Developing a complete proprietary quantitative strategy (ingestion → factor scoring → friction-penalized backtest → risk allocation → tear sheet) with 1-on-1 code review and grading rubric.

2. Technical Leveling Guide

2.1 Simple Returns vs. Logarithmic Returns

A foundational premise in quantitative research is the strict mathematical distinction between simple arithmetic and log returns:

$$R_t = \frac{P_t - P_{t-1}}{P_{t-1}} = \frac{P_t}{P_{t-1}} - 1 \quad (\text{Simple Return})$$
$$r_t = \ln\left(\frac{P_t}{P_{t-1}}\right) = \ln(P_t) - \ln(P_{t-1}) \quad (\text{Log Return})$$

The Golden Rules for Quantitative Analysts:

- **Additivity in Space (Cross-Section):** Simple returns aggregate linearly across assets. If a portfolio allocates weights w_i , the daily portfolio return is strictly linear: $R_{p,t} = \sum_{i=1}^N w_i R_{i,t}$. Never sum weighted log returns to calculate portfolio valuation!
- **Additivity in Time (Time Series):** Log returns aggregate linearly across time. The multi-period compounded return over T periods is simply the direct sum: $r_{total} = \sum_{t=1}^T r_t$. Use log returns for volatility estimation, distribution fitting, and econometric models.

2.2 Annualization Conventions (252 Business Days)

In global institutional markets, equity volatility and returns follow the standard 252 business days convention:

$$\bar{R}_{annual} = (1 + \bar{R}_{daily})^{252} - 1 \quad \sigma_{annual} = \sigma_{daily} \times \sqrt{252}$$

2.3 Institutional Performance & Risk Metrics

- **Sharpe Ratio:** Measures excess return above the risk-free rate (R_f) per unit of total standard deviation: $\text{Sharpe} = \frac{\bar{R}_p - R_f}{\sigma_p}$.
- **Sortino Ratio:** Penalizes only downside volatility below target or risk-free threshold: $\text{Sortino} = \frac{\bar{R}_p - R_f}{\sigma_{down}}$. Essential for strategies displaying positive return skewness.
- **Maximum Drawdown (MDD):** The worst peak-to-trough drop over the investment horizon: $MDD = \min_t \left(\frac{NAV_t - \max_{\tau \leq t}(NAV_\tau)}{\max_{\tau \leq t}(NAV_\tau)} \right)$.

2.4 Production Python Leveling Script: Multi-Asset Scorecard

Execute the snippet below in your Python 3.10+ environment to compute an institutional scorecard:

```
import numpy as np
import pandas as pd
import yfinance as yf

# 1. Ingest dividend- and split-adjusted daily closes
tickers = ['SPY', 'QQQ', 'AAPL', 'NVDA', 'TLT']
data = yf.download(tickers, start='2021-01-01', end='2026-01-01', progress=False)
prices = data['Adj Close'].dropna()
returns = prices.pct_change().dropna()

# 2. Institutional Quantitative Risk Function
def compute_scorecard(series, rf_annual=0.045):
    rf_daily = (1 + rf_annual) ** (1 / 252) - 1
    ann_return = (1 + series.mean()) ** 252 - 1
    ann_vol = series.std() * np.sqrt(252)
    sharpe = (ann_return - rf_annual) / ann_vol if ann_vol > 0 else 0.0

    excess_ret = series - rf_daily
    downside_vol = excess_ret[excess_ret < 0].std() * np.sqrt(252)
    sortino = (ann_return - rf_annual) / downside_vol if downside_vol > 0 else 0.0

    cum_ret = (1 + series).cumprod()
    mdd = ((cum_ret - cum_ret.cummax()) / cum_ret.cummax()).min()

    return pd.Series({
        'Ann. Return': f"{ann_return * 100:.2f}%",
        'Ann. Volatility': f"{ann_vol * 100:.2f}%",
        'Sharpe Ratio': f"{sharpe:.2f}",
        'Sortino Ratio': f"{sortino:.2f}",
        'Max Drawdown': f"{mdd * 100:.2f}%"
    })

print(returns.apply(compute_scorecard).to_string())
```

3. Diagnostic Assessment: 10 Institutional Questions

Answer the following 10 questions without checking the solutions to evaluate your technical readiness.

Question 1 • Portfolio Return Mathematics

When constructing a systematic portfolio allocating 40% in Asset A and 60% in Asset B, which mathematical formulation correctly computes the daily total return of the portfolio?

- A) The weighted arithmetic average of the logarithmic returns.
- B) The weighted arithmetic average of the simple arithmetic returns.**
- C) The geometric mean of simple returns.
- D) The logarithm of closing prices divided by volume.

Question 2 • Backtest Biases & Microstructure

A researcher builds a multi-factor strategy that utilizes Q4 financial statements (fiscal period ending Dec 31) to rebalance stock holdings on the first trading session of January. What fatal quantitative error has occurred?

- A) Survivorship bias due to delisted companies.
- B) Look-ahead bias, because audited annual 10-K financial statements are filed and publicized months later in March or April.**
- C) Specification error by using calendar days instead of trading days.
- D) Convexity bias in volatility annualization.

Question 3 • Python / Pandas Vectorization

Given a date-indexed pandas DataFrame `df` containing adjusted prices in column `'close'`, which statement correctly computes daily simple arithmetic returns while preserving chronological alignment?

- A) `df['close'].diff() / df['close']`
- B) `np.log(df['close']) - np.log(df['close'].shift(-1))`
- C) `df['close'].pct_change().dropna()`**
- D) `df['close'].rolling(252).mean()`

Question 4 • Volatility Annualization Standards

An equity asset displays a daily return standard deviation of 2.0% in a market with 252 business days. Under the standard assumption of independent and identically distributed (i.i.d.) returns, what is its annualized volatility?

- A) $2.0\% \times 252 = 504.0\%$
- B) $2.0\% \times \sqrt{252} \approx 31.75\%$**
- C) $2.0\% / \sqrt{252} \approx 0.126\%$
- D) $(1 + 0.02)^{252} - 1 \approx 145.2\%$

Question 5 • Asymmetric Risk Metrics

Why do institutional quantitative managers frequently favor the **Sortino Ratio** over the **Sharpe Ratio** for strategies characterized by positive return skewness?

- A) The Sortino Ratio ignores the risk-free rate entirely.
- B) The Sharpe Ratio penalizes upside return spikes identically to catastrophic drawdowns, whereas Sortino penalizes only downside volatility.**
- C) The Sortino Ratio is independent of sample size.
- D) The Sharpe Ratio cannot be calculated when returns are non-negative.

Question 6 • Time-Series Cross-Validation

Why is the direct application of standard Scikit-Learn *K-Fold Cross-Validation* considered invalid and dangerously misleading for financial asset pricing models?

- A) Because standard K-Fold shuffles observations and trains on future data to predict the past, introducing severe temporal data leakage and autocorrelation contamination.**
- B) Because K-Fold is computationally restricted to binary classification tasks only.
- C) Because the number of folds must match the number of assets in the universe.
- D) Because K-Fold artificially doubles transaction fee estimates.

Question 7 • Factor Modeling Paradigms

What is the core distinction between a **Cross-Sectional Momentum** strategy and a **Time-Series Momentum (Trend Following)** strategy?

- A) Cross-Sectional is applied to fixed income and Time-Series is applied to equities.
- B) Cross-Sectional ranks assets relative to one another at a given timestamp (buying top decile, shorting bottom decile), while Time-Series evaluates each asset's own historical return trajectory against its own history in absolute terms.**
- C) Cross-Sectional uses single moving averages while Time-Series uses multiple regressions.
- D) Both terms are synonymous in empirical asset pricing literature.

Question 8 • Microstructure Frictions & Execution Slippage

When backtesting a systematic small-cap strategy with \$20M in AUM, which parameter is crucial to prevent the model from capturing illusory alpha on illiquid names that cannot be executed in live trading?

- A) Consumer Price Index (CPI) inflation lags.
- B) Average Daily Trading Volume (ADTV) participation limits (e.g. max 5-10% of ADTV) and nonlinear market impact / slippage models.**
- C) Social media follower count of listed management.
- D) Book-to-market ratio divided by the number of shares outstanding.

Question 9 • Covariance Estimation & Markowitz Optimization

What is the central empirical drawback of traditional Markowitz Mean-Variance Optimization when applied directly to sample covariance matrices across dozens of assets?

- A) The algorithm is unable to process positive returns.
- B) Inverting an ill-conditioned sample covariance matrix acts as an "estimation error maximizer", concentrating extreme, unstable weights on noisy assets; a flaw solved by Ledoit-Wolf shrinkage.**
- C) Markowitz requires that all portfolio returns be zero.
- D) The solver requires unconstrained shorting in all scenarios.

Question 10 • Hierarchical Risk Parity (HRP)

What breakthrough did Marcos López de Prado's **Hierarchical Risk Parity (HRP)** algorithm introduce to institutional portfolio construction?

- A) It uses machine learning unsupervised tree clustering on the correlation matrix to allocate risk recursively, completely bypassing covariance matrix inversion and eliminating numerical instability.**
- B) It guarantees 0% drawdown across all market regimes.
- C) It replaces mathematical solvers with natural language processing.
- D) It optimizes option strike prices for high-frequency trading.

4. Official Solutions & Scoring Rubric

Question 1 • Correct Answer: B

Cross-sectional aggregation of multiple assets obeys linear addition of simple arithmetic returns:

$R_{p,t} = \sum w_i R_{i,t}$. Summing weighted logarithmic returns produces mathematically invalid portfolio valuations.

Question 2 • Correct Answer: B

Annual financial statements (10-K) are published 60 to 90 days after fiscal year end. Utilizing year-end figures on Jan 1 is pure lookahead bias, invalidating the historical backtest.

Question 3 • Correct Answer: C

The `.pct_change()` method is the native, vector-optimized pandas implementation of $\frac{P_t - P_{t-1}}{P_{t-1}}$.

Question 4 • Correct Answer: B

Under the i.i.d. assumption, return variance scales linearly with time T , meaning standard deviation scales with the **square root of time**: $\sigma_{ann} = 2.0\% \times \sqrt{252} \approx 31.75\%$.

Question 5 • Correct Answer: B

The standard Sharpe ratio penalizes upside volatility as risk. The Sortino ratio substitutes the denominator with downside semi-deviation, rewarding asymmetric upside strategies.

Question 6 • Correct Answer: A

Financial time series exhibit sequential temporal dependence and autocorrelation. Standard K-fold shuffles future data into training folds, causing catastrophic information leakage. Purged walk-forward cross-validation is mandatory.

Question 7 • Correct Answer: B

Cross-sectional momentum produces relative asset rankings at a single snapshot in time. Time-series momentum evaluates an individual asset's own trend across time in absolute terms.

Question 8 • Correct Answer: B

Without volume participation limits (e.g., capping trading at 10% of ADTV) and nonlinear market impact models (Almgren-Chriss / Kyle's lambda), small-cap strategy alphas evaporate under real-world order execution.

Question 9 • Correct Answer: B

Inverting sample covariance matrices with high asset dimensionality amplifies random noise. Ledoit-Wolf shrinkage shrinks the noisy sample covariance toward a structured target, yielding robust, stable asset weights.

Question 10 • Correct Answer: A

Hierarchical Risk Parity (HRP) structures assets into a dendrogram via machine learning hierarchical clustering, allocating risk recursively along clusters without inverting matrices, conferring stability during structural regime shifts.

Diagnostic Scoring & Recommended Focus

Score	Institutional Diagnostic Level	Recommended Program Focus
0 to 4 Correct	Level 1: Foundations / In Transition Analytical background, but common habits from generic Data Science or manual spreadsheets.	Modules 1 & 2 will be transformative for building uncompromised data pipelines, bias-free series, and tail metrics.
5 to 7 Correct	Level 2: Intermediate Quant Analyst Solid Python syntax and basic stats, with gaps in friction modeling and multi-factor isolation.	Modules 3 & 4 will elevate your backtesting to buy-side desk standards (FWL partialing, slippage, and factor spreads).
8 to 10 Correct	Level 3: Quant Desk Ready Strong conceptual maturity and sharpened intuition for microstructure and risk budgeting.	Modules 4, 5 & 6 will solidify your mastery of Ledoit-Wolf, HRP allocators, and production-grade take-home challenges.

Exclusive VIP Waitlist Advantage

By submitting your details on the official landing page, you have secured your priority spot for the 1st Cohort of the **Applied Quantitative Research Program** with an **exclusive 20% launch discount** and direct code review mentoring sessions with Dr. Lucca Simeoni Pavan.