


		- What is the entropy $H(\text{Passed})$? - What is the entropy $H(\text{Passed} \mid \text{GPA})$? ii. Explain the role of entropy and information gain in building a decision tree?			
	b)	Compare and contrast Linear Regression and Logistic Regression. In your answer, explain the following: - The type of problems each algorithm is suited for - The mathematical models used in each - The output produced by each - Limitations and when one is preferred over the other - Use one real-world example for each to illustrate your points	CO2	PO2	10
		OR			
4	a)	Explain the working principle of Support Vector Machines (SVM) for both linearly and non-linearly separable data. How do kernel functions help in handling non-linear data? Illustrate with suitable diagrams or examples.	CO1	PO1	10
	b)	i. Suppose we have the following training set of positive (+) and negative (-) instances and a single test instance (o). All instances are projected onto a vector space of two real-valued features (X and Y). Answer the following questions. Assume “unweighted” KNN (every nearest neighbor contributes equally to the final vote).  - What would be the class assigned to this test instance for $K=1$ - What would be the class assigned to this test instance for $K=3$ - What would be the class assigned to this test instance for $K=5$	CO2	PO2	10

		Setting K to a large value seems like a good idea. We get more votes! Given this particular training set, would you recommend setting K = 11? Why or why not? ii. Write an algorithm for K-Nearest Neighbor Classification			
		UNIT - III			
5	a)	i. Define a paired t-test. ii. When is it used in model comparison? What assumptions must be satisfied to use a paired t-test for comparing two classification models? iii. Given two models A and B and its performance. Perform a paired t-test at $\alpha = 0.05$. Model A accuracy over 5 folds: 90, 85, 88, 92, 87 Model B accuracy over same folds: 88, 83, 87, 91, 85	CO2	PO2	10
	b)	Define Recall metric. Why is it critical in scenarios like disease detection? If a cancer detection model has low recall, what are the consequences? Given TP = 40, FN = 60. Calculate recall.	CO2	PO2	10
		OR			
6	a)	i. Define stratified k-fold cross-validation. How is it different from standard k-fold cross-validation? ii. In a binary classification with imbalanced data (90% class A, 10% class B), which cross-validation strategy is preferred and why? iii. If you perform 4-fold stratified cross-validation on a dataset with 800 samples (720 of Class 0 and 80 of Class 1), how many Class 1 samples will be in each fold?	CO2	PO2	10
	b)	What does the ROC curve represent? What do the axes stand for? Why is a ROC curve more informative than just using accuracy? A model has TPR = 0.85 and FPR = 0.15 at a certain threshold. Plot the point on a ROC curve and describe the model performance.	CO1	PO1	10
		UNIT - IV			
7	a)	i. Describe the K-means clustering algorithm. ii. Apply K(=2)-Means algorithm over the data (185, 72), (170, 56), (168, 60), (179,68), (182,72), (188,77) up to two iterations and show the clusters. Initially choose first two objects as initial centroids.	CO3	PO3	10
	b)	A dataset contains 200 features, and your model is overfitting. How can PCA help? Describe the process of applying PCA and how to decide the number of components to retain.	CO2	PO2	10
		OR			
8	a)	Explain the working of the Random Forest algorithm. How does it reduce overfitting compared to a single decision tree? Analyze its advantages, limitations, and suitable application scenarios.	CO1	PO1	10

		b)	What is Ensemble Learning? Describe the working principles of Bagging and Boosting. Compare their impact on bias and variance, and explain which scenarios are best suited for each method.	CO1	PO1	10
			UNIT - V			
	9	a)	A warehouse robot is trained using reinforcement learning to pick up and deliver packages to designated locations while avoiding obstacles and other moving robots. Identify the possible: (i) States (ii) Actions (iii) Reward function design	CO2	PO2	05
		b)	Describe Q-Learning in reinforcement learning. Explain its working principle and the update rule. Illustrate the Q-learning process with an example of a simple grid world environment.	CO1	PO1	10
		c)	Briefly explain the role of generalization in reinforcement learning.	CO1	PO1	05
			OR			
	10	a)	A vending machine dispenses either snacks or drinks, depending on the user's choice. However, due to a mechanical fault, the machine sometimes gives the wrong item. If the user selects Snack (S): 80% chance of getting a Snack, 20% chance of getting a Drink. If the user selects Drink (D): 90% chance of getting a Drink, 10% chance of getting a Snack. The rewards are: - Getting the correct item: +10 - Getting the wrong item: -5 Design a decision-making system for this vending machine using a Markov Decision Process (MDP)	CO3	PO3	05
		b)	Define active reinforcement learning. How does it differ from passive reinforcement learning?	CO1	PO1	05
		c)	Explain the trade-off between exploration and exploitation in reinforcement learning. How does the ϵ -greedy policy manage this trade-off?	CO1	PO1	10
