Tests Before Factor Analysis

Luis Carlos Castillo

University of Urbino and Universty of Bremen

2024-07-29

Data Preparation for Factor Analysis

This section will present the different statistics and test before constructing the composite index. It includes the following:

▶ ANOVA (Analysis of Variance) and Chi-Squared tests are fundamental statistical methods used to assess differences in data. ANOVA evaluates whether there are significant differences in the mean scores of continuous variables across different groups, such as different years. Chi-Squared tests, on the other hand, determine if there are significant differences in the distribution of categorical variables across groups.

In this study, these tests were applied to evaluate the significant differences in the means and distributions of variables across six years. This evaluation is crucial in the preliminary stages of factor analysis, as it ensures the suitability and consistency of the data. Significant differences highlighted by these tests can indicate variability that might impact the factor analysis. Understanding the data distribution and ensuring data quality through these tests helps validate the assumptions required for factor analysis. Thus, conducting ANOVA and Chi-Squared tests provides a comprehensive understanding of the data, ensuring it is appropriately structured and reliable for subsequent factor analysis.

Interpreting the results

Interpreting the results of hypothesis testing involves understanding the null (H0) and alternative (H1) hypotheses. The null hypothesis states there is no significant difference between groups, while the alternative suggests a significant difference exists. We calculate a p-value to test these hypotheses. If the p-value is less than 0.05, we reject the null hypothesis, indicating a significant difference. If it's greater, we fail to reject the null hypothesis, suggesting any differences are likely due to chance.

In this study, rejecting the null hypothesis in ANOVA tests indicates significant differences in mean scores of continuous variables across years. For Chi-Squared tests, it suggests significant differences in the distribution of categorical variables over time. These results help validate the data's variability, ensuring its suitability for factor analysis.

ANOVA and Chi-Squaredd for ACCESS Over the Six Yeaars

Variable	Test	Test_Statistic	P_Value	Decision
A2_A2	ANOVA	498.4083	0.0000	Reject Null Hypothesis
A2_C2	ANOVA	458.8307	0.0000	Reject Null Hypothesis
A1_B2b	Chi-Squared Test	1266.0190	0.0000	Reject Null Hypothesis
A2_C5a	Chi-Squared Test	976.1822	0.0000	Reject Null Hypothesis
A2_C4_low	Chi-Squared Test	8350.1290	0.0000	Reject Null Hypothesis
A2_C4_high	Chi-Squared Test	8350.1290	0.0000	Reject Null Hypothesis
size_rev_small	Chi-Squared Test	390.4181	0.0000	Reject Null Hypothesis
size_rev_medium	Chi-Squared Test	138.5187	0.0000	Reject Null Hypothesis
size_rev_large	Chi-Squared Test	186.4343	0.0000	Reject Null Hypothesis

Chi-Squaredd for SKILLS Over the Six Yeaars

Variable	Test	Test_Statistic	P_Value	Decision
S_B1	Chi-Squared Test	184.66335	0.0000	Reject Null Hypothesis
S_B2a	Chi-Squared Test	992.49448	0.0000	Reject Null Hypothesis
S_B5a1	Chi-Squared Test	59.53903	0.0000	Reject Null Hypothesis
S_B5b1	Chi-Squared Test	72.89928	0.0000	Reject Null Hypothesis
S_B5c1	Chi-Squared Test	53.64918	0.0000	Reject Null Hypothesis
S_B5d1	Chi-Squared Test	78.98737	0.0000	Reject Null Hypothesis
S_B5e1	Chi-Squared Test	40.25756	0.0000	Reject Null Hypothesis
S_B5f1	Chi-Squared Test	77.46799	0.0000	Reject Null Hypothesis
S_B5g1	Chi-Squared Test	190.34061	0.0000	Reject Null Hypothesis
-:	Ch: Causand Test	200 41909	0.0000	Daiast Null Humathasia
size_rev_small	Chi-Squared Test	390.41808	0.0000	Reject Null Hypothesis
size_rev_medium	Chi-Squared Test	138.51869	0.0000	Reject Null Hypothesis
size_rev_large	Chi-Squared Test	186.43426	0.0000	Reject Null Hypothesis

Chi-Squaredd for USAGE Over the Six Yeaars

Variable	Test	Test_Statistic	P_Value	Decision
UMK_C7	Chi-Squared Test	698.4772	0.0000	Reject Null Hypothesis
UC_C8a	Chi-Squared Test	277.0003	0.0000	Reject Null Hypothesis
UMK_C8c	Chi-Squared Test	154.7722	0.0000	Reject Null Hypothesis
UM_C8g	Chi-Squared Test	237.9436	0.0000	Reject Null Hypothesis
UMK_C8h	Chi-Squared Test	3141.1177	0.0000	Reject Null Hypothesis
UM_E1	Chi-Squared Test	125.3922	0.0000	Reject Null Hypothesis
UM_E2b	Chi-Squared Test	1202.3386	0.0000	Reject Null Hypothesis
UM_E2a	Chi-Squared Test	995.8050	0.0000	Reject Null Hypothesis
UC_J7	Chi-Squared Test	18160.3212	0.0000	Reject Null Hypothesis
UMK_C10a	Chi-Squared Test	2553.6938	0.0000	Reject Null Hypothesis
UMK_C10c	Chi-Squared Test	1433.1330	0.0000	Reject Null Hypothesis
size rev small	Chi-Squared Test	390.4181	0.0000	Reject Null Hypothesis
	•	138.5187	0.0000	Reject Null Hypothesis
size_rev_medium	Chi-Squared Test			
size_rev_large	Chi-Squared Test	186.4343	0.0000	Reject Null Hypothesis

Correlation of Variables: Understanding correlations between variables is foundational in factor analysis. This assessment helps identify whether groups of variables share common patterns or underlying factors, which justifies their reduction into fewer dimensions.

Internal Consistency and Cronbach's Alpha:

Internal Consistency refers to the reliability of items within a scale or test to consistently measure the same underlying construct. It is a crucial aspect of scale reliability and validity. Cronbach's Alpha is a specific statistic used to measure this internal consistency. It quantifies how well a set of items measure an underlying (unobserved) construct.

- ► Thresholds for Cronbach's Alpha:
 - $\alpha \geq 0.90$: Excellent
 - $0.80 < \alpha < 0.90$: Good
 - $0.70 \le \alpha < 0.80$: Acceptable

A high Cronbach's Alpha indicates that the items are highly correlated and thus reliably measure the same construct. This helps to ensure that the dimensions extracted from factor analysis are reliable.


Data Preparation for Factor Analysis II

- ▶ Bartlett's Test of Sphericity: This test checks whether the correlation matrix is an identity matrix, which would indicate that the variables are unrelated and unsuitable for structure detection. A significant result from Bartlett's test supports the factorability of the correlation matrix.
 - Null Hypothesis (H0): The correlation matrix is an identity matrix, indicating that the variables are unrelated and unsuitable for structure detection.
 - ▶ Alternative Hypothesis (H1): The correlation matrix is not an identity matrix, indicating significant correlations among the variables, making them suitable for structure detection.

Interpretation of the p-value:

- p < 0.05: Reject the null hypothesis. There are significant correlations among the variables, suggesting that the correlation matrix is factorable. This means that the data is suitable for factor analysis.
- $\mathbf{p} \geq 0.05$: Fail to reject the null hypothesis. There is not enough evidence to suggest that the correlation matrix is different from an identity matrix, indicating that the variables may not be suitable for structure detection.

1. 2014 - Access - Correlation, Cronbach, and Bartlett's Ttests



1.2. Cronbach's Alpha Access 2014

For continuous varibles


For con	t <u>inuous varibi</u>	es			
	raw_alpha	std.alpha	G6(smc)	average_r	S/N
	0.9628538	0.962927	0.9285045	0.9285045	25.97377
For bing	ary varibles				
	raw_alpha	std.alpha	G6(smc)	average_r	S/N
	0.6673214	-1.751375	-1.422199	-0.1000314	-0.6365453
Combin	ing continuou	s and bina	ary variabl	es	
_					

raw_alpha	std.alpha	G6(smc)	average_r	S/N
0.7099288	-0.0450952	0.1920318	-0.0048175	-0.0431493

1.3. Bartlett's Test of Sphericity Access 2014

Statistic	Degrees_of_Freedom	p_Value
1245763	36	0

2. 2014 - Skills - Correlation, Cronbach, and Bartlett's Ttests



2.2. Cronbach's Alpha Skills 2014


► For binary varibles

raw_a	lpha std	.alpha G	G6(smc) ave	erage r	C /NI
		.aipiia C	io(silic) ave	rage_r	S/N
0.7263	0.49	59274 0.5	5152401 0.0	757743 0.9838	3411

2.3. Bartlett's Test of Sphericity Skills 2014

Statistic	Degrees_of_Freedom	p_Value
558135.9	66	0

3. 2014 - Usage - Correlation, Cronbach, and Bartlett's Ttests



3.2. Cronbach's Alpha Usage 2014


For binary varibles

raw_alpha	std.alpha	G6(smc)	average_r	S/N
0.7668949	0.6481703	0.6880681	0.1162891	1.842284

3.3. Bartlett's Test of Sphericity Usage 2014

Statistic	Degrees_of_Freedom	p_Value
580456.4	91	0

1. 2015 - Access - Correlation, Cronbach, and Bartlett's Ttests



1.2. Cronbach's Alpha Access 2015


For con	t <u>inuous varibl</u>	es			
	raw_alpha	std.alpha	G6(smc)	average_r	S/N
	0.966592	0.9666152	0.9353874	0.9353874	28.95372
For bing	ry varibles				
	raw_alpha	std.alpha	G6(smc)	average_r	S/N
-	0.6830248	-1.811399	-1.476293	-0.1013745	-0.6443052
Combin	ing continuou	s and bina	ry variable	es	
_					

raw_alpha	std.alpha	G6(smc)	average_r	S/N
0.7194492	-0.0772024	0.1701028	-0.0080272	-0.0716693

1.3. Bartlett's Test of Sphericity Access 2015

Statistic	Degrees_of_Freedom	p_Value
1308803	36	0

2. 2015 - Skills - Correlation, Cronbach, and Bartlett's Ttests



2.2. Cronbach's Alpha Skills 2015


For binary varibles

raw_alpha	std.alpha	G6(smc)	average_r	S/N
0.8644353	0.7775615	0.8189146	0.2255878	3.495624

2.3. Bartlett's Test of Sphericity Skills 2015

Statistic	Degrees_of_Freedom	p_Value
634071.9	66	0

3. 2015 - Usage - Correlation, Cronbach, and Bartlett's Ttests



3.2. Cronbach's Alpha Usage 2015


For binary varibles

raw_alpha	std.alpha	G6(smc)	average_r	S/N
0.7742574	0.6558194	0.6995897	0.1197986	1.905451

3.3. Bartlett's Test of Sphericity Usage 2015

Statistic	Degrees_of_Freedom	p_Value
600664.8	91	0

1. 2016 - Access - Correlation, Cronbach, and Bartlett's Ttests



1.2. Cronbach's Alpha Access 2016


For co	nt <u>ınuous varıbl</u>	es			
	raw_alpha	std.alpha	G6(smc)	average_r	S/N
	0.9654554	0.9654639	0.9332336	0.9332336	27.95519
For bir	nary varibles				
	raw_alpha	std.alpha	G6(smc)	average_r	S/N
	0.6895462	-1.871075	-1.52412	-0.1026571	-0.6516984
Combi	ning continuou	s and bina	ry variabl	es	
	raw_alpha	std.alpha	G6(smc)	average_r	S/N

 ng continuo	us and bine	ary variable	CS	
raw_alpha	std.alpha	G6(smc)	average_r	S/N
0.7246086	-0.0923606	0.1585757	-0.0094837	-0.0845513

1.3. Bartlett's Test of Sphericity Access 2016

Statistic	Degrees_of_Freedom	p_Value
1309465	36	0

2. 2016 - Skills - Correlation, Cronbach, and Bartlett's Ttests



2.2. Cronbach's Alpha Skills 2016


For binary varibles

raw_alpha	std.alpha	G6(smc)	average_r	S/N
0.8606735	0.7735811	0.8161382	0.2216179	3.416593

2.3. Bartlett's Test of Sphericity Skills 2016

Statistic	Degrees_of_Freedom	p_Value
649206.1	66	0

3. 2016 - Usage - Correlation, Cronbach, and Bartlett's Ttests



3.2. Cronbach's Alpha Usage 2016


For binary varibles

raw_alpha	std.alpha	G6(smc)	average_r	S/N
0.7812859	0.6678692	0.7113806	0.1255936	2.010862

3.3. Bartlett's Test of Sphericity Usage 2016

Statistic	Degrees_of_Freedom	p_Value
619288.9	91	0

1. 2017 - Access - Correlation, Cronbach, and Bartlett's Ttests



1.2. Cronbach's Alpha Access 2017

► For continuous varibles

raw_alpha	std.alpha	G6(smc)	average_r	S/N
0.9694792	0.9694812	0.94077	0.94077	31.7667

► For binary varibles

raw_alpha	std.alpha	G6(smc)	average_r	S/N
0.7007189	-1.888351	-1.543957	-0.1030191	-0.6537817


Combining continuous and binary variables

٠	<u>6</u>	continuous	ana binai	y variables	,	
		raw_alpha	std.alpha	G6(smc)	average_r	S/N
		0.7354846 -	0.0861889	0.1641511	-0.0088951	-0.0793498

1.3. Bartlett's Test of Sphericity Access 2017

Statistic	Degrees_of_Freedom	p_Value
Inf	36	0

2. 2017 - Skills - Correlation, Cronbach, and Bartlett's Ttests



2.2. Cronbach's Alpha Skills 2017


► For binary varibles

. <u> </u>	varibles				
	raw_alpha	std.alpha	G6(smc)	average_r	S/N
	0.7224824	0.4873174	0.5079796	0.0733966	0.9505245

2.3. Bartlett's Test of Sphericity Skills 2017

Statistic	Degrees_of_Freedom	p_Value
641579	66	0

3. 2017 - Usage - Correlation, Cronbach, and Bartlett's Ttests



3.2. Cronbach's Alpha Usage 2017


For binary varibles

rav	v_alpha	std.alpha	G6(smc)	average_r	S/N
0.7	765604	0.6591832	0.706429	0.1213827	1.934127

3.3. Bartlett's Test of Sphericity Usage 2017

Statistic	Degrees_of_Freedom	p_Value
674139	91	0

1. 2018 - Access - Correlation, Cronbach, and Bartlett's Ttests



1.2. Cronbach's Alpha Access 2018

► For continuous varible

For con	t <u>inuous varibl</u>	es			
	raw_alpha	std.alpha	G6(smc)	average_r	S/N
	0.9509248	0.9509287	0.9064482	0.9064482	19.37853
For bing	ary varibles				
	raw_alpha	std.alpha	G6(smc)	average_r	S/N
	0.7130943	-1.794827	-1.455185	-0.1010091	-0.6421961
• Combin	ing continuou	s and bina	ary variable	es	
	raw_alpha	std.alpha	G6(smc)	average_r	S/N

1.3. Bartlett's Test of Sphericity Access 2018

-0.0709085

0.7381329


Statistic	Degrees_of_Freedom	p_Value
1449356	36	0

0.1649595

-0.0074116

-0.0662134

2. 2018 - Skills - Correlation, Cronbach, and Bartlett's Ttests



2.2. Cronbach's Alpha Skills 2018


For binary varibles

raw_alpha	std.alpha	G6(smc)	average_r	S/N
0.8705868	0.7949196	0.8348444	0.2441486	3.876136

2.3. Bartlett's Test of Sphericity Skills 2018

Statistic	Degrees_of_Freedom	p_Value
718070.5	66	0

3. 2018 - Usage - Correlation, Cronbach, and Bartlett's Ttests



3.2. Cronbach's Alpha Usage 2018


For binary varibles

raw_alpha	std.alpha	G6(smc)	average_r	S/N
0.7527269	0.6235321	0.7045998	0.1057895	1.656269

3.3. Bartlett's Test of Sphericity Usage 2018

Statistic	Degrees_of_Freedom	p_Value
716629.6	91	0

1. 2019 - Access - Correlation, Cronbach, and Bartlett's Ttests



1.2. Cronbach's Alpha Access 2019

► For continuous varibles


	macao rama				
	raw_alpha	std.alpha	G6(smc)	average_r	S/N
	0.9572764	0.9572806	0.9180616	0.9180616	22.40857
For bina	ry varibles				
	raw_alpha	std.alpha	G6(smc)	average_r	S/N
•	0.6965247	-1.93966	-1.590836	-0.1040704	-0.6598246
Combin	ing continuou	s and bina	ary variabl	es	
_					

···	<u>6</u>	continuous	ana bina	y variables	,	
		raw_alpha	std.alpha	G6(smc)	average_r	S/N
		0.7249646 -	0.1168043	0.1315451	-0.0117575	-0.1045879

1.3. Bartlett's Test of Sphericity Access 2019

Statistic	Degrees_of_Freedom	p_Value
558278.5	28	0

2. 2019 - Skills - Correlation, Cronbach, and Bartlett's Ttests



2.2. Cronbach's Alpha Skills 2019


For binary varibles

raw_alpha	std.alpha	G6(smc)	average_r	S/N
0.7295966	0.5095596	0.5360509	0.0796829	1.038984

2.3. Bartlett's Test of Sphericity Skills 2019

Statistic	Degrees_of_Freedom	p_Value
542837.8	66	0

3. 2019 - Usage - Correlation, Cronbach, and Bartlett's Ttests



3.2. Cronbach's Alpha Usage 2019

For binary varibles

 raw_alpha	std.alpha	G6(smc)	average_r	S/N
0.7738189	0.6481937	0.6926948	0.1162996	1.842474

3.3. Bartlett's Test of Sphericity Usage 2019

Statistic	Degrees_of_Freedom	p_Value
564007.8	91	0