


# Módulo 5 GIT

## 1 – Inicializando um repositório git no computador


A terminal window titled 'MINGW64:/c/Users/Luciano/Desktop/Modulogit' with standard window controls. The prompt is 'Luciano@Luciano MINGW64 ~/Desktop/Modulogit'. The user enters '\$ git init', and the output is 'Initialized empty Git repository in C:/Users/Luciano/Desktop/Modulogit/.git/'. The prompt changes to 'Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)'. The user enters '\$ |' and the cursor is on the next line.

```
MINGW64:/c/Users/Luciano/Desktop/Modulogit

Luciano@Luciano MINGW64 ~/Desktop/Modulogit
$ git init
Initialized empty Git repository in C:/Users/Luciano/Desktop/Modulogit/.git/

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ |
```

## 2 – Adicionando um arquivo README.md

A terminal window titled 'MINGW64:/c/Users/Luciano/Desktop/Modulogit' with standard window controls. The prompt is 'Luciano@Luciano MINGW64 ~/Desktop/Modulogit'. The user enters '\$ git init', and the output is 'Initialized empty Git repository in C:/Users/Luciano/Desktop/Modulogit/.git/'. The prompt changes to 'Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)'. The user enters '\$ touch README.md', and the output is 'bash: \$'\302\223touch': command not found'. The prompt changes to 'Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)'. The user enters '\$ touch README.md'. The prompt changes to 'Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)'. The user enters '\$' and the cursor is on the next line.

```
MINGW64:/c/Users/Luciano/Desktop/Modulogit


Luciano@Luciano MINGW64 ~/Desktop/Modulogit
$ git init
Initialized empty Git repository in C:/Users/Luciano/Desktop/Modulogit/.git/

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ touch README.md
bash: $'\302\223touch': command not found


Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ touch README.md

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$
```

### 3 – Adicionando um conteúdo no arquivo README.md



### 4 – Fazendo meu primeiro commit no Projeto



## 5 – Usando o git status

```
MINGW64:/c/Users/Luciano/Desktop/Modulogit

Luciano@Luciano MINGW64 ~/Desktop/Modulogit
$ git init
Initialized empty Git repository in C:/Users/Luciano/Desktop/Modulogit/.git/

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ touch README.md
bash: $'\302\223touch': command not found

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ touch README.md

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ git add README.md

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ git commit -m "Primeiro commit do projeto"
[master (root-commit) 28f6ae3] Primeiro commit do projeto
1 file changed, 1 insertion(+)
 create mode 100644 README.md

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ git status
On branch master
nothing to commit, working tree clean

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$
```

## 6 – Criando branch develop

```
MINGW64:/c/Users/Luciano/Desktop/Modulogit

Luciano@Luciano MINGW64 ~/Desktop/Modulogit
$ git init
Initialized empty Git repository in C:/Users/Luciano/Desktop/Modulogit/.git/

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ touch README.md
bash: $'\302\223touch': command not found

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ touch README.md

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ git add README.md


Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ git commit -m "Primeiro commit do projeto"
[master (root-commit) 28f6ae3] Primeiro commit do projeto
1 file changed, 1 insertion(+)
 create mode 100644 README.md

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ git status
On branch master
nothing to commit, working tree clean

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ git branch develop

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$
```

## 7 – Alterando o arquivo readme.md e adicionando outro arquivo na pasta



## Criando outro arquivo meuprograma.py

```
Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ git commit -m "Primeiro commit do projeto"
[master (root-commit) 28f6ae3] Primeiro commit do projeto
1 file changed, 1 insertion(+)
create mode 100644 README.md

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ git status
On branch master
nothing to commit, working tree clean

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ git branch develop

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ touch meuprograma.py

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$
```

## 8 – Verificando status novamente

```
Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   README.md

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        meuprograma.py

no changes added to commit (use "git add" and/or "git commit -a")

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$
```

9 – fazendo checkout e segundo commit

```
Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$ git add README.md

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$ git add meuprograma.py

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$ git commit -m "segundo commit do projeto"
[develop e9eab77] segundo commit do projeto
 2 files changed, 1 insertion(+)
 create mode 100644 meuprograma.py


Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$ |
```

10 – certificando que todas as alterações estão commitadas

```
Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$ git status
On branch develop
nothing to commit, working tree clean

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$
```

11 – Outra alteração no README.md



12 – commit na branch develop

```
Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$ git add README.md

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$ git commit -m " Terceiro commit "
[develop 3488b14] Terceiro commit
 1 file changed, 1 insertion(+)

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$
```

### 13 – Mas um git status

```
Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$ git status
On branch develop
nothing to commit, working tree clean

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$
```

### 14 – Fazendo uma merge da brach develop e master

```
Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$ git checkout master
Switched to branch 'master'

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ git merge develop master
Updating 28f6ae3..3488b14
Fast-forward
 README.md      | 2 ++
 meuprograma.py | 0
 2 files changed, 2 insertions(+)
 create mode 100644 meuprograma.py

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$
```

### 15 – usando o git log

```
Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ git log
commit 3488b14e42b7719a677e36d25b092413ae4becdd (HEAD -> master, develop)
Author: LucianoScalienteJunior <lucianoscaliente@gmail.com>
Date: Mon Nov 1 23:13:20 2021 -0300

    Terceiro commit

commit e9eab775f609b67ed9ed4d4164a5528e6d70bf7f
Author: LucianoScalienteJunior <lucianoscaliente@gmail.com>
Date: Mon Nov 1 23:08:29 2021 -0300

    segundo commit do projeto

commit 28f6ae3d0ca79ced0ac412455921c2cb59da2471
Author: LucianoScalienteJunior <lucianoscaliente@gmail.com>
Date: Mon Nov 1 22:57:35 2021 -0300

    Primeiro commit do projeto

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ |
```


16 – indo para branch develop

```
Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ git checkout develop
Switched to branch 'develop'

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$ git branch feature

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$
```

17 – alterando novamente o README.md



```
Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$ git checkout feature
Switched to branch 'feature'
M      README.md

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (feature)
$ git add README.md

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (feature)
$ git commit -m "Quarto commit"
[feature cc946a0] Quarto commit
1 file changed, 1 insertion(+)


Luciano@Luciano MINGW64 ~/Desktop/Modulogit (feature)
$ |
```

## 18 – Criando mas uma branch

```
Luciano@Luciano MINGW64 ~/Desktop/Modulogit (feature)
$ git checkout develop
Switched to branch 'develop'

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$ git branch feature2
```

## 19 – Alterando o arquivo README.md



## 20 – fazendo commit na branch feature2

```
Luciano@Luciano MINGW64 ~/Desktop/Modulogit (feature2)
$ git add README.md

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (feature2)
$ git commit -m "quinto commit"
[feature2 5ea4715] quinto commit
1 file changed, 2 insertions(+)

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (feature2)
$ |
```


## 21 e 22 – Fazendo merge nas branch

```
Luciano@Luciano MINGW64 ~/Desktop/Modulogit (feature2)
$ git merge feature2 develop
Auto-merging README.md
CONFLICT (content): Merge conflict in README.md
Automatic merge failed; fix conflicts and then commit the result.

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (feature2|MERGING)
$
```



## 23 – resolvendo o conflito



```
Luciano@Luciano MINGW64 ~/Desktop/Modulogit (feature2|MERGING)
$ git diff feature2 feature
diff --git a/README.md b/README.md
index dcae58a..de5c4ef 100644
--- a/README.md
+++ b/README.md
@@ -1,5 +1,4 @@
 Módulo 5 Git Mentorama
 estou na parte 7 do exercicios do módulo 5 de git no curso de python na mentorama !!!
 mas uma alteração no README.md
-
-criando mas uma branch Feature 2
+criando a branch feture

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (feature2|MERGING)
$ git add README.md

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (feature2|MERGING)
$ git commit -m "sexto commit"
[feature2 ff9a530] sexto commit

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (feature2)
$ git merge feature2
Already up to date.

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (feature2)
$ git checkout develop
Switched to branch 'develop'

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$ git merge feature2 develop
Updating 3488b14..ff9a530
Fast-forward
 README.md | 6 ++++++
 1 file changed, 6 insertions(+)

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$ git status
On branch develop
nothing to commit, working tree clean

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$
```

```

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$ git log
commit ff9a53057319f04d512aa572e1bcaaf159a4caa9 (HEAD -> develop, feature2)
Merge: 5ea4715 cc946a0
Author: LucianoScalienteJunior <lucianoscaliente@gmail.com>
Date: Mon Nov 1 23:33:11 2021 -0300

    sexto commit

commit 5ea47157522bd037b219de7ee9bfdd1842594637
Author: LucianoScalienteJunior <lucianoscaliente@gmail.com>
Date: Mon Nov 1 23:26:45 2021 -0300

    quinto commit

commit cc946a0afcee8ce268622e62e185becfc572f21c (feature)
Author: LucianoScalienteJunior <lucianoscaliente@gmail.com>
Date: Mon Nov 1 23:21:11 2021 -0300

    Quarto commit

commit 3488b14e42b7719a677e36d25b092413ae4becdd (master)
Author: LucianoScalienteJunior <lucianoscaliente@gmail.com>
Date: Mon Nov 1 23:13:20 2021 -0300

    Terceiro commit

commit e9eab775f609b67ed9ed4d4164a5528e6d70bf7f
Author: LucianoScalienteJunior <lucianoscaliente@gmail.com>
Date: Mon Nov 1 23:08:29 2021 -0300

    segundo commit do projeto

commit 28f6ae3d0ca79ced0ac412455921c2cb59da2471
Author: LucianoScalienteJunior <lucianoscaliente@gmail.com>
Date: Mon Nov 1 22:57:35 2021 -0300

    Primeiro commit do projeto

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$

```

24 – merge da branch master e develop

```

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (develop)
$ git checkout master
Switched to branch 'master'

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$ git merge master develop
Updating 3488b14..e43d263
Fast-forward
 README.md | 7 ++++++
 1 file changed, 7 insertions(+)

Luciano@Luciano MINGW64 ~/Desktop/Modulogit (master)
$

```

## 25 – clonando repositório no gitHub e dando um git push

```
MINGW64:/c/Users/Luciano
Luciano@Luciano MINGW64 ~
$ git clone https://github.com/lucianoscaliante/Modulogit5.git
Cloning into 'Modulogit5'...
warning: You appear to have cloned an empty repository.

Luciano@Luciano MINGW64 ~
$ .....
```

```
Luciano@Luciano MINGW64 ~/Desktop/Modulogit5 (master)
$ git add README.md

Luciano@Luciano MINGW64 ~/Desktop/Modulogit5 (master)
$ git commit -m "REpositorio criando com sucesso"
[master (root-commit) c6a776f] REpositorio criando com sucesso
1 file changed, 10 insertions(+)
create mode 100644 README.md

Luciano@Luciano MINGW64 ~/Desktop/Modulogit5 (master)
$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 3 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 399 bytes | 399.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/lucianoscaliante/Modulogit5.git
 * [new branch]      master -> master

Luciano@Luciano MINGW64 ~/Desktop/Modulogit5 (master)
$ .....
```

Link do repositório no github

Link - <https://github.com/lucianoscaliante/Modulogit5.git>