

Matriz de Rastreabilidade de Requisitos - Jornada do Cidadão - Fase 1

Versão do documento: 1.0

Data: 03/09/2026

Base normativa: Especificação Técnica Jornada v3.62

Release de incorporação: Solution Engenharia v3.98

Status: MATRIZ MESTRA RN -> RF -> RNF -> RT -> EVIDÊNCIA

> Esta matriz é o ponto único de rastreabilidade entre os quatro níveis de requisitos. As listas são intencionalmente de muitos-para-muitos; não significam que cada RT implemente isoladamente todo o RN.

1. Matriz por Requisito de Negócio

RN	RF relacionados	RNF relacionados	RT relacionados	Evidência principal
RN-001 Consolidar a Jornada sem substituir os sistemas finalísticos	—	RNF01, RNF18	RT-001, RT-003	Integration: ProcessorRepositoryTests/SeedDatabaseTests; contract and release gates conforme domínio
RN-002 Padronizar a integração municipal de Pessoas e fatos	RF-001, RF-002, RF-003, RF-004, RF-005, RF-009	RNF03	RT-006, RT-007, RT-010, RT-011, RT-013, RT-018	Integration: ProcessorRepositoryTests/SeedDatabaseTests; contract and release gates conforme domínio
RN-003 Preservar origem, temporalidade e linhagem	RF-001, RF-005, RF-006, RF-007, RF-008, RF-010, RF-024, RF-032	RNF02, RNF04, RNF06, RNF12, RNF21, RNF22, RNF24, RNF32, RNF33	RT-002, RT-010, RT-011, RT-014, RT-015, RT-016, RT-017, RT-019, RT-020, RT-027, RT-043	Integration: ProcessorRepositoryTests/SeedDatabaseTests; contract and release gates conforme domínio
RN-004 Constituir a Gold de Pessoas de forma evolutiva	RF-011	—	RT-032	Integration: IdentityGovernanceTests, IdentityReplayInvariantTests; Unit: IdentityResolutionCoordinatorTests/FellegiSunterScoringTests
RN-005 Manter uma identificação municipal estável da Pessoa	RF-012, RF-013, RF-018	RNF05, RNF21, RNF22, RNF24	RT-023, RT-024, RT-027, RT-030, RT-036	Integration: IdentityGovernanceTests, IdentityReplayInvariantTests; Unit: IdentityResolutionCoordinatorTests/FellegiSunterScoringTests
RN-006 Usar CPF como rota determinística com trava conservadora	RF-013, RF-014, RF-016	RNF05, RNF23, RNF25	RT-023, RT-024, RT-026, RT-028, RT-050, RT-056	Integration: IdentityGovernanceTests, IdentityReplayInvariantTests; Unit: IdentityResolutionCoordinatorTests/FellegiSunterScoringTests
RN-007 Não descartar Pessoas admitidas sem CPF	RF-015, RF-016	RNF23	RT-025, RT-026, RT-056	Integration: IdentityGovernanceTests, IdentityReplayInvariantTests; Unit: IdentityResolutionCoordinatorTests/FellegiSunterScoringTests
RN-008 Separar núcleo de identidade de atributos transversais	RF-019	—	RT-034	Integration: IdentityGovernanceTests, IdentityReplayInvariantTests; Unit: IdentityResolutionCoordinatorTests/FellegiSunterScoringTests
RN-009 Promover valores Golden pela qualidade da evidência	RF-011, RF-020, RF-021	—	RT-032, RT-034	Integration: IdentityGovernanceTests, IdentityReplayInvariantTests; Unit: IdentityResolutionCoordinatorTests/FellegiSunterScoringTests
RN-010 Permitir produção distribuída de evidência	RF-020, RF-021	—	RT-034	Integration: IdentityGovernanceTests, IdentityReplayInvariantTests; Unit: IdentityResolutionCoordinatorTests/FellegiSunterScoringTests
RN-011 Separar fatos administrativos da Gold cadastral	RF-022, RF-027	RNF14	RT-007, RT-031, RT-038	Integration: ProcessorRepositoryTests, OperationalAtomicityTests, SeedDatabaseTests; gates de contratos/QC
RN-012 Preservar fato válido mesmo sem atribuição canônica	RF-023	RNF06, RNF14	RT-011, RT-020, RT-033, RT-038	Integration: ProcessorRepositoryTests,

OperationalAtomicityTests, SeedDatabaseTests; gates de contratos/QC |
| RN-013 Distinguir Possibilidade de fato, direito e decisão | RF-026, RF-027, RF-037 |
RNF14 | RT-031, RT-038 | Integration: ProcessorRepositoryTests, OperationalAtomicityTests,
SeedDatabaseTests; gates de contratos/QC |
| RN-014 Versionar regras que alteram significado de negócio | RF-003, RF-017, RF-026,
RF-045 | RNF13, RNF16 | RT-005, RT-006, RT-007, RT-008, RT-029, RT-060 | Integration:
ProcessorRepositoryTests, OperationalAtomicityTests, SeedDatabaseTests; gates de
contratos/QC |
| RN-015 Manter Referência Territorial separada de endereço civil | RF-029, RF-030 | RNF07 |
RT-041, RT-042 | Integration: SeedDatabaseTests; Unit:
GeographicEnrichmentTests/ConfidentialShelterAddressPolicyTests |
| RN-016 Responsabilizar a origem pela territorialização | RF-029, RF-031, RF-032 | RNF07 |
RT-042, RT-043 | Integration: SeedDatabaseTests; Unit:
GeographicEnrichmentTests/ConfidentialShelterAddressPolicyTests |
| RN-017 Aplicar precedência territorial explícita | RF-030, RF-032 | — | RT-043 |
Integration: SeedDatabaseTests; Unit:
GeographicEnrichmentTests/ConfidentialShelterAddressPolicyTests |
| RN-018 Disponibilizar consulta da Pessoa aos sistemas autorizados | RF-033, RF-034,
RF-035, RF-036, RF-037, RF-040 | RNF29 | RT-035, RT-036, RT-037, RT-047, RT-048 | Unit:
AuthorizationMatrixContractTests, AccessPolicyTests, ApiHttpPipelineTests,
ApiRateLimitingTests; Integration: ApiReadinessTests; security gates |
| RN-019 Adotar compartilhamento municipal padrão da Pessoa autorizada | RF-035, RF-038 |
RNF29 | RT-035, RT-037 | Unit: AuthorizationMatrixContractTests, AccessPolicyTests,
ApiHttpPipelineTests, ApiRateLimitingTests; Integration: ApiReadinessTests; security gates |
| RN-020 Permitir restrições setoriais como exceções negativas | RF-035, RF-038 | RNF29 |
RT-035, RT-037 | Unit: AuthorizationMatrixContractTests, AccessPolicyTests,
ApiHttpPipelineTests, ApiRateLimitingTests; Integration: ApiReadinessTests; security gates |
| RN-021 Proteger informação territorial especialmente sigilosa | RF-029, RF-031, RF-035,
RF-038 | — | RT-042, RT-052 | Integration: SeedDatabaseTests; Unit:
GeographicEnrichmentTests/ConfidentialShelterAddressPolicyTests |
| RN-022 Manter decisão e escrita cadastral no Gestor finalístico | RF-033 | — | RT-036,
RT-037, RT-054 | Unit: AuthorizationMatrixContractTests, AccessPolicyTests,
ApiHttpPipelineTests, ApiRateLimitingTests; Integration: ApiReadinessTests; security gates |
| RN-023 Estabelecer controles de qualidade antes do consumo | RF-003, RF-005, RF-007,
RF-009, RF-010, RF-024, RF-025, RF-047, RF-048 | RNF03, RNF04, RNF06, RNF07, RNF09, RNF12,
RNF15, RNF20, RNF23, RNF26, RNF27, RNF28, RNF33 | RT-012, RT-014, RT-015, RT-017, RT-018,
RT-019, RT-020, RT-021, RT-022, RT-024, RT-026, RT-033, RT-046, RT-053, RT-054, RT-056,
RT-057, RT-058, RT-059, RT-061, RT-062, RT-063, RT-064 | Integration:
ProcessorRepositoryTests, OperationalAtomicityTests, SeedDatabaseTests; gates de
contratos/QC |
| RN-024 Evidenciar cobertura e incerteza nos indicadores | RF-010, RF-014, RF-015, RF-016,
RF-017, RF-025, RF-028, RF-042 | RNF07, RNF09, RNF15, RNF16, RNF21, RNF22, RNF24, RNF25,
RNF26, RNF27, RNF28 | RT-019, RT-022, RT-025, RT-027, RT-028, RT-029, RT-046, RT-050,
RT-053, RT-057 | Integration: ProcessorRepositoryTests, OperationalAtomicityTests,
SeedDatabaseTests; gates de contratos/QC |
| RN-025 Oferecer BI municipal sobre Pessoas, fatos, qualidade e território | RF-028,
RF-041, RF-042, RF-044 | RNF10, RNF11, RNF13 | RT-041, RT-043, RT-044, RT-045, RT-046,
RT-047, RT-064 | powerbi-static-gate; serving contracts; Anexo BI/SLA; evidência HML quando
aplicável |
| RN-026 Manter consultas individualizadas fora do BI | RF-034, RF-036, RF-037, RF-043 | — |
RT-047 | Unit: AuthorizationMatrixContractTests, AccessPolicyTests, ApiHttpPipelineTests,
ApiRateLimitingTests; Integration: ApiReadinessTests; security gates |
| RN-027 Medir tempestividade de recebimento por Tipo e versão | RF-044 | RNF20 | RT-058 |
powerbi-static-gate; serving contracts; Anexo BI/SLA; evidência HML quando aplicável |
| RN-028 Suportar carga inicial sem degradar governança de identidade | RF-011, RF-016,
RF-024, RF-048 | RNF15, RNF23, RNF26, RNF27, RNF28 | RT-022, RT-026, RT-032, RT-056, RT-057

| Integration: IdentityGovernanceTests, IdentityReplayInvariantTests; Unit: IdentityResolutionCoordinatorTests/FellegiSunterScoringTests |

| RN-029 Garantir rastreabilidade e auditoria de atos sensíveis | RF-002, RF-006, RF-007, RF-014, RF-017, RF-018, RF-020, RF-025, RF-038, RF-039, RF-040, RF-045, RF-046, RF-047 | RNF04, RNF06, RNF08, RNF12, RNF16, RNF17, RNF21, RNF22, RNF24, RNF29, RNF30, RNF31, RNF32, RNF33 | RT-004, RT-005, RT-013, RT-014, RT-015, RT-016, RT-017, RT-020, RT-021, RT-027, RT-029, RT-030, RT-034, RT-035, RT-039, RT-040, RT-048, RT-049, RT-051, RT-054, RT-059, RT-060, RT-062, RT-063, RT-064 | Unit: AuthorizationMatrixContractTests, AccessPolicyTests, ApiHttpPipelineTests, ApiRateLimitingTests; Integration: ApiReadinessTests; security gates |

| RN-030 Aplicar minimização e proteção de dados pessoais | RF-008, RF-035, RF-038, RF-039, RF-040, RF-042, RF-043, RF-046 | RNF03, RNF05, RNF08, RNF11, RNF17, RNF29, RNF30, RNF31, RNF32 | RT-004, RT-012, RT-016, RT-023, RT-039, RT-040, RT-045, RT-049, RT-050, RT-051, RT-052 | Unit: AuthorizationMatrixContractTests, AccessPolicyTests, ApiHttpPipelineTests, ApiRateLimitingTests; Integration: ApiReadinessTests; security gates |

| RN-031 Definir governança de retenção antes da produção | RF-008, RF-046 | RNF32, RNF33 | RT-016, RT-017, RT-051, RT-064 | governance/release gates, runbooks e homologação; runtime local v3.95 para gates executáveis localmente |

| RN-032 Exigir avaliação de impacto antes da produção | — | — | RT-064 | governance/release gates, runbooks e homologação; runtime local v3.95 para gates executáveis localmente |

| RN-033 Formalizar responsabilidades institucionais | RF-047, RF-048 | RNF09, RNF11, RNF12, RNF17, RNF19, RNF20 | RT-004, RT-005, RT-009, RT-045, RT-048, RT-053, RT-055, RT-058, RT-059, RT-060, RT-061, RT-062, RT-063, RT-064 | governance/release gates, runbooks e homologação; runtime local v3.95 para gates executáveis localmente |

| RN-034 Manter interlocução técnica e qualidade por Gestor | RF-002, RF-044, RF-049 | RNF19 | RT-006, RT-009, RT-013, RT-055, RT-064 | governance/release gates, runbooks e homologação; runtime local v3.95 para gates executáveis localmente |

| RN-035 Permitir expansão a novos Gestores e Tipos | RF-003, RF-009, RF-041, RF-045, RF-049 | RNF01, RNF02, RNF10, RNF12, RNF13, RNF15, RNF18, RNF19, RNF27 | RT-001, RT-002, RT-003, RT-006, RT-007, RT-008, RT-009, RT-018, RT-021, RT-044, RT-057 | governance/release gates, runbooks e homologação; runtime local v3.95 para gates executáveis localmente |

| RN-036 Manter biometria como evolução e não como núcleo cadastral | RF-050 | — | RT-065 | governance/release gates, runbooks e homologação; runtime local v3.95 para gates executáveis localmente |

2. Cobertura por RF

| RF | RN de origem | RNF associados | RT de realização |

---|---|---|---

| RF-001 | RN-002, RN-003 | RNF03 | RT-010 |

| RF-002 | RN-002, RN-029, RN-034 | — | RT-013, RT-048 |

| RF-003 | RN-002, RN-014, RN-023, RN-035 | RNF03, RNF13 | RT-006, RT-007, RT-008, RT-013 |

| RF-004 | RN-002 | — | RT-010, RT-011 |

| RF-005 | RN-002, RN-003, RN-023 | — | RT-011 |

| RF-006 | RN-003, RN-029 | RNF21, RNF22, RNF24 | RT-010, RT-014, RT-019, RT-027, RT-043 |

| RF-007 | RN-003, RN-023, RN-029 | RNF04 | RT-015 |

| RF-008 | RN-003, RN-030, RN-031 | RNF32, RNF33 | RT-016, RT-017 |

| RF-009 | RN-002, RN-023, RN-035 | RNF26, RNF28 | RT-018, RT-021, RT-022 |

| RF-010 | RN-003, RN-023, RN-024 | — | RT-019 |

| RF-011 | RN-004, RN-009, RN-028 | — | RT-032 |

| RF-012 | RN-005 | RNF05 | RT-023, RT-030 |

| RF-013 | RN-005, RN-006 | — | RT-024 |

| RF-014 | RN-006, RN-024, RN-029 | — | RT-024, RT-030 |

| RF-015 | RN-007, RN-024 | RNF23 | RT-025, RT-026 |

| RF-016 | RN-006, RN-007, RN-024, RN-028 | RNF23, RNF25 | RT-026, RT-028 |

| RF-017 | RN-014, RN-024, RN-029 | RNF16, RNF21, RNF22, RNF24 | RT-027, RT-029 |

| RF-018 | RN-005, RN-029 | — | RT-030 |

RF-019	RN-008	RNF05	RT-023, RT-034
RF-020	RN-009, RN-010, RN-029	—	RT-034
RF-021	RN-009, RN-010	—	RT-034
RF-022	RN-011	RNF14	RT-031, RT-033
RF-023	RN-012	—	RT-033
RF-024	RN-003, RN-023, RN-028	RNF06	RT-020, RT-032, RT-033
RF-025	RN-023, RN-024, RN-029	—	RT-019, RT-046, RT-064
RF-026	RN-013, RN-014	RNF14	RT-038, RT-064
RF-027	RN-011, RN-013	RNF14	RT-038
RF-028	RN-024, RN-025	—	RT-046
RF-029	RN-015, RN-016, RN-021	RNF07	RT-041, RT-043
RF-030	RN-015, RN-017	—	RT-041, RT-043
RF-031	RN-016, RN-021	RNF07	RT-042
RF-032	RN-003, RN-016, RN-017	RNF07	RT-043
RF-033	RN-018, RN-022	RNF29	RT-035, RT-036
RF-034	RN-018, RN-026	RNF29	RT-035, RT-037
RF-035	RN-018, RN-019, RN-020, RN-021, RN-030	RNF29	RT-035, RT-037
RF-036	RN-018, RN-026	RNF14	RT-038
RF-037	RN-013, RN-018, RN-026	RNF14	RT-038
RF-038	RN-019, RN-020, RN-021, RN-029, RN-030	RNF29	RT-035, RT-037, RT-048
RF-039	RN-029, RN-030	RNF30	RT-039
RF-040	RN-018, RN-029, RN-030	RNF29, RNF31	RT-040
RF-041	RN-025, RN-035	RNF10, RNF13	RT-044
RF-042	RN-024, RN-025, RN-030	RNF10, RNF11, RNF13	RT-044, RT-045, RT-046
RF-043	RN-026, RN-030	—	RT-047
RF-044	RN-027, RN-025, RN-034	RNF20	RT-058
RF-045	RN-014, RN-029, RN-035	RNF13, RNF16	RT-005, RT-006, RT-007, RT-008, RT-029
RF-046	RN-031, RN-029, RN-030	RNF33	RT-017, RT-051
RF-047	RN-023, RN-029, RN-033	RNF09	RT-053, RT-054, RT-061, RT-062, RT-063, RT-064
RF-048	RN-023, RN-028, RN-033	RNF26, RNF28	RT-022, RT-055, RT-056
RF-049	RN-034, RN-035	RNF01, RNF10, RNF13, RNF18, RNF19	RT-001, RT-003, RT-006,
RT-007, RT-008, RT-009, RT-044			
RF-050	RN-036	—	RT-065

3. Cobertura por RNF

RNF	RF afetados	RT de realização
RNF01	RF-049	RT-001
RNF02	—	RT-002
RNF03	RF-001, RF-003	RT-012
RNF04	RF-007	RT-015
RNF05	RF-012, RF-019	RT-023
RNF06	RF-024	RT-020
RNF07	RF-029, RF-031, RF-032	RT-041
RNF08	—	RT-049
RNF09	RF-047	RT-053
RNF10	RF-041, RF-042, RF-049	RT-044
RNF11	RF-042	RT-045
RNF12	—	RT-002, RT-059
RNF13	RF-003, RF-041, RF-042, RF-045, RF-049	RT-008, RT-044
RNF14	RF-022, RF-026, RF-027, RF-036, RF-037	RT-031, RT-038
RNF15	—	RT-057
RNF16	RF-017, RF-045	RT-029
RNF17	—	RT-004
RNF18	RF-049	RT-003

RNF19	RF-049	RT-009
RNF20	RF-044	RT-058
RNF21	RF-006, RF-017	RT-027
RNF22	RF-006, RF-017	RT-027
RNF23	RF-015, RF-016	RT-026
RNF24	RF-006, RF-017	RT-027
RNF25	RF-016	RT-028
RNF26	RF-009, RF-048	RT-022
RNF27	—	RT-057
RNF28	RF-009, RF-048	RT-022
RNF29	RF-033, RF-034, RF-035, RF-038, RF-040	RT-035, RT-040
RNF30	RF-039	RT-039
RNF31	RF-040	RT-040
RNF32	RF-008	RT-016
RNF33	RF-008, RF-046	RT-017

4. Cobertura e regras de manutenção

- Todos os 36 RN devem aparecer na Seção 1.
- Todos os 50 RF devem aparecer na Seção 2.
- Todos os 33 RNF normativos devem aparecer na Seção 3.
- Todos os 65 RT devem estar referenciados por pelo menos um RN/RF/RNF ou ser explicitamente classificados como infraestrutura transversal.
- Mudança material em qualquer camada exige revisão desta matriz e das evidências correspondentes.

5. Controle de versão

| Versão | Data | Síntese | Incorporação |

|---|---|---|---|

| 1.0 | 03/09/2026 | Matriz inicial RN -> RF -> RNF -> RT -> evidência da Fase 1. | Solution Engenharia v3.98 |