

# Servidor Samba

## Status do serviço

```
root@teste:/etc/samba
root@teste:/etc/samba# systemctl status smbd.service
● smbd.service - Samba SMB Daemon
   Loaded: loaded (/lib/systemd/system/smbd.service; enabled; vendor preset: enabled)
   Active: active (running) since Tue 2025-01-28 12:39:11 -03; 1min 9s ago
     Docs: man:smbd(8)
           man:samba(7)
           man:smb.conf(5)
  Process: 5142 ExecStartPre=/usr/share/samba/update-apparmor-samba-profile (code=exited, status=0/SUCCESS)
 Main PID: 5153 (smbd)
    Status: "smbd: ready to serve connections..."
   Tasks: 4 (limit: 3463)
  Memory: 8.9M
     CPU: 162ms
   CGroup: /system.slice/smbd.service
           └─5153 /usr/sbin/smbd --foreground --no-process-group
             5155 /usr/sbin/smbd --foreground --no-process-group
             5156 /usr/sbin/smbd --foreground --no-process-group
             5157 /usr/lib/x86_64-linux-gnu/samba/samba-bgqd --ready-signal-fd=46 --parent-watch-fd=12 --debuglevel=0 -F

jan 28 12:39:10 teste systemd[1]: Stopped Samba SMB Daemon.
jan 28 12:39:10 teste systemd[1]: Starting Samba SMB Daemon...
jan 28 12:39:10 teste smbd[5153]: [2025/01/28 12:39:10.999705, 0] ../../source3/smbd/server.c:1734(main)
jan 28 12:39:10 teste smbd[5153]: smbd version 4.15.13-Ubuntu started.
jan 28 12:39:10 teste smbd[5153]: Copyright Andrew Tridgell and the Samba Team 1992-2021
jan 28 12:39:11 teste smbd[5153]: [2025/01/28 12:39:11.000917, 0] ../../lib/param/loadparm.c:748(lpcfg_map_parameter)
jan 28 12:39:11 teste smbd[5153]: Unknown parameter encountered: "creat mask"
jan 28 12:39:11 teste smbd[5153]: [2025/01/28 12:39:11.001016, 0] ../../lib/param/loadparm.c:1935(lpcfg_do_service_parameter)
jan 28 12:39:11 teste smbd[5153]: Ignoring unknown parameter "creat mask"
jan 28 12:39:11 teste systemd[1]: Started Samba SMB Daemon.
root@teste:/etc/samba#
```

## Arquivo de configuração

```
root@teste:/etc/samba
GNU nano 6.2 smb.conf
[global]
netbios name = servidorSamba
workgroup = WORKGROUP

[arquivos]
path = /home/samba
writeable = yes
available = yes
force group = ti
force group = financeiro
creat mask = 0770
directory mask = 0770
valid users = @financeiro,@ti
```

## ip da máquina

```

teste@teste:~$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host
        valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:54:7d:38 brd ff:ff:ff:ff:ff:ff
    inet 192.168.18.100/24 brd 192.168.18.255 scope global noprefixroute enp0s3
        valid_lft forever preferred_lft forever
    inet6 2804:2190:d002:c690:74bd:e86b:d7d2:3d38/64 scope global temporary dynamic

```

## Acessando o servidor

Rede > 192.168.18.100 > arquivos

| Nome       | Data de modificação | Tipo              | Tamanho |
|------------|---------------------|-------------------|---------|
| financeiro | 28/01/2025 12:27    | Pasta de arquivos |         |
| ti         | 28/01/2025 12:27    | Pasta de arquivos |         |