



root@teste: /home



```
root@teste:/home# docker-compose --version
docker-compose version 1.29.2, build unknown
root@teste:/home#
```

```
root@teste: ~/compose-demo
GNU nano 6.2 docker-compose.yml *
version: '3.7'
services:
  web:
    image: nginx:alpine
    ports:
      - "8000:80"
    volumes:
      - ./app:/usr/share/nginx/html
```

root@teste: ~/compose-demo/app

```
GNU nano 6.2 index.html
<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <title>Docker Compose Demo</title>
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/gh/kognise/water.css@latest/dist/dark.min.css">
</head>
<body>

  <h1>Essa é uma página de demonstração com docker compose</h1>

</body>
</html>
```

```
root@teste:~/compose-demo/app# docker-compose up -d
Creating network "compose-demo_default" with the default driver
Pulling web (nginx:alpine)...
alpine: Pulling from library/nginx
66a3d608f3fa: Pull complete
58290db888fa: Pull complete
5d777e0071f6: Pull complete
dbcfe8732ee6: Pull complete
37d775ecfbb9: Pull complete
e0350d1fd4dd: Pull complete
1f4aa363b71a: Pull complete
e74fff0a393a: Pull complete
Digest: sha256:814a8e88df978ade80e584cc5b333144b9372a8e3c98872d07137dbf3b44d0e4
Status: Downloaded newer image for nginx:alpine
Creating compose-demo_web_1 ... done
root@teste:~/compose-demo/app#
```

