Pasjans

Generated by Doxygen 1.9.1

1 Namespace Index 1
1.1 Packages . . . 1

2 Hierarchical Index 3
2.1 Class Hierarchy . . . 3

3 Class Index 5
3.1 Class List . . . 5

4 File Index 7
4.1 File List . . . 7

5 Namespace Documentation 9
5.1 Pasjans Namespace Reference . . . 9
5.1.1 Enumeration Type Documentation . . . 9
5.1.1.1 Kolor . . . 9
5.1.1.2 Rank . . . 10

6 Class Documentation 11
6.1 Pasjans.App Class Reference . . . 11
6.1.1 Detailed Description . . . 11
6.2 Pasjans.Karta Class Reference . . . 11
6.2.1 Constructor & Destructor Documentation . . . 12
6.2.1.1 Karta() . . . 12
6.2.2 Member Function Documentation . . . 12
6.2.2.1 Barwa() . . . 12
6.2.2.2 Odkryj() . . . 12
6.2.2.3 ToString() . . . 12
6.2.3 Property Documentation . . . 12
6.2.3.1 Kolor . . . 12
6.2.3.2 Odkryta . . . 12
6.2.3.3 Rank . . . 13
6.3 Pasjans.MainWindow Class Reference . . . 13
6.3.1 Detailed Description . . . 13
6.3.2 Constructor & Destructor Documentation . . . 14
6.3.2.1 MainWindow() . . . 14
6.3.3 Member Function Documentation . . . 14
6.3.3.1 Rozdaj() . . . 14
6.3.3.2 Tasuj() . . . 14
6.3.4 Property Documentation . . . 14
6.3.4.1 Stack1 . . . 14
6.3.4.2 Stack2 . . . 14
6.3.4.3 Stack3 . . . 14
6.3.4.4 Stack4 . . . 15

6.3.4.5 Stack5 . . . 15
6.3.4.6 Stack6 . . . 15
6.3.4.7 Stack7 . . . 15
6.3.4.8 StackClubs . . . 15
6.3.4.9 StackDiamonds . . . 15
6.3.4.10 StackHearts . . . 15
6.3.4.11 StackSpades . . . 15
6.3.4.12 Stock . . . 16
6.3.4.13 Waste . . . 16

7 File Documentation **17**

7.1 C:/Users/Lucjan/source/repos/Pasjans/Pasjans/App.xaml.cs File Reference . . . 17
7.2 C:/Users/Lucjan/source/repos/Pasjans/Pasjans/AssemblyInfo.cs File Reference . . . 17
7.3 C:/Users/Lucjan/source/repos/Pasjans/Pasjans/Karta.cs File Reference . . . 17
7.4 C:/Users/Lucjan/source/repos/Pasjans/Pasjans/MainWindow.xaml.cs File Reference . . . 18

Index **19**

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

Pasjans 9

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Application
    Pasjans.App 11
Pasjans.Karta 11
Window
    Pasjans.MainWindow 13

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Pasjans.App
    Interaction logic for App.xaml 11
Pasjans.Karta 11
Pasjans.MainWindow
    Interaction logic for MainWindow.xaml 13

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

C:/Users/Lucjan/source/repos/Pasjans/Pasjans/App.xaml.cs 17
C:/Users/Lucjan/source/repos/Pasjans/Pasjans/AssemblyInfo.cs 17
C:/Users/Lucjan/source/repos/Pasjans/Pasjans/Karta.cs 17
C:/Users/Lucjan/source/repos/Pasjans/Pasjans/MainWindow.xaml.cs 18

Chapter 5

Namespace Documentation

5.1 Pasjans Namespace Reference

Classes

- class App

  Interaction logic for App.xaml
- class Karta
- class MainWindow

  Interaction logic for MainWindow.xaml

Enumerations

- enum class Kolor { Clubs = 1 , Spades = 2 , Hearts = 3 , Diamonds = 4 }
- enum class Rank {
  Ace = 1 , n2 = 2 , n3 = 3 , n4 = 4 ,
  n5 = 5 , n6 = 6 , n7 = 7 , n8 = 8 ,
  n9 = 9 , n10 = 10 , Jack = 11 , Queen = 12 ,
  King = 13 }

5.1.1 Enumeration Type Documentation

5.1.1.1 Kolor

```
enum Pasjans.Kolor  [strong]
```

Enumerator

Clubs	
Spades	
Hearts	
Diamonds	

5.1.1.2 Rank

enum Pasjans.Rank [strong]

Enumerator

Ace	
n2	
n3	
n4	
n5	
n6	
n7	
n8	
n9	
n10	
Jack	
Queen	
King	

Chapter 6

Class Documentation

6.1 Pasjans.App Class Reference

Interaction logic for App.xaml

Inheritance diagram for Pasjans.App:



6.1.1 Detailed Description

Interaction logic for App.xaml

The documentation for this class was generated from the following file:

- C:/Users/Lucjan/source/repos/Pasjans/Pasjans/App.xaml.cs

6.2 Pasjans.Karta Class Reference

Public Member Functions

- Karta (Kolor kolor, Rank rank)
- void Odkryj ()
- bool Barwa ()
- override string ToString ()

Properties

- Kolor Kolor `[get, set]`
- Rank Rank `[get, set]`
- bool Odkryta `[get, set]`

6.2.1 Constructor & Destructor Documentation

6.2.1.1 Karta()

```
Pasjans.Karta.Karta (
            Kolor kolor,
            Rank rank )
```

6.2.2 Member Function Documentation

6.2.2.1 Barwa()

```
bool Pasjans.Karta.Barwa ( )
```

6.2.2.2 Odkryj()

```
void Pasjans.Karta.Odkryj ( )
```

6.2.2.3 ToString()

```
override string Pasjans.Karta.ToString ( )
```

6.2.3 Property Documentation

6.2.3.1 Kolor

```
Kolor Pasjans.Karta.Kolor  [get], [set]
```

6.2.3.2 Odkryta

```
bool Pasjans.Karta.Odkryta  [get], [set]
```

6.2.3.3 Rank

```
Rank Pasjans.Karta.Rank  [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Users/Lucjan/source/repos/Pasjans/Pasjans/Karta.cs

6.3 Pasjans.MainWindow Class Reference

Interaction logic for MainWindow.xaml

Inheritance diagram for Pasjans.MainWindow:



Public Member Functions

- MainWindow ()
- void Rozdaj ()

Static Public Member Functions

- static Stack< Karta > Tasuj ()

Properties

- List< Karta > Stack1 [get, set]
- List< Karta > Stack2 [get, set]
- List< Karta > Stack3 [get, set]
- List< Karta > Stack4 [get, set]
- List< Karta > Stack5 [get, set]
- List< Karta > Stack6 [get, set]
- List< Karta > Stack7 [get, set]
- List< Karta > StackClubs [get, set]
- List< Karta > StackSpades [get, set]
- List< Karta > StackHearts [get, set]
- List< Karta > StackDiamonds [get, set]
- List< Karta > Stock [get, set]
- List< Karta > Waste [get, set]

6.3.1 Detailed Description

Interaction logic for MainWindow.xaml

6.3.2 Constructor & Destructor Documentation

6.3.2.1 MainWindow()

```
Pasjans.MainWindow.MainWindow ( )
```

6.3.3 Member Function Documentation

6.3.3.1 Rozdaj()

```
void Pasjans.MainWindow.Rozdaj ( )
```

6.3.3.2 Tasuj()

```
static Stack<Karta> Pasjans.MainWindow.Tasuj ( )  [static]
```

6.3.4 Property Documentation

6.3.4.1 Stack1

```
List<Karta> Pasjans.MainWindow.Stack1  [get], [set]
```

6.3.4.2 Stack2

```
List<Karta> Pasjans.MainWindow.Stack2  [get], [set]
```

6.3.4.3 Stack3

```
List<Karta> Pasjans.MainWindow.Stack3  [get], [set]
```

6.3.4.4 Stack4

```
List<Karta> Pasjans.MainWindow.Stack4  [get], [set]
```

6.3.4.5 Stack5

```
List<Karta> Pasjans.MainWindow.Stack5  [get], [set]
```

6.3.4.6 Stack6

```
List<Karta> Pasjans.MainWindow.Stack6  [get], [set]
```

6.3.4.7 Stack7

```
List<Karta> Pasjans.MainWindow.Stack7  [get], [set]
```

6.3.4.8 StackClubs

```
List<Karta> Pasjans.MainWindow.StackClubs  [get], [set]
```

6.3.4.9 StackDiamonds

```
List<Karta> Pasjans.MainWindow.StackDiamonds  [get], [set]
```

6.3.4.10 StackHearts

```
List<Karta> Pasjans.MainWindow.StackHearts  [get], [set]
```

6.3.4.11 StackSpades

```
List<Karta> Pasjans.MainWindow.StackSpades  [get], [set]
```

6.3.4.12 Stock

```
List<Karta> Pasjans.MainWindow.Stock  [get], [set]
```

6.3.4.13 Waste

```
List<Karta> Pasjans.MainWindow.Waste  [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Users/Lucjan/source/repos/Pasjans/Pasjans/MainWindow.xaml.cs

Chapter 7

File Documentation

7.1 C:/Users/Lucjan/source/repos/Pasjans/Pasjans/App.xaml.cs File Reference

Classes

- class Pasjans.App

  Interaction logic for App.xaml

Namespaces

- namespace Pasjans

7.2 C:/Users/Lucjan/source/repos/Pasjans/Pasjans/AssemblyInfo.cs File Reference

7.3 C:/Users/Lucjan/source/repos/Pasjans/Pasjans/Karta.cs File Reference

Classes

- class Pasjans.Karta

Namespaces

- namespace Pasjans

Enumerations

- enum class Pasjans.Kolor { Pasjans.Clubs = 1 , Pasjans.Spades = 2 , Pasjans.Hearts = 3 , Pasjans.Diamonds = 4 }
- enum class Pasjans.Rank {
  Pasjans.Ace = 1 , Pasjans.n2 = 2 , Pasjans.n3 = 3 , Pasjans.n4 = 4 ,
  Pasjans.n5 = 5 , Pasjans.n6 = 6 , Pasjans.n7 = 7 , Pasjans.n8 = 8 ,
  Pasjans.n9 = 9 , Pasjans.n10 = 10 , Pasjans.Jack = 11 , Pasjans.Queen = 12 ,
  Pasjans.King = 13 }

7.4 C:/Users/Lucjan/source/repos/Pasjans/Pasjans/MainWindow.xaml.cs File Reference

Classes

- class Pasjans.MainWindow

  Interaction logic for MainWindow.xaml

Namespaces

- namespace Pasjans

Index

Ace
    Pasjans, 10

Barwa
    Pasjans.Karta, 12

C:/Users/Lucjan/source/repos/Pasjans/Pasjans/App.xaml.cs, 17
C:/Users/Lucjan/source/repos/Pasjans/Pasjans/AssemblyInfo.cs, 17
C:/Users/Lucjan/source/repos/Pasjans/Pasjans/Karta.cs, 17
C:/Users/Lucjan/source/repos/Pasjans/Pasjans/MainWindow.xaml.cs, 18
Clubs
    Pasjans, 9

Diamonds
    Pasjans, 9

Hearts
    Pasjans, 9

Jack
    Pasjans, 10

Karta
    Pasjans.Karta, 12
King
    Pasjans, 10
Kolor
    Pasjans, 9
    Pasjans.Karta, 12

MainWindow
    Pasjans.MainWindow, 14

n10
    Pasjans, 10
n2
    Pasjans, 10
n3
    Pasjans, 10
n4
    Pasjans, 10
n5
    Pasjans, 10
n6
    Pasjans, 10
n7
    Pasjans, 10
n8
    Pasjans, 10
n9
    Pasjans, 10

Odkryj
    Pasjans.Karta, 12
Odkryta
    Pasjans.Karta, 12

Pasjans, 9
    Ace, 10
    Clubs, 9
    Diamonds, 9
    Hearts, 9
    Jack, 10
    King, 10
    Kolor, 9
    n10, 10
    n2, 10
    n3, 10
    n4, 10
    n5, 10
    n6, 10
    n7, 10
    n8, 10
    n9, 10
    Queen, 10
    Rank, 10
    Spades, 9
Pasjans.App, 11
Pasjans.Karta, 11
    Barwa, 12
    Karta, 12
    Kolor, 12
    Odkryj, 12
    Odkryta, 12
    Rank, 12
    ToString, 12
Pasjans.MainWindow, 13
    MainWindow, 14
    Rozdaj, 14
    Stack1, 14
    Stack2, 14
    Stack3, 14
    Stack4, 14
    Stack5, 15
    Stack6, 15
    Stack7, 15
    StackClubs, 15

StackDiamonds, 15
StackHearts, 15
StackSpades, 15
Stock, 15
Tasuj, 14
Waste, 16

Queen
Pasjans, 10

Rank
Pasjans, 10
Pasjans.Karta, 12
Rozdaj
Pasjans.MainWindow, 14

Spades
Pasjans, 9
Stack1
Pasjans.MainWindow, 14
Stack2
Pasjans.MainWindow, 14
Stack3
Pasjans.MainWindow, 14
Stack4
Pasjans.MainWindow, 14
Stack5
Pasjans.MainWindow, 15
Stack6
Pasjans.MainWindow, 15
Stack7
Pasjans.MainWindow, 15
StackClubs
Pasjans.MainWindow, 15
StackDiamonds
Pasjans.MainWindow, 15
StackHearts
Pasjans.MainWindow, 15
StackSpades
Pasjans.MainWindow, 15
Stock
Pasjans.MainWindow, 15

Tasuj
Pasjans.MainWindow, 14
ToString
Pasjans.Karta, 12

Waste
Pasjans.MainWindow, 16