

CS323 Database Systems Intro to SQL Assignment

Afia Nyarkoa Otieku-Boadu
55002028
Cohort A

```
MariaDB [(none)]> create database movieco;  
Query OK, 1 row affected (0.008 sec)
```

```
MariaDB [(none)]> use movieco;  
Database changed
```

Question 1

```
MariaDB [movieco]> create table membership(mem_num int not null,  
mem_fname varchar(50), mem_lname varchar(50), mem_street varchar(50),  
mem_city varchar(30), mem_state varchar(2), mem_zip int(5), mem_balance  
int, primary key(mem_num));  
Query OK, 0 rows affected (0.009 sec)
```

```
MariaDB [movieco]> create table rental(rent_num int not null, rent_date  
date, mem_num int, primary key (rent_num), foreign key (mem_num)  
references membership(mem_num));  
Query OK, 0 rows affected (0.018 sec)
```

```
MariaDB [movieco]> create table price(price_code int not null,  
price_description varchar(100), price_rentfee float, price_dailylatefee  
float, primary key (price_code));  
Query OK, 0 rows affected (0.017 sec)
```

```
MariaDB [movieco]> create table movie(movie_num int not null, movie_title  
varchar(100), movie_year year(4), movie_cost float, movie_genre  
varchar(50), price_code int, primary key (movie_num), foreign key  
(price_code) references price(price_code));  
Query OK, 0 rows affected (0.018 sec)
```

```
MariaDB [movieco]> create table video(vid_num int not null, vid_indate  
date, movie_num int, primary key(vid_num), foreign key(movie_num)  
references movie(movie_num));  
Query OK, 0 rows affected (0.018 sec)
```

```
MariaDB [movieco]> create table detailrental(rent_num int not null,  
vid_num int not null, detail_fee float, detail_duedate date,  
detail_returndate date, detail_dailylatefee float, foreign key(rent_num)  
references rental(rent_num), foreign key(vid_num) references  
video(vid_num), primary key(rent_num, vid_num));  
Query OK, 0 rows affected (0.015 sec)
```

Question 2

```
MariaDB [movieco]> INSERT INTO membership VALUES (102, 'Tami', 'Dawson',  
'2632 Takli Circle', 'Norene', 'TN', 37136, 11);  
Query OK, 1 row affected (0.011 sec)
```

```
MariaDB [movieco]> INSERT INTO membership VALUES (103, 'Curt', 'Knight',  
'4025 Cornell Court', 'Flatgap', 'KY', 41219, 6);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO membership VALUES (104, 'Jamal',  
'Melendez', '788 East 145th Avenue', 'Quebeck', 'TN', 38579, 0);  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [movieco]> INSERT INTO membership VALUES (105, 'Iva', 'Mcclain',  
'6045 Musket Ball Circle', 'Summit', 'KY', 42783, 15);  
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movieco]> INSERT INTO membership VALUES (106, 'Miranda',  
'Parks', '4469 Maxwell Place', 'Germantown', 'TN', 38183, 0);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO membership VALUES (107, 'Rosario',  
'Elliott', '7578 Danner Avenue', 'Columbia', 'TN', 38402, 5);  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [movieco]> INSERT INTO membership VALUES (108, 'Mattie', 'Guy',  
'4390 Evergreen Street', 'Lily', 'KY', 40740, 0);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO membership VALUES (109, 'Clint', 'Ochoa',  
'1711 Elm Street', 'Greeneville', 'TN', 37745, 10);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO membership VALUES (110, 'Lewis',  
'Rosales', '4524 Southwind Circle', 'Counce', 'TN', 38326, 0);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO membership VALUES (111, 'Stacy', 'Mann',  
'2789 East Cook Avenue', 'Murfreesboro', 'TN', 37132, 8);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO membership VALUES (112, 'Luis',  
'Trujillo', '7267 Melvin Avenue', 'Heiskell', 'TN', 37754, 3);  
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movieco]> INSERT INTO membership VALUES (113, 'Minnie',  
'Gonzales', '6430 Vasili Drive', 'Williston', 'TN', 38076, 0);  
Query OK, 1 row affected (0.008 sec)
```

```
MariaDB [movieco]> select * from membership;
```

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+  
--+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+  
| mem_num | mem_fname | mem_lname | mem_street | mem_city |  
| mem_state | mem_zip | mem_balance | |  
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+  
--+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+  
| 102 | Tami | Dawson | 2632 Takli Circle | Norene |  
| TN | | 37136 | 11 | |  
| 103 | Curt | Knight | 4025 Cornell Court | Flatgap |  
| KY | | 41219 | 6 | |  
| 104 | Jamal | Melendez | 788 East 145th Avenue | Quebeck |  
| TN | | 38579 | 0 | |  
| 105 | Iva | Mcclain | 6045 Musket Ball Circle | Summit |  
| KY | | 42783 | 15 | |  
| 106 | Miranda | Parks | 4469 Maxwell Place | Germantown |  
| TN | | 38183 | 0 | |
```

	107	Rosario	Elliott	7578 Danner Avenue	Columbia
TN		38402		5	
	108	Mattie	Guy	4390 Evergreen Street	Lily
KY		40740		0	
	109	Clint	Ochoa	1711 Elm Street	Greeneville
TN		37745		10	
	110	Lewis	Rosales	4524 Southwind Circle	Counce
TN		38326		0	
	111	Stacy	Mann	2789 East Cook Avenue	
Murfreesboro	TN		37132	8	
	112	Luis	Trujillo	7267 Melvin Avenue	Heiskell
TN		37754		3	
	113	Minnie	Gonzales	6430 Vasili Drive	Williston
TN		38076		0	

```

+-----+-----+-----+-----+-----+
--+-----+-----+-----+
12 rows in set (0.001 sec)

```

```

MariaDB [movieco]> INSERT INTO rental VALUES (1001, '2016-03-01', 103);
Query OK, 1 row affected (0.009 sec)

```

```

MariaDB [movieco]> INSERT INTO rental VALUES (1002, '2016-03-01', 105);
Query OK, 1 row affected (0.002 sec)

```

```

MariaDB [movieco]> INSERT INTO rental VALUES (1003, '2016-03-02', 102);
Query OK, 1 row affected (0.002 sec)

```

```

MariaDB [movieco]> INSERT INTO rental VALUES (1004, '2016-03-02', 110);
Query OK, 1 row affected (0.002 sec)

```

```

MariaDB [movieco]> INSERT INTO rental VALUES (1005, '2016-03-02', 111);
Query OK, 1 row affected (0.002 sec)

```

```

MariaDB [movieco]> INSERT INTO rental VALUES (1006, '2016-03-02', 107);
Query OK, 1 row affected (0.001 sec)

```

```

MariaDB [movieco]> INSERT INTO rental VALUES (1007, '2016-03-02', 104);
Query OK, 1 row affected (0.001 sec)

```

```

MariaDB [movieco]> INSERT INTO rental VALUES (1008, '2016-03-03', 105);
Query OK, 1 row affected (0.001 sec)

```

```

MariaDB [movieco]> INSERT INTO rental VALUES (1009, '2016-03-03', 111);
Query OK, 1 row affected (0.002 sec)

```

```

MariaDB [movieco]> select * from rental;

```

rent_num	rent_date	mem_num
1001	2016-03-01	103
1002	2016-03-01	105
1003	2016-03-02	102
1004	2016-03-02	110
1005	2016-03-02	111
1006	2016-03-02	107
1007	2016-03-02	104
1008	2016-03-03	105
1009	2016-03-03	111

```
+-----+-----+-----+
9 rows in set (0.001 sec)
```

```
MariaDB [movieco]> INSERT INTO price VALUES (1, 'Standard', 2, 1);
Query OK, 1 row affected (0.010 sec)
```

```
MariaDB [movieco]> INSERT INTO price VALUES (2, 'New Release', 3.5, 3);
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movieco]> INSERT INTO price VALUES (3, 'Discount', 1.5, 1);
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO price VALUES (4, 'Weekly Special', 1,
0.5);
Query OK, 1 row affected (0.007 sec)
```

```
MariaDB [movieco]> select * from price;
```

```
+-----+-----+-----+-----+
| price_code | price_description | price_rentfee | price_dailylatefee |
+-----+-----+-----+-----+
|          1 | Standard          |          2    |          1         |
|          2 | New Release       |         3.5    |          3         |
|          3 | Discount          |         1.5    |          1         |
|          4 | Weekly Special    |          1     |         0.5        |
+-----+-----+-----+-----+
4 rows in set (0.001 sec)
```

```
MariaDB [movieco]> INSERT INTO movie VALUES (1234, 'The Cesar Family
Christmas', 2014, 39.95, 'FAMILY', 2);
Query OK, 1 row affected (0.011 sec)
```

```
MariaDB [movieco]> INSERT INTO movie VALUES (1235, 'Smokey Mountain
Wildlife', 2011, 59.95, 'ACTION', 1);
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO movie VALUES (1236, 'Richard Goodhope',
2015, 59.95, 'DRAMA', 2);
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO movie VALUES (1237, 'Beatnik Fever', 2014,
29.95, 'COMEDY', 2);
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movieco]> INSERT INTO movie VALUES (1238, 'Constant Companion',
2015, 89.95, 'DRAMA', NULL);
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO movie VALUES (1239, 'Where Hope Dies',
2005, 25.49, 'DRAMA', 3);
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO movie VALUES (1245, 'Time to Burn', 2012,
45.49, 'ACTION', 1);
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movieco]> INSERT INTO movie VALUES (1246, 'What He Doesn''t
Know', 2013, 58.29, 'COMEDY', 1);
Query OK, 1 row affected (0.008 sec)
```

MariaDB [movieco]> select * from movie;

```
+-----+-----+-----+-----+-----+
-----+-----+
| movie_num | movie_title                | movie_year | movie_cost |
movie_genre | price_code |
+-----+-----+-----+-----+-----+
-----+-----+
|      1234 | The Cesar Family Christmas |      2014 |      39.95 |
FAMILY     |           2 |
|      1235 | Smokey Mountain Wildlife   |      2011 |      59.95 |
ACTION     |           1 |
|      1236 | Richard Goodhope           |      2015 |      59.95 |
DRAMA      |           2 |
|      1237 | Beatnik Fever               |      2014 |      29.95 |
COMEDY     |           2 |
|      1238 | Constant Companion          |      2015 |      89.95 |
DRAMA      |          NULL |
|      1239 | Where Hope Dies             |      2005 |      25.49 |
DRAMA      |           3 |
|      1245 | Time to Burn                |      2012 |      45.49 |
ACTION     |           1 |
|      1246 | What He Doesn't Know        |      2013 |      58.29 |
COMEDY     |           1 |
+-----+-----+-----+-----+-----+
-----+-----+
```

8 rows in set (0.000 sec)

MariaDB [movieco]> INSERT INTO video VALUES (54321, '2015-06-18', 1234);
Query OK, 1 row affected (0.012 sec)

MariaDB [movieco]> INSERT INTO video VALUES (54324, '2015-06-18', 1234);
Query OK, 1 row affected (0.002 sec)

MariaDB [movieco]> INSERT INTO video VALUES (54325, '2015-06-18', 1234);
Query OK, 1 row affected (0.002 sec)

MariaDB [movieco]> INSERT INTO video VALUES (34341, '2014-01-22', 1235);
Query OK, 1 row affected (0.001 sec)

MariaDB [movieco]> INSERT INTO video VALUES (34342, '2014-01-22', 1235);
Query OK, 1 row affected (0.001 sec)

MariaDB [movieco]> INSERT INTO video VALUES (34366, '2016-03-02', 1236);
Query OK, 1 row affected (0.002 sec)

MariaDB [movieco]> INSERT INTO video VALUES (34367, '2016-03-02', 1236);
Query OK, 1 row affected (0.002 sec)

MariaDB [movieco]> INSERT INTO video VALUES (34368, '2016-03-02', 1236);
Query OK, 1 row affected (0.002 sec)

MariaDB [movieco]> INSERT INTO video VALUES (34369, '2016-03-02', 1236);
Query OK, 1 row affected (0.001 sec)

MariaDB [movieco]> INSERT INTO video VALUES (44392, '2015-10-21', 1237);
Query OK, 1 row affected (0.002 sec)

MariaDB [movieco]> INSERT INTO video VALUES (44397, '2015-10-21', 1237);
Query OK, 1 row affected (0.002 sec)

MariaDB [movieco]> INSERT INTO video VALUES (59237, '2016-02-14', 1237);
Query OK, 1 row affected (0.002 sec)

MariaDB [movieco]> INSERT INTO video VALUES (61388, '2014-01-25', 1239);
Query OK, 1 row affected (0.002 sec)

MariaDB [movieco]> INSERT INTO video VALUES (61353, '2013-01-28', 1245);
Query OK, 1 row affected (0.002 sec)

MariaDB [movieco]> INSERT INTO video VALUES (61354, '2013-01-28', 1245);
Query OK, 1 row affected (0.002 sec)

MariaDB [movieco]> INSERT INTO video VALUES (61367, '2015-07-30', 1246);
Query OK, 1 row affected (0.002 sec)

MariaDB [movieco]> INSERT INTO video VALUES (61369, '2015-07-30', 1246);
Query OK, 1 row affected (0.008 sec)

MariaDB [movieco]> select * from video;

vid_num	vid_indate	movie_num
34341	2014-01-22	1235
34342	2014-01-22	1235
34366	2016-03-02	1236
34367	2016-03-02	1236
34368	2016-03-02	1236
34369	2016-03-02	1236
44392	2015-10-21	1237
44397	2015-10-21	1237
54321	2015-06-18	1234
54324	2015-06-18	1234
54325	2015-06-18	1234
59237	2016-02-14	1237
61353	2013-01-28	1245
61354	2013-01-28	1245
61367	2015-07-30	1246
61369	2015-07-30	1246
61388	2014-01-25	1239

17 rows in set (0.001 sec)

MariaDB [movieco]> INSERT INTO detailrental VALUES (1001, 34342, 2, '2016-03-04', '2016-03-02', NULL);
Query OK, 1 row affected (0.004 sec)

MariaDB [movieco]> INSERT INTO detailrental VALUES (1001, 61353, 2, '2016-03-04', '2016-03-03', 1);
Query OK, 1 row affected (0.002 sec)

MariaDB [movieco]> INSERT INTO detailrental VALUES (1002, 59237, 3.5, '2016-03-04', '2016-03-04', 3);
Query OK, 1 row affected (0.002 sec)

```
MariaDB [movieco]> INSERT INTO detailrental VALUES (1003, 54325, 3.5,  
'2016-03-04', '2016-03-09', 3);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO detailrental VALUES (1003, 61369, 2,  
'2016-03-06', '2016-03-09', 1);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO detailrental VALUES (1003, 61388, 0,  
'2016-03-06', '2016-03-09', 1);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO detailrental VALUES (1004, 44392, 3.5,  
'2016-03-05', '2016-03-07', 3);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO detailrental VALUES (1004, 34367, 3.5,  
'2016-03-05', '2016-03-07', 3);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO detailrental VALUES (1004, 34341, 2,  
'2016-03-07', '2016-03-07', 1);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO detailrental VALUES (1005, 34342, 2,  
'2016-03-07', '2016-03-05', 1);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO detailrental VALUES (1005, 44397, 3.5,  
'2016-03-05', '2016-03-05', 3);  
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movieco]> INSERT INTO detailrental VALUES (1006, 34366, 3.5,  
'2016-03-05', '2016-03-04', 3);  
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movieco]> INSERT INTO detailrental VALUES (1006, 61367, 2,  
'2016-03-07', NULL, 1);  
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movieco]> INSERT INTO detailrental VALUES (1007, 34368, 3.5,  
'2016-03-05', NULL, 3);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO detailrental VALUES (1008, 34369, 3.5,  
'2016-03-05', '2016-03-05', 3);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movieco]> INSERT INTO detailrental VALUES (1009, 54324, 3.5,  
'2016-03-05', NULL, 3);  
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movieco]> INSERT INTO detailrental VALUES (1001, 34366, 3.5,  
'2016-03-04', '2016-03-02', 3);  
Query OK, 1 row affected (0.007 sec)
```

```
MariaDB [movieco]> select * from detailrental;
```

```

+-----+-----+-----+-----+-----+-----+
| rent_num | vid_num | detail_fee | detail_duedate | detail_returndate | detail_dailylatefee |
+-----+-----+-----+-----+-----+-----+
| 1001 | 34342 | 2 | 2016-03-04 | 2016-03-02 | NULL |
| 1001 | 34366 | 3.5 | 2016-03-04 | 2016-03-02 | 3 |
| 1001 | 61353 | 2 | 2016-03-04 | 2016-03-03 | 1 |
| 1002 | 59237 | 3.5 | 2016-03-04 | 2016-03-04 | 3 |
| 1003 | 54325 | 3.5 | 2016-03-04 | 2016-03-09 | 3 |
| 1003 | 61369 | 2 | 2016-03-06 | 2016-03-09 | 1 |
| 1003 | 61388 | 0 | 2016-03-06 | 2016-03-09 | 1 |
| 1004 | 34341 | 2 | 2016-03-07 | 2016-03-07 | 1 |
| 1004 | 34367 | 3.5 | 2016-03-05 | 2016-03-07 | 3 |
| 1004 | 44392 | 3.5 | 2016-03-05 | 2016-03-07 | 3 |
| 1005 | 34342 | 2 | 2016-03-07 | 2016-03-05 | 1 |
| 1005 | 44397 | 3.5 | 2016-03-05 | 2016-03-05 | 3 |
| 1006 | 34366 | 3.5 | 2016-03-05 | 2016-03-04 | 3 |
| 1006 | 61367 | 2 | 2016-03-07 | NULL | 1 |
| 1007 | 34368 | 3.5 | 2016-03-05 | NULL | 3 |
| 1008 | 34369 | 3.5 | 2016-03-05 | 2016-03-05 | 3 |
| 1009 | 54324 | 3.5 | 2016-03-05 | NULL | 3 |
+-----+-----+-----+-----+-----+-----+
17 rows in set (0.001 sec)

```

Question 3

```

MariaDB [movieco]> select movie_year, movie_num from movie where
movie_num = 1245;

```

```

+-----+-----+
| movie_year | movie_num |
+-----+-----+
| 2012 | 1245 |
+-----+-----+
1 row in set (0.002 sec)

```

```

MariaDB [movieco]> update movie set movie_year = 2010 where movie_num =
1245;
Query OK, 1 row affected (0.007 sec)

```


Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [movieco]> select movie_year, movie_num from movie where movie_num = 1245;

```
+-----+-----+
| movie_year | movie_num |
+-----+-----+
|      2010 |      1245 |
+-----+-----+
1 row in set (0.001 sec)
```

Question 4

MariaDB [movieco]> select price_code, movie_genre from movie where movie_genre = 'action';

```
+-----+-----+
| price_code | movie_genre |
+-----+-----+
|          1 | ACTION      |
|          1 | ACTION      |
+-----+-----+
2 rows in set (0.013 sec)
```

MariaDB [movieco]> update movie set price_code = 3 where movie_genre = 'action';

Query OK, 2 rows affected (0.008 sec)

Rows matched: 2 Changed: 2 Warnings: 0

MariaDB [movieco]> select price_code, movie_genre from movie where movie_genre = 'action';

```
+-----+-----+
| price_code | movie_genre |
+-----+-----+
|          3 | ACTION      |
|          3 | ACTION      |
+-----+-----+
2 rows in set (0.001 sec)
```

Question 5

MariaDB [movieco]> select * from price;

```
+-----+-----+-----+-----+
| price_code | price_description | price_rentfee | price_dailylatefee |
+-----+-----+-----+-----+
|          1 | Standard          |          2    |          1          |
|          2 | New Release       |          3.5  |          3          |
|          3 | Discount          |          1.5  |          1          |
|          4 | Weekly Special    |          1    |          0.5        |
+-----+-----+-----+-----+
4 rows in set (0.001 sec)
```

MariaDB [movieco]> update PRICE set price_rentfee = price_rentfee + 0.5;

Query OK, 4 rows affected (0.007 sec)

Rows matched: 4 Changed: 4 Warnings: 0

MariaDB [movieco]> select * from price;

```
+-----+-----+-----+-----+
| price_code | price_description | price_rentfee | price_dailylatefee |
+-----+-----+-----+-----+
|          1 | Standard          |          2.5  |          1          |
```

2	New Release	4	3
3	Discount	2	1
4	Weekly Special	1.5	0.5

4 rows in set (0.001 sec)

Question 6

MariaDB [movieco]> select movie_title, movie_year, movie_genre from movie;

movie_title	movie_year	movie_genre
The Cesar Family Christmas	2014	FAMILY
Smokey Mountain Wildlife	2011	ACTION
Richard Goodhope	2015	DRAMA
Beatnik Fever	2014	COMEDY
Constant Companion	2015	DRAMA
Where Hope Dies	2005	DRAMA
Time to Burn	2010	ACTION
What He Doesn't Know	2013	COMEDY

8 rows in set (0.001 sec)

Question 7

MariaDB [movieco]> select movie_year, movie_title, movie_cost from movie order by movie_year desc;

movie_year	movie_title	movie_cost
2015	Richard Goodhope	59.95
2015	Constant Companion	89.95
2014	The Cesar Family Christmas	39.95
2014	Beatnik Fever	29.95
2013	What He Doesn't Know	58.29
2011	Smokey Mountain Wildlife	59.95
2010	Time to Burn	45.49
2005	Where Hope Dies	25.49

8 rows in set (0.001 sec)

Question 8

MariaDB [movieco]> select movie_title, movie_year, movie_genre from movie order by movie_genre asc, movie_year desc;

movie_title	movie_year	movie_genre
Smokey Mountain Wildlife	2011	ACTION
Time to Burn	2010	ACTION
Beatnik Fever	2014	COMEDY
What He Doesn't Know	2013	COMEDY
Richard Goodhope	2015	DRAMA
Constant Companion	2015	DRAMA
Where Hope Dies	2005	DRAMA
The Cesar Family Christmas	2014	FAMILY

8 rows in set (0.008 sec)

Question 9

MariaDB [movieco]> select movie_num, movie_title, price_code from movie
where movie_title like 'r%';

movie_num	movie_title	price_code
1236	Richard Goodhope	2

1 row in set (0.010 sec)

Question 10

MariaDB [movieco]> select movie_title, movie_year, movie_cost from movie
where movie_title like '%hope%';

movie_title	movie_year	movie_cost
Richard Goodhope	2015	59.95
Where Hope Dies	2005	25.49

2 rows in set (0.001 sec)

Question 11

MariaDB [movieco]> select movie_title, movie_year, movie_genre from movie
where movie_genre = 'action';

movie_title	movie_year	movie_genre
Smokey Mountain Wildlife	2011	ACTION
Time to Burn	2010	ACTION

2 rows in set (0.001 sec)

Question 12

MariaDB [movieco]> select movie_num, movie_title, movie_cost from movie
where movie_cost > 40;

movie_num	movie_title	movie_cost
1235	Smokey Mountain Wildlife	59.95
1236	Richard Goodhope	59.95
1238	Constant Companion	89.95
1245	Time to Burn	45.49
1246	What He Doesn't Know	58.29

5 rows in set (0.003 sec)

Question 13

MariaDB [movieco]> select movie_num, movie_title, movie_cost, movie_genre
from MOVIE where (movie_genre = "comedy" OR movie_genre = "action") AND
movie_cost < 50 group by movie_genre;

movie_num	movie_title	movie_cost	movie_genre
1245	Time to Burn	45.49	ACTION
1237	Beatnik Fever	29.95	COMEDY

2 rows in set (0.007 sec)

Question 14

```
MariaDB [movieco]> select mem_num, mem_fname, mem_lname, mem_street,
mem_state, mem_balance from membership where mem_state = 'tn' and
(mem_balance < 5 and mem_street like '%avenue');
```

```
+-----+-----+-----+-----+-----+-----+
| mem_num | mem_fname | mem_lname | mem_street | mem_state |
mem_balance |
+-----+-----+-----+-----+-----+-----+
|      104 | Jamal     | Melendez  | 788 East 145th Avenue | TN      |
0 |
|      112 | Luis      | Trujillo  | 7267 Melvin Avenue    | TN      |
3 |
+-----+-----+-----+-----+-----+-----+
+-----+
```

2 rows in set (0.003 sec)

Question 15

```
MariaDB [movieco]> select movie_genre, count(*) from movie group by
movie_genre;
```

```
+-----+-----+
| movie_genre | count(*) |
+-----+-----+
| ACTION      |         2 |
| COMEDY      |         2 |
| DRAMA       |         3 |
| FAMILY      |         1 |
+-----+-----+
```

4 rows in set (0.001 sec)

Question 16

```
MariaDB [movieco]> select round(avg(movie_cost), 4) as 'Average Movie
Cost' from movie;
```

```
+-----+
| Average Movie Cost |
+-----+
|          51.1275 |
+-----+
```

1 row in set (0.009 sec)

Question 17

```
MariaDB [movieco]> select movie_genre, round(avg(movie_cost), 2) as
'Average Cost' from movie group by movie_genre;
```

```
+-----+-----+
| movie_genre | Average Cost |
+-----+-----+
| ACTION      |          52.72 |
| COMEDY      |          44.12 |
| DRAMA       |          58.46 |
| FAMILY      |          39.95 |
+-----+-----+
```

4 rows in set (0.001 sec)

Question 18

```
MariaDB [movieco]> select m.movie_title, m.movie_genre,
p.price_description, p.price_rentfee from movie m join price p on
m.price_code = p.price_code;
```

```

+-----+-----+-----+-----+
-----+
| movie_title          | movie_genre | price_description |
price_rentfee |
+-----+-----+-----+-----+
-----+
| The Cesar Family Christmas | FAMILY      | New Release      |
4 |
| Smokey Mountain Wildlife  | ACTION      | Discount          |
2 |
| Richard Goodhope          | DRAMA       | New Release      |
4 |
| Beatnik Fever             | COMEDY      | New Release      |
4 |
| Where Hope Dies           | DRAMA       | Discount          |
2 |
| Time to Burn              | ACTION      | Discount          |
2 |
| What He Doesn't Know      | COMEDY      | Standard          |
2.5 |
+-----+-----+-----+-----+
-----+
7 rows in set (0.011 sec)

```

Question 19

```

MariaDB [movieco]> select m.movie_genre, avg(p.price_rentfee) from movie
m join price p on m.price_code = p.price_code where p.price_rentfee is
not null group by m.movie_genre;

```

```

+-----+-----+
| movie_genre | avg(p.price_rentfee) |
+-----+-----+
| ACTION      | 2 |
| COMEDY      | 3.25 |
| DRAMA       | 3 |
| FAMILY      | 4 |
+-----+-----+
4 rows in set (0.001 sec)

```

Question 20

```

MariaDB [movieco]> select m.movie_title,
round(m.movie_cost/p.price_rentfee, 2) as 'breakeven rentals' from movie
m join price p on m.price_code = p.price_code where p.price_rentfee is
not null;

```

```

+-----+-----+
| movie_title          | breakeven rentals |
+-----+-----+
| The Cesar Family Christmas | 9.99 |
| Smokey Mountain Wildlife  | 29.98 |
| Richard Goodhope          | 14.99 |
| Beatnik Fever             | 7.49 |
| Where Hope Dies           | 12.74 |
| Time to Burn              | 22.75 |
| What He Doesn't Know      | 23.32 |
+-----+-----+
7 rows in set (0.001 sec)

```

Question 21

MariaDB [movieco]> select m.movie_title, m.movie_year from movie m join price p on m.price_code = p.price_code where p.price_rentfee is not null;

movie_title	movie_year
The Cesar Family Christmas	2014
Smokey Mountain Wildlife	2011
Richard Goodhope	2015
Beatnik Fever	2014
Where Hope Dies	2005
Time to Burn	2010
What He Doesn't Know	2013

7 rows in set (0.001 sec)

Question 22

MariaDB [movieco]> select movie_title, movie_genre, movie_cost from movie where movie_cost between 44.99 and 49.99;

movie_title	movie_genre	movie_cost
Time to Burn	ACTION	45.49

1 row in set (0.008 sec)

Question 23

MariaDB [movieco]> select m.movie_title, p.price_description, p.price_rentfee, m.movie_genre from movie m join price p on m.price_code = p.price_code where (movie_genre = 'family' or movie_genre = 'comedy' or movie_genre = 'drama');

movie_title	price_description	price_rentfee	movie_genre
The Cesar Family Christmas	New Release	4	FAMILY
Richard Goodhope	New Release	4	DRAMA
Beatnik Fever	New Release	4	COMEDY
Where Hope Dies	Discount	2	DRAMA
What He Doesn't Know	Standard	2.5	COMEDY

5 rows in set (0.001 sec)

Question 24

MariaDB [movieco]> select distinct m.mem_num, m.mem_fname, m.mem_lname, m.mem_balance from membership m join rental r on m.mem_num = r.mem_num where r.mem_num is not null;

mem_num	mem_fname	mem_lname	mem_balance
102	Tami	Dawson	11

103	Curt	Knight	6
104	Jamal	Melendez	0
105	Iva	Mcclain	15
107	Rosario	Elliot	5
110	Lewis	Rosales	0
111	Stacy	Mann	8

7 rows in set (0.011 sec)

Question 25

```
MariaDB [movieco]> select min(m.mem_balance) as 'Minimum Balance',
max(m.mem_balance) as 'Maximum Balance', round(avg(m.mem_balance), 2) as
'Average Balance' from membership m join rental r on m.mem_num =
r.mem_num where r.mem_num is not null;
```

Minimum Balance	Maximum Balance	Average Balance
0	15	7.56

1 row in set (0.001 sec)

Question 26

```
MariaDB [movieco]> select r.rent_num, r.rent_date, d.vid_num,
m.movie_title, d.detail_duedate, d.detail_returndate from rental r join
detailrental d on r.rent_num = d.rent_num join video v on d.vid_num =
v.vid_num join movie m on v.movie_num = m.movie_num where
d.detail_returndate > d.detail_duedate order by r.rent_num,
m.movie_title;
```

rent_num	rent_date	vid_num	movie_title	detail_duedate	detail_returndate
1003	2016-03-02	54325	The Cesar Family Christmas	2016-03-04	2016-03-09
1003	2016-03-02	61369	What He Doesn't Know	2016-03-06	2016-03-09
1003	2016-03-02	61388	Where Hope Dies	2016-03-06	2016-03-09
1004	2016-03-02	44392	Beatnik Fever	2016-03-05	2016-03-07
1004	2016-03-02	34367	Richard Goodhope	2016-03-05	2016-03-07

5 rows in set (0.002 sec)

Question 27

```
MariaDB [movieco]> select r.rent_num, r.rent_date, m.movie_title,
d.detail_fee from rental r join detailrental d on r.rent_num = d.rent_num
join video v on d.vid_num = v.vid_num join movie m on v.movie_num =
m.movie_num where d.detail_returndate <= d.detail_duedate order by
r.rent_num, m.movie_title;
```

rent_num	rent_date	movie_title	detail_fee
1001	2016-03-01	Richard Goodhope	3.5

1001	2016-03-01	Smokey Mountain Wildlife	2
1001	2016-03-01	Time to Burn	2
1002	2016-03-01	Beatnik Fever	3.5
1004	2016-03-02	Smokey Mountain Wildlife	2
1005	2016-03-02	Beatnik Fever	3.5
1005	2016-03-02	Smokey Mountain Wildlife	2
1006	2016-03-02	Richard Goodhope	3.5
1008	2016-03-03	Richard Goodhope	3.5

9 rows in set (0.001 sec)

Question 28

```
MariaDB [movieco]> select m.movie_num, m.movie_genre,
round(g.average_cost, 2) as 'Average Cost', m.movie_cost,
round(((m.movie_cost - g.average_cost)/g.average_cost) *100, 2) as
'Percent Difference' from movie m join (select movie_genre,
avg(movie_cost) as average_cost from movie group by movie_genre) g on
m.movie_genre = g.movie_genre order by m.movie_genre, m.movie_num;
```

movie_num	movie_genre	Average Cost	movie_cost	Percent Difference
1235	ACTION	52.72	59.95	
1245	ACTION	52.72	45.49	-
1237	COMEDY	44.12	29.95	-
1246	COMEDY	44.12	58.29	
1236	DRAMA	58.46	59.95	
1238	DRAMA	58.46	89.95	
1239	DRAMA	58.46	25.49	-
1234	FAMILY	39.95	39.95	

8 rows in set (0.012 sec)