

Bangladesh University of Business and Technology



LAB REPORT

Experiment No : 01
Course Title : Database Systems Lab
Course Code : CSE 208
Experiment Name: Lab Work 01

Submitted By:

Name : Luckman Rafique
ID No : 20255103042
Intake : 55
Section : 02
Program : B.Sc. in CSE

Submitted To:

Name : Md. Shakil Ahmed

(Lecturer)
Dept. of CSE
**Bangladesh University of Business
& Technology**


Date of Submission : 17/09/2026

Question 1. Create a database named SchoolDB.

Code:

create database SchoolIDB;

Output:




Question 2. Create a table named Students with the following columns:

- **StudentID**
- **FirstName**
- **LastName**
- **Age**
- **Department**

Code:

```
create table Students(  
    StudentID int,  
    FirstName varchar(20),  
    LastName varchar(20),  
    Age int,  
    Department varchar(20)  
);
```

Output:



Question 3. Insert at least five student records into the Students table

Code:

insert into

students(StudentID,FirstName,LastName,Age,Department)

```
VALUES(42,'Luckman','Rafique',20,'CSE'),(43,'Shah','Rokan',22,'CSE'),(60,'Shimul','Islam',22,'CSE'),(69,'Siam','Khan',21,'CSE'),(74,'Rizve','Kazi',22,'CSE');
```

Output:

The screenshot shows the phpMyAdmin interface. On the left, the database structure is visible, with 'schoolidb' selected and 'students' highlighted. The main panel shows the 'SQL' tab with the following query executed:

```
insert into students(StudentID,FirstName,LastName,Age,Department)
VALUES(42,'Luckman','Rafique',20,'CSE'),(43,'Shah','Rokan',22,'CSE'),(60,'Shimul','Islam',22,'CSE'),(69,'Siam','Khan',21,'CSE'),(74,'Rizve','Kazi',22,'CSE');
```

The result of the query is displayed in a green box: "5 rows inserted. (Query took 0.0004 seconds.)".

The screenshot shows the phpMyAdmin interface with the 'students' table selected. The main panel shows the 'Table' tab with the following data displayed:

StudentID	FirstName	LastName	Age	Department
42	Luckman	Rafique	20	CSE
43	Shah	Rokan	22	CSE
60	Shimul	Islam	22	CSE
69	Siam	Khan	21	CSE
74	Rizve	Kazi	22	CSE


The table is displayed with 5 rows. The interface also shows the 'SQL' tab with the query: `SELECT * FROM `students``.

Question 4. Add a new column named Email to the Students table.


Code:

ALTER table students
add Email varchar(20);

Output:



The screenshot shows the phpMyAdmin interface. The left sidebar displays the database structure, with 'schoolidb' selected and 'students' highlighted. The main panel shows the 'SQL' tab with the query 'ALTER table students add Email varchar(20);'. A green message box indicates 'MySQL returned an empty result set (i.e. zero rows). (Query took 0.0003 seconds.)'. The top navigation bar includes links for Browse, Structure, SQL, Search, Insert, Export, Import, and Privileges.



The screenshot shows the phpMyAdmin interface with the 'students' table selected. A warning message states: 'Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.' Below this, a green message box indicates 'Showing rows 0 - 4 (5 total, Query took 0.0002 seconds.)'. The SQL query 'SELECT * FROM `students`' is shown. The table data is displayed with columns: StudentID, FirstName, LastName, Age, Department, and Email. The 'Email' column contains NULL values for all rows.


StudentID	FirstName	LastName	Age	Department	Email
42	Luckman	Rafique	20	CSE	NULL
43	Shah	Rokan	22	CSE	NULL
60	Shimul	Islam	22	CSE	NULL
69	Siam	Khan	21	CSE	NULL
74	Rizve	Kazi	22	CSE	NULL

Question 5. Update the email address of at least two students.

Code:

```
UPDATE students  
set Email="lornob54@gmail.com" where StudentID=42;  
UPDATE students  
set Email='shimul@gmail.com' where StudentID=60;
```


Output:



The screenshot shows the phpMyAdmin interface with the 'students' table selected in the 'schoolidb' database. Two SQL queries have been executed successfully, each affecting 1 row.

Query 1: `UPDATE students set Email="lornob54@gmail.com" where StudentID=42;`

Query 2: `UPDATE students set Email='shimul@gmail.com' where StudentID=60;`



The screenshot shows the phpMyAdmin interface with the 'students' table selected. A warning message states: "Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available." The table data is displayed below.

Showing rows 0 - 4 (5 total, Query took 0.0003 seconds.)

`SELECT * FROM `students``

Number of rows: 25 | Filter rows: Search this table

StudentID	FirstName	LastName	Age	Department	Email
42	Luckman	Rafique	20	CSE	lornob54@gmail.com
43	Shah	Rokan	22	CSE	NULL
60	Shimul	Islam	22	CSE	shimul@gmail.com
69	Siam	Khan	21	CSE	NULL
74	Rizve	Kazi	22	CSE	NULL

Number of rows: 25 | Filter rows: Search this table

Question 6. Edit/Update the value of a student's row by changing the FirstName or LastName of one student.

Code:

```
UPDATE students  
SET LastName = 'Sarkar'  
WHERE StudentID=60;
```

Output:

The screenshot shows the phpMyAdmin interface. On the left, the database structure is visible, with 'schoolidb' selected and 'students' highlighted. The main panel shows the 'Table: students' view. A yellow message bar indicates '1 row affected. (Query took 0.0004 seconds.)'. Below this, the executed SQL query is displayed: `UPDATE students SET LastName = 'Sarkar' WHERE StudentID=60;`. Links for '[Edit inline]', '[Edit]', and '[Create PHP code]' are visible.

The screenshot shows the phpMyAdmin interface with the 'students' table selected. A warning message states: 'Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.' Below this, a yellow message bar indicates 'Showing rows 0 - 4 (5 total, Query took 0.0004 seconds.)'. The executed SQL query is `SELECT * FROM `students``. Below the query, there are controls for 'Show all', 'Number of rows' (set to 25), and 'Filter rows'. An 'Extra options' button is also present. The table data is displayed as follows:

StudentID	FirstName	LastName	Age	Department	Email
42	Luckman	Rafique	20	CSE	lornob54@gmail.com
43	Shah	Rokan	22	CSE	NULL
60	Shimul	Sarkar	22	CSE	shimul@gmail.com
69	Siam	Khan	21	CSE	NULL
74	Rizve	Kazi	22	CSE	NULL


At the bottom, there are controls for 'Show all', 'Number of rows' (set to 25), and 'Filter rows'.

Question 7. Update the department of one student.


Code:

```
UPDATE students  
set Department='English'  
WHERE StudentID=60;
```

Output:



The screenshot shows the phpMyAdmin interface. On the left, the database structure tree is visible, with 'schoolidb' selected and 'students' highlighted. The main panel shows the 'Table: students' view. A yellow message bar indicates '1 row affected. (Query took 0.0003 seconds.)'. Below this, the executed SQL query is displayed: `UPDATE students set Department='English' WHERE StudentID=60;`. Links for '[Edit inline]', '[Edit]', and '[Create PHP code]' are visible.



The screenshot shows the phpMyAdmin interface after the UPDATE query. A warning message states: 'Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.' Below this, a yellow message bar indicates 'Showing rows 0 - 4 (5 total, Query took 0.0003 seconds.)'. The executed SQL query is displayed: `SELECT * FROM `students``. Below the query, there are controls for 'Number of rows' (set to 25) and 'Filter rows' (Search this table). An 'Extra options' button is also present. The table data is displayed below:

StudentID	FirstName	LastName	Age	Department	Email
42	Luckman	Rafique	20	CSE	lornob54@gmail.com
43	Shah	Rokan	22	CSE	NULL
60	Shimul	Sarkar	22	English	shimul@gmail.com
69	Siam	Khan	21	CSE	NULL
74	Rizve	Kazi	22	CSE	NULL

At the bottom, there are controls for 'Number of rows' (set to 25) and 'Filter rows' (Search this table).

Question 8. Update the age of one student.

Code:

```
UPDATE students
set Age=21
WHERE StudentID=42;
```

Output:

The screenshot shows the phpMyAdmin interface. On the left, the database structure is visible, with 'schoolidb' selected and 'students' highlighted. The main panel shows the 'SQL' tab with the query: `UPDATE students set Age=21 WHERE StudentID=42;`. A green message bar indicates '1 row affected. (Query took 0.0003 seconds.)'. Below the query, there are links for '[Edit inline]', '[Edit]', and '[Create PHP code]'.

The screenshot shows the phpMyAdmin interface with the 'students' table selected. A warning message at the top states: 'Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.' Below this, a green message bar indicates 'Showing rows 0 - 4 (5 total, Query took 0.0004 seconds.)'. The query shown is `SELECT * FROM `students``. Below the query, there are links for '[Edit inline]', '[Edit]', '[Explain SQL]', '[Create PHP code]', and '[Refresh]'. There are also checkboxes for 'Show all', 'Number of rows: 25', and 'Filter rows: Search this table'. An 'Extra options' button is also present. The table data is displayed as follows:

StudentID	FirstName	LastName	Age	Department	Email
42	Luckman	Rafique	21	CSE	lronob54@gmail.com
43	Shah	Rokan	22	CSE	NULL
60	Shimul	Sarkar	22	English	shimul@gmail.com
69	Siam	Khan	21	CSE	NULL
74	Rizve	Kazi	22	CSE	NULL


At the bottom, there are checkboxes for 'Show all', 'Number of rows: 25', and 'Filter rows: Search this table'.

Question 9. Delete one student record from the Students table.


Code:

```
DELETE FROM students  
WHERE StudentID=74;
```

Output:



The screenshot shows the phpMyAdmin interface. On the left, the database structure tree is visible, with 'schoolidb' selected and 'students' highlighted. The main panel shows the 'Table: students' view. A yellow message bar indicates '1 row deleted. (Query took 0.0007 seconds.)'. Below this, the SQL query 'DELETE FROM students WHERE StudentID=74;' is displayed. The top navigation bar includes links for Browse, Structure, SQL, Search, Insert, Export, Import, and Privileges.



The screenshot shows the phpMyAdmin interface after the deletion. A warning message states: 'Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.' Below this, a yellow message bar indicates 'Showing rows 0 - 3 (4 total, Query took 0.0003 seconds.)'. The SQL query 'SELECT * FROM `students`' is shown. The table data is displayed in a grid format with columns: StudentID, FirstName, LastName, Age, Department, and Email. The table contains 4 rows of data. The top navigation bar includes links for Browse, Structure, SQL, Search, Insert, Export, Import, and Privileges.


StudentID	FirstName	LastName	Age	Department	Email
42	Luckman	Rafique	21	CSE	lromob54@gmail.com
43	Shah	Rokan	22	CSE	NULL
60	Shimul	Sarkar	22	English	shimul@gmail.com
69	Siam	Khan	21	CSE	NULL

Question 10. Delete all students belonging to a particular department.


Code:

```
DELETE FROM students  
WHERE Department='English';
```

Output:



The screenshot shows the phpMyAdmin interface. On the left, the database structure is visible, with 'schoolidb' selected and 'students' highlighted. The main panel shows the 'SQL' tab with the query 'DELETE FROM students WHERE Department='English';'. A green message bar indicates '1 row deleted. (Query took 0.0004 seconds.)'. Below the query, there are links for '[Edit inline]', '[Edit]', and '[Create PHP code]'.



The screenshot shows the phpMyAdmin interface. On the left, the database structure is visible, with 'schoolidb' selected and 'students' highlighted. The main panel shows the 'Structure' tab. A warning message states: 'Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.' Below this, a green message bar indicates 'Showing rows 0 - 2 (3 total, Query took 0.0002 seconds.)'. The query 'SELECT * FROM `students`' is shown. Below the query, there are links for '[Edit inline]', '[Edit]', '[Explain SQL]', '[Create PHP code]', and '[Refresh]'. A table with 5 columns (StudentID, FirstName, LastName, Age, Department, Email) is displayed. The table contains 3 rows of data. Below the table, there are links for '[Edit inline]', '[Edit]', '[Explain SQL]', '[Create PHP code]', and '[Refresh]'. A table with 5 columns (StudentID, FirstName, LastName, Age, Department, Email) is displayed. The table contains 3 rows of data.


StudentID	FirstName	LastName	Age	Department	Email
42	Luckman	Rafique	21	CSE	lronob54@gmail.com
43	Shah	Rokan	22	CSE	NULL
69	Siam	Khan	21	CSE	NULL

Question 11. Delete the Students table from the database.

Code:

DROP TABLE students;

Output:



Question 12. Delete the SchoolDB database.

Code:

DROP DATABASE schoolidb;

Output:

