

Spoiler Alert

Generated by Doxygen 1.8.6

Sat Dec 6 2014 16:01:17



# Contents

<b>1</b>	<b>File Index</b>	<b>1</b>
1.1	File List	1
<b>2</b>	<b>File Documentation</b>	<b>3</b>
2.1	bioshock.php File Reference	3
2.1.1	Detailed Description	3
2.1.2	Variable Documentation	3
2.1.2.1	\$bio	3
2.1.2.2	\$bio_query	3
2.2	braid.php File Reference	3
2.2.1	Detailed Description	4
2.2.2	Variable Documentation	4
2.2.2.1	\$braid	4
2.2.2.2	\$braid_query	4
2.3	classics.php File Reference	4
2.3.1	Detailed Description	4
2.3.2	Variable Documentation	4
2.3.2.1	\$classics	4
2.3.2.2	\$classics2	4
2.3.2.3	\$classics3	5
2.3.2.4	\$classics4	5
2.4	config.php File Reference	5
2.4.1	Detailed Description	5
2.5	create.php File Reference	5
2.5.1	Detailed Description	5
2.6	fallout3.php File Reference	5
2.6.1	Detailed Description	5
2.6.2	Variable Documentation	6
2.6.2.1	\$fall	6
2.6.2.2	\$fall_query	6
2.7	fightclub.php File Reference	6

2.7.1	Detailed Description	6
2.7.2	Variable Documentation	6
2.7.2.1	\$fight	6
2.7.2.2	\$fight_query	6
2.8	frozen.php File Reference	6
2.8.1	Detailed Description	6
2.8.2	Variable Documentation	7
2.8.2.1	\$frozen	7
2.8.2.2	\$frozen_query	7
2.9	movies.php File Reference	7
2.9.1	Detailed Description	9
2.9.2	Variable Documentation	9
2.9.2.1	\$movies	9
2.9.2.2	\$movies3	9
2.9.2.3	\$query	9
2.9.2.4	\$query2	9
2.9.2.5	\$query3	9
2.10	shaun.php File Reference	9
2.10.1	Detailed Description	10
2.10.2	Variable Documentation	10
2.10.2.1	\$shaun	10
2.10.2.2	\$shaun_query	10
2.11	thanks.php File Reference	10
2.11.1	Detailed Description	10
2.11.2	Variable Documentation	10
2.11.2.1	\$cat	10
2.11.2.2	\$spoil	10
2.12	tv.php File Reference	10
2.12.1	Detailed Description	11
2.12.2	Variable Documentation	11
2.12.2.1	\$query	11
2.12.2.2	\$query2	11
2.12.2.3	\$query3	12
2.12.2.4	\$tv	12
2.12.2.5	\$tv3	12
2.13	videogames.php File Reference	12
2.13.1	Detailed Description	12
2.13.2	Variable Documentation	12
2.13.2.1	\$game	12
2.13.2.2	\$game2	13

---

2.13.2.3	\$game3	13
2.13.2.4	\$query	13
2.13.2.5	\$query2	13
2.13.2.6	\$query3	13
2.14	WD1.php File Reference	13
2.14.1	Detailed Description	13
2.14.2	Variable Documentation	13
2.14.2.1	\$wd_query	13
2.15	WD2.php File Reference	13
2.15.1	Detailed Description	14
2.15.2	Variable Documentation	14
2.15.2.1	\$wd2	14
2.15.2.2	\$wd2_query	14
2.16	WD3.php File Reference	14
2.16.1	Detailed Description	14
2.16.2	Variable Documentation	14
2.16.2.1	\$wd3	14
2.16.2.2	\$wd3_query	14
<b>Index</b>		<b>15</b>



# Chapter 1

## File Index

### 1.1 File List

Here is a list of all documented files with brief descriptions:

<a href="#">bioshock.php</a>	Page for bioshock spoiler . . . . .	3
<a href="#">braid.php</a>	Spoiler for braid . . . . .	3
<a href="#">classics.php</a>	This section is where we grab the spoilers from the classics table . . . . .	4
<a href="#">config.php</a>	Connect to DB . . . . .	5
<a href="#">create.php</a>	Allows user to submit their own spoiler . . . . .	5
<a href="#">fallout3.php</a>	Page for Fallout 3 spoiler . . . . .	5
<a href="#">fightclub.php</a>	Page for Fight Club Spoiler . . . . .	6
<a href="#">frozen.php</a>	Page for Frozen spoiler . . . . .	6
<a href="#">movies.php</a>	Contains Movie Spoilers . . . . .	7
<a href="#">shaun.php</a>	Page for shaun of the dead spoiler . . . . .	9
<a href="#">thanks.php</a>	Inputs created spoiler into database . . . . .	10
<a href="#">tv.php</a>	This page is where we grab the Title of 3 spoilers from the tv table . . . . .	10
<a href="#">videogames.php</a>	This section is where we grab the titles from the videogames table . . . . .	12
<a href="#">WD1.php</a>	Page for season 1 spoiler . . . . .	13
<a href="#">WD2.php</a>	Page for season 3 spoiler . . . . .	13
<a href="#">WD3.php</a>	Page for season 3 spoiler . . . . .	14





## Chapter 2

# File Documentation

### 2.1 bioshock.php File Reference

Page for bioshock spoiler.

#### Variables

- `$bio_query` = "select \* from videogames where id =1"
- `$bio_result` =mysql\_query(\$bio\_query)
- `$bio` = mysql\_fetch\_array(\$bio\_result)

#### 2.1.1 Detailed Description

Page for bioshock spoiler.

#### 2.1.2 Variable Documentation

##### 2.1.2.1 `$bio = mysql_fetch_array($bio_result)`

- array of info for bioshock

##### 2.1.2.2 `$bio_query = "select * from videogames where id =1"`

\*Grab Bioshock info

### 2.2 braid.php File Reference

spoiler for braid

#### Variables

- `$braid_query` = "select \* from videogames where id =3"
- `$braid_result` =mysql\_query(\$braid\_query)
- `$braid` = mysql\_fetch\_array(\$braid\_result)

### 2.2.1 Detailed Description

spoiler for braid

### 2.2.2 Variable Documentation

2.2.2.1 `$braid = mysql_fetch_array($braid_result)`

array of info for Braid

2.2.2.2 `$braid_query = "select * from videogames where id =3"`

\*Grab Braid info

## 2.3 classics.php File Reference

This section is where we grab the spoilers from the classics table.

### Variables

- `$query` = "select \* from classics where id =1"
- `$result` =mysql\_query(\$query)
- `$classics` = mysql\_fetch\_array(\$result)
- `$query2` = "select \* from classics where id =2"
- `$result2` =mysql\_query(\$query2)
- `$classics2` = mysql\_fetch\_array(\$result2)
- `$query3` = "select \* from classics where id =3"
- `$result3` =mysql\_query(\$query3)
- `$classics3` = mysql\_fetch\_array(\$result3)
- `$query4` = "select \* from classics where id =4"
- `$result4` =mysql\_query(\$query4)
- `$classics4` = mysql\_fetch\_array(\$result4)
- **Company**
- Inc & **middot**

### 2.3.1 Detailed Description

This section is where we grab the spoilers from the classics table. To add different spoilers, change the id of one of the queries.

### 2.3.2 Variable Documentation

2.3.2.1 `$classics = mysql_fetch_array($result)`

array of info from classics table id=1

2.3.2.2 `$classics2 = mysql_fetch_array($result2)`

array of info from classics table id=2

2.3.2.3 `$classics3 = mysql_fetch_array($result3)`

array of info from classics table id=3

2.3.2.4 `$classics4 = mysql_fetch_array($result4)`

array of info from classics table id=4

## 2.4 config.php File Reference

Connect to DB.

### Variables

- `const DB_HOST` 'localhost'
- `const DB_NAME` 'SpoilerAlert'
- `const DB_USER` 'root'
- `const DB_PASSWORD` 'root'
- `$con` =`mysql_connect(DB_HOST,DB_USER,DB_PASSWORD)` or `die("Failed to connect to MySQL: " . mysql_error())`
- `$db` =`mysql_select_db(DB_NAME,$con)` or `die("Failed to connect to MySQL: " . mysql_error())`

### 2.4.1 Detailed Description

Connect to DB.

## 2.5 create.php File Reference

allows user to submit their own spoiler

### 2.5.1 Detailed Description

allows user to submit their own spoiler

## 2.6 fallout3.php File Reference

Page for Fallout 3 spoiler.

### Variables

- `$fall_query` = "select \* from videogames where id =2"
- `$fall_result` =`mysql_query($fall_query)`
- `$fall` = `mysql_fetch_array($fall_result)`

### 2.6.1 Detailed Description

Page for Fallout 3 spoiler.

## 2.6.2 Variable Documentation

2.6.2.1 `$fall = mysql_fetch_array($fall_result)`

array of info for Fallout 3

2.6.2.2 `$fall_query = "select * from videogames where id =2"`

\*Grab Fallout 3 info

## 2.7 fightclub.php File Reference

Page for Fight Club Spoiler.

### Variables

- `$fight_query` = "select \* from Movies where id =1"
- `$fight_result` =mysql\_query(\$fight\_query)
- `$fight` = mysql\_fetch\_array(\$fight\_result)

### 2.7.1 Detailed Description

Page for Fight Club Spoiler.

## 2.7.2 Variable Documentation

2.7.2.1 `$fight = mysql_fetch_array($fight_result)`

array of info for fightclub

2.7.2.2 `$fight_query = "select * from Movies where id =1"`

Get fight club info

## 2.8 frozen.php File Reference

Page for Frozen spoiler.

### Variables

- `$frozen_query` = "select \* from Movies where id =3"
- `$frozen_result` =mysql\_query(\$frozen\_query)
- `$frozen` = mysql\_fetch\_array(\$frozen\_result)

### 2.8.1 Detailed Description

Page for Frozen spoiler.

## 2.8.2 Variable Documentation

### 2.8.2.1 \$frozen = mysql\_fetch\_array(\$frozen\_result)

Array of Frozen info

### 2.8.2.2 \$frozen\_query = "select \* from Movies where id =3"

Get info for Frozen

## 2.9 movies.php File Reference

Contains Movie Spoilers.

### Variables

- `$query` = "select title from movies where id =1"
- `$result` =mysql\_query(\$query)
- `$movies` = mysql\_fetch\_array(\$result)
- `$query2` = "select title from movies where id =3"
- `$result2` =mysql\_query(\$query2)
- `$movies2` = mysql\_fetch\_array(\$result2)
- `$query3` = "select title from movies where id =4"
- `$result3` =mysql\_query(\$query3)
- `$movies3` = mysql\_fetch\_array(\$result3)
- **boring**
- desk **job**
- desk and having many a  
sleepless night</p><p>  
< aclass="btn btn-default" href="fightclub.php" role="button">  
Spoil & raquo
- </a></p></div><!--/.col-lg-4-->  
< divclass="col-lg-4">  
<     imgclass="img-circle"src=" ../css/frozen.jpg"alt="Genericplaceholderimage"style="width:140px;height:140px;">  
< h2> **Elsa**
- </a></p></div><!--/.col-lg-4-->  
< divclass="col-lg-4">  
<     imgclass="img-circle"src=" ../css/frozen.jpg"alt="Genericplaceholderimage"style="width:140px;height:140px;">  
< h2> the princess of  
Arendelle has the magic  
ability to create snow and ice  
at will One night she is  
playing with her younger **sister**
- </a></p></div><!--/.col-lg-4-->  
< divclass="col-lg-4">  
<     imgclass="img-circle"src=" ../css/frozen.jpg"alt="Genericplaceholderimage"style="width:140px;height:140px;">  
< h2> the princess of  
Arendelle has the magic  
ability to create snow and ice  
at will One night she is  
playing with her younger **Anna**

- ```

</a ></p ></div ><!--/.col-lg-4-->
< divclass="col-lg-4">
<   imgclass="img-circle"src=" ../css/frozen.jpg"alt="Genericplaceholderimage"style="width:140px;height:140px;">
< h2 > the princess of
Arendelle has the magic
ability to create snow and ice
at will One night she is
playing with her younger when
she accidentally strikes her
in the head with a beam of
this magic Their parents take
the injured Anna to a troll family

```
- ```

</a ></p ></div ><!--/.col-lg-4-->
< divclass="col-lg-4">
< imgclass="img-circle"src=" ../css/shaunofthedead.jpg"alt="Genericplaceholderimage"style="width:140px;height:140px;">
< h2 > the movie's protagonist

```
- ```

</a ></p ></div ><!--/.col-lg-4-->
< divclass="col-lg-4">
< imgclass="img-circle"src=" ../css/shaunofthedead.jpg"alt="Genericplaceholderimage"style="width:140px;height:140px;">
< h2 > the movie's is in a
dead end job in a local
electronics shop He lives with
his best friend Ed

```
- ```

</a ></p ></div ><!--/.col-lg-4-->
< divclass="col-lg-4">
< imgclass="img-circle"src=" ../css/shaunofthedead.jpg"alt="Genericplaceholderimage"style="width:140px;height:140px;">
< h2 > the movie's is in a
dead end job in a local
electronics shop He lives with
his best friend and another
man named Pete Pete hates Ed
Naturally this means he and
Shaun often butt heads
Shaun's girlfriend

```
- ```

</a ></p ></div ><!--/.col-lg-4-->
< divclass="col-lg-4">
< imgclass="img-circle"src=" ../css/shaunofthedead.jpg"alt="Genericplaceholderimage"style="width:140px;height:140px;">
< h2 > the movie's is in a
dead end job in a local
electronics shop He lives with
his best friend and another
man named Pete Pete hates Ed
Naturally this means he and
Shaun often butt heads
Shaun's Liz

```
- ```

</a ></p ></div ><!--/.col-lg-4-->
< divclass="col-lg-4">
< imgclass="img-circle"src=" ../css/shaunofthedead.jpg"alt="Genericplaceholderimage"style="width:140px;height:140px;">

```

```
:140px;">
```

```
< h2 > the movie's is in a  
dead end job in a local  
electronics shop He lives with  
his best friend and another  
man named Pete Pete hates Ed  
Naturally this means he and  
Shaun often butt heads  
Shaun's desires more from  
the couple's social life
```

- ```
</a ></p ></div ><!--.col-lg-4-->  
</div ><!--.row--><!--FOOTER-->  
< footer >< pclass="pull-right">  
< ahref="#"> Back to top</a >  
</p >< p > & copy
```
- **Company**
- Inc & **middot**

### 2.9.1 Detailed Description

Contains Movie Spoilers. To add different spoilers, change the id of one of the queries, the picture, and the short synopsis.

### 2.9.2 Variable Documentation

2.9.2.1 `$movies = mysql_fetch_array($result)`

title of Movie

2.9.2.2 `$movies3 = mysql_fetch_array($result3)`

title of Movie

2.9.2.3 `$query = "select title from movies where id =1"`

Selects title from Movie database

2.9.2.4 `$query2 = "select title from movies where id =3"`

Selects title from Movie database

2.9.2.5 `$query3 = "select title from movies where id =4"`

Selects title from Movie database

## 2.10 shaun.php File Reference

Page for shaun of the dead spoiler.

## Variables

- `$shaun_query` = "select \* from Movies where id =4"
- `$shaun_result` =mysql\_query(\$shaun\_query)
- `$shaun` = mysql\_fetch\_array(\$shaun\_result)
- **Company**
- Inc & **middot**

### 2.10.1 Detailed Description

Page for shaun of the dead spoiler.

### 2.10.2 Variable Documentation

#### 2.10.2.1 `$shaun = mysql_fetch_array($shaun_result)`

array of info for shaun of the dead

#### 2.10.2.2 `$shaun_query = "select * from Movies where id =4"`

get shaun of the dead info

## 2.11 thanks.php File Reference

Inputs created spoiler into database.

## Variables

- `$name` =\$\_POST["name"]
- `$cat` =\$\_POST["Category"]
- `$spoil` =\$\_POST["spoiler"]

### 2.11.1 Detailed Description

Inputs created spoiler into database.

### 2.11.2 Variable Documentation

#### 2.11.2.1 `$cat =$_POST["Category"]`

name of spoiler

#### 2.11.2.2 `$spoil =$_POST["spoiler"]`

Category of spoiler

## 2.12 tv.php File Reference

This page is where we grab the Title of 3 spoilers from the tv table.



## Variables

- `$query` = "select title from tv where id =1"
- `$result` =mysql\_query(\$query)
- `$tv` = mysql\_fetch\_array(\$result)
- `$query2` = "select title from tv where id =2"
- `$result2` =mysql\_query(\$query2)
- `$tv2` = mysql\_fetch\_array(\$result2)
- `$query3` = "select title from tv where id =3"
- `$result3` =mysql\_query(\$query3)
- `$tv3` = mysql\_fetch\_array(\$result3)
- something is clearly amiss Cue  
zombie apocalypse</p >< p >  
< aclass="btn btn-default" href="WD1.php" role="button">  
Spoil & raquo
- </a ></p ></div ><!--/.col-lg-4-->  
< divclass="col-lg-4">  
< imgclass="img-circle"src=" ../css/walkingdead3.jpg"alt="Genericplaceholderimage"style="width:140px;height-  
:140px;">  
< h2 > Lori being in the final  
days of her pregnancy They  
discover a deserted prison **and**
- </a ></p ></div ><!--/.col-lg-4-->  
< divclass="col-lg-4">  
< imgclass="img-circle"src=" ../css/walkingdead3.jpg"alt="Genericplaceholderimage"style="width:140px;height-  
:140px;">  
< h2 > Lori being in the final  
days of her pregnancy They  
discover a deserted prison  
while clearing it of **walkers**
- </a ></p ></div ><!--/.col-lg-4-->  
</div ><!--/.row--><!--FOOTER-->  
< footer >< pclass="pull-right">  
< ahref="#"> Back to top</a >  
</p >< p > & copy
- **Company**
- Inc & middot

### 2.12.1 Detailed Description

This page is where we grab the Title of 3 spoilers from the tv table. To add different spoilers, change the id of one of the queries, the picture, and the short synopsis.

### 2.12.2 Variable Documentation

#### 2.12.2.1 \$query = "select title from tv where id =1"

Selects title from Movie database

#### 2.12.2.2 \$query2 = "select title from tv where id =2"

Selects title from Movie database

2.12.2.3 `$query3 = "select title from tv where id =3"`

Selects title from Movie database

2.12.2.4 `$tv = mysql_fetch_array($result)`

title of show id=1

2.12.2.5 `$tv3 = mysql_fetch_array($result3)`

title of Show id=3

## 2.13 videogames.php File Reference

This section is where we grab the titles from the videogames table.

### Variables

- `$query` = "select title from videogames where id =1"
- `$result` =mysql\_query(\$query)
- `$game` = mysql\_fetch\_array(\$result)
- `$query2` = "select title from videogames where id =2"
- `$result2` =mysql\_query(\$query2)
- `$game2` = mysql\_fetch\_array(\$result2)
- `$query3` = "select title from videogames where id =3"
- `$result3` =mysql\_query(\$query3)
- `$game3` = mysql\_fetch\_array(\$result3)
- and Jack finds himself in the middle of the **Atlantic**
- and Jack finds himself in the middle of the</p >< p >  
< aclass="btnbtn-default"href="bioshock.php"role="button">  
Spoil & raquo
- </a ></p ></div ><!--/.col-lg-4-->  
</div ><!--/.row--><!--FOOTER-->  
< footer >< pclass="pull-right">  
< ahref="#"> Back to top</a >  
</p >< p > & copy
- **Company**
- Inc & middot

### 2.13.1 Detailed Description

This section is where we grab the titles from the videogames table. To add different spoilers, change the id of one of the queries, the picture, and the short synopsis.

### 2.13.2 Variable Documentation

2.13.2.1 `$game = mysql_fetch_array($result)`

title of game

2.13.2.2 `$game2 = mysql_fetch_array($result2)`

title of game

2.13.2.3 `$game3 = mysql_fetch_array($result3)`

title of game

2.13.2.4 `$query = "select title from videogames where id =1"`

Selects title from videogame table

2.13.2.5 `$query2 = "select title from videogames where id =2"`

Selects title from videogame table

2.13.2.6 `$query3 = "select title from videogames where id =3"`

Selects title from Movie database

## 2.14 WD1.php File Reference

Page for season 1 spoiler.

### Variables

- `$wd_query` = "select \* from tv where id =1"
- `$wd_result` =mysql\_query(\$wd\_query)
- `$wd` = mysql\_fetch\_array(\$wd\_result)

### 2.14.1 Detailed Description

Page for season 1 spoiler.

### 2.14.2 Variable Documentation

2.14.2.1 `$wd_query` = "select \* from tv where id =1"

Select info for season 1

## 2.15 WD2.php File Reference

Page for season 3 spoiler.

### Variables

- `$wd2_query` = "select \* from tv where id =2"
- `$wd2_result` =mysql\_query(\$wd2\_query)
- `$wd2` = mysql\_fetch\_array(\$wd2\_result)

### 2.15.1 Detailed Description

Page for season 3 spoiler.

### 2.15.2 Variable Documentation

2.15.2.1 `$wd2 = mysql_fetch_array($wd2_result)`

array of info for season 2

2.15.2.2 `$wd2_query = "select * from tv where id =2"`

Select info for season 2

## 2.16 WD3.php File Reference

Page for season 3 spoiler.

### Variables

- `$wd3_query` = "select \* from tv where id =3"
- `$wd3_result` =mysql\_query(\$wd3\_query)
- `$wd3` = mysql\_fetch\_array(\$wd3\_result)

### 2.16.1 Detailed Description

Page for season 3 spoiler.

### 2.16.2 Variable Documentation

2.16.2.1 `$wd3 = mysql_fetch_array($wd3_result)`

array of info for season 3

2.16.2.2 `$wd3_query = "select * from tv where id =3"`

Select info for season 3

# Index

- \$bio
  - bioshock.php, 3
- \$bio\_query
  - bioshock.php, 3
- \$braid
  - braid.php, 4
- \$braid\_query
  - braid.php, 4
- \$cat
  - thanks.php, 10
- \$classics
  - classics.php, 4
- \$classics2
  - classics.php, 4
- \$classics3
  - classics.php, 4
- \$classics4
  - classics.php, 5
- \$fall
  - fallout3.php, 6
- \$fall\_query
  - fallout3.php, 6
- \$fight
  - fightclub.php, 6
- \$fight\_query
  - fightclub.php, 6
- \$frozen
  - frozen.php, 7
- \$frozen\_query
  - frozen.php, 7
- \$game
  - videogames.php, 12
- \$game2
  - videogames.php, 12
- \$game3
  - videogames.php, 13
- \$movies
  - movies.php, 9
- \$movies3
  - movies.php, 9
- \$query
  - movies.php, 9
  - tv.php, 11
  - videogames.php, 13
- \$query2
  - movies.php, 9
  - tv.php, 11
  - videogames.php, 13
- \$query3
  - movies.php, 9
  - tv.php, 11
  - videogames.php, 13
- \$shaun
  - shaun.php, 10
- \$shaun\_query
  - shaun.php, 10
- \$spoil
  - thanks.php, 10
- \$tv
  - tv.php, 12
- \$tv3
  - tv.php, 12
- \$wd2
  - WD2.php, 14
- \$wd2\_query
  - WD2.php, 14
- \$wd3
  - WD3.php, 14
- \$wd3\_query
  - WD3.php, 14
- \$wd\_query
  - WD1.php, 13
- bioshock.php, 3
  - \$bio, 3
  - \$bio\_query, 3
- braid.php, 3
  - \$braid, 4
  - \$braid\_query, 4
- classics.php, 4
  - \$classics, 4
  - \$classics2, 4
  - \$classics3, 4
  - \$classics4, 5
- config.php, 5
- create.php, 5
- fallout3.php, 5
  - \$fall, 6
  - \$fall\_query, 6
- fightclub.php, 6
  - \$fight, 6
  - \$fight\_query, 6
- frozen.php, 6
  - \$frozen, 7
  - \$frozen\_query, 7
- movies.php, 7

- [\\$movies](#), [9](#)
  - [\\$movies3](#), [9](#)
  - [\\$query](#), [9](#)
  - [\\$query2](#), [9](#)
  - [\\$query3](#), [9](#)
- [shaun.php](#), [9](#)
  - [\\$shaun](#), [10](#)
  - [\\$shaun\\_query](#), [10](#)
- [thanks.php](#), [10](#)
  - [\\$cat](#), [10](#)
  - [\\$spoil](#), [10](#)
- [tv.php](#), [10](#)
  - [\\$query](#), [11](#)
  - [\\$query2](#), [11](#)
  - [\\$query3](#), [11](#)
  - [\\$tv](#), [12](#)
  - [\\$tv3](#), [12](#)
- [videogames.php](#), [12](#)
  - [\\$game](#), [12](#)
  - [\\$game2](#), [12](#)
  - [\\$game3](#), [13](#)
  - [\\$query](#), [13](#)
  - [\\$query2](#), [13](#)
  - [\\$query3](#), [13](#)
- [WD1.php](#), [13](#)
  - [\\$wd\\_query](#), [13](#)
- [WD2.php](#), [13](#)
  - [\\$wd2](#), [14](#)
  - [\\$wd2\\_query](#), [14](#)
- [WD3.php](#), [14](#)
  - [\\$wd3](#), [14](#)
  - [\\$wd3\\_query](#), [14](#)